

BIDDING DOCUMENT

for

THE PROCUREMENT OF

Construction of Undergraduate Program Building Block-2 for Madan Bhandari University of Science and Technology

IFB No. MBUST/W/NCB-01/2082/83

National Competitive Bidding (NCB) **Single-Stage: Two-Envelope Bidding Procedure**

Madan Bhandari University of Science and Technology Chitlang, Thaha Municipality Ward 9, Nepal

Issued on: July 25, 2025 (Shrawan 09, 2082)

Invitation for Bids No.:

NCB No.: 01/2082/83

Contract Identification No.: MBUST/W/NCB-01/2082/83

Abbreviations

BD	Bidding Document
BDF	Bidding Forms
BDS	Bid Data Sheet
BOQ	Bill of Quantities
COF	Contract Forms
DP	Development Partners
DoLI	Department of Local Infrastructure
e-GP	Electronic Government Procurement
ELI	Eligibility
EQC	Evaluation and Qualification Criteria
EXP	Experience
FIN	Financial
GCC	General Conditions of Contract
GoN ¹	Government of Nepal
ICC	International Chamber of Commerce
IFBInv	ritation for Bids
ITB	Instructions to Bidders
JV	Joint Venture
LIT	Litigation
NCB	National Competitive Bidding
PAN	Permanent Account Number
PPA	Public Procurement Act
PPMO	Public Procurement Monitoring Office
PPR	Public Procurement Regulations
PL	Profit & Loss
PS	Provisional Sum
SBD	Standard Bidding Document
SCC	Special Conditions of Contract
TS	Technical Specifications
VAT	Value Added Tax
WRQ	Works Requirements

¹ "GoN" word indicates all public entities according to Public Procurement Act, 2063

Table of Contents

Invitation for Bids	4
Part I: BIDDING PROCEDURES	6
Section I: Instructions to Bidders	9
Section II : Bid Data Sheet	36
Section III: Evaluation and Qualification Criteria	40
Section IV: Bidding Forms	47
Section V - Eligible Countries	76
Part II : REQUIREMENT	77
Section VI: Works Requirements	79
Section VI: Bill of Quantities	99
Part III: CONDITIONS OF CONTRACT AND CONTI	RACT FORMS Error! Bookmark not
Section VIII: General Conditions of Contract	Error! Bookmark not defined.
Section IX: Special Conditions of Contract	Error! Bookmark not defined.
Section X: Contract Forms	Error! Bookmark not defined.

Invitation for Bids

Madan Bhandari University of Science and Technology (MBUST) Chitlang, Thaha Municipality, Ward 9, Bagmati Province

Invitation for Bids for the Construction of Construction of Undergraduate Program Building Block-2

Invitation for Bids No: MBUST/W/NCB-01/2082-83

First Date of publication: July 25, 2025 (Shrawan 09, 2082) Friday

- 1. Madan Bhandari University of Science and Technology (MBUST) has allocated funds from GoN towards the cost of Construction of Undergraduate Program Building Block-2 and intends to apply part of the funds to cover eligible payments under the Contract for Construction of Undergraduate Program Building Block-2. Bidding is open to all eligible as per Section V of bidding document.
- 2. *Madan Bhandari University of Science and Technology (MBUST* invites electronic bids from eligible bidders for the *Construction of Undergraduate Program Building Block-2* under National Competitive Bidding Single Stage Two Envelope Bidding procedures.

Only eligible bidders with the following key qualifications should participate in this bidding:

- Minimum Average Annual Construction Turnover of the best 3 years within the last 10 years: *NRs 332 Million excluding VAT*.
- Minimum Work experience of similar size and nature:
 - Participation as Prime contractor, management contractor, or subcontractor, within the last ten (10) years, that have been successfully or are substantially^a completed with a value of at least NRs 288 Million in a single RCC building Project and that are similar to the proposed works. The similarity shall be based on the physical size, complexity, methods, technology or other characteristics as described;
 - 1. Electrical Works
 - 2. Sanitary Works
 - 3. Firefighting Works
 - ii) Participation as Prime contractor in at least one (1) or cumulative of Two (2) RCC frame structure building contract completed within the original contract period prior to the applications submission deadline within the last ten (10) years, with a value of at least NRs 288 Million excluding VAT and PS.
 - iii) Participation as Prime contractor, management contractor, or subcontractor, within a last ten (10) years, For the above or other contracts stipulated in 2.4.2(a) above, a minimum annual production rate on construction experience in the following key activities that have been successfully or substantially completed in a single RCC building project:
 - 1. Steel Reinforcement: 5,46,200.00 kg
 - 2. RCC Works M25 and above: 2970 Cu.m
- 3. Bidders submitting their bid electronically, are required to submit two separate bid response documents, one containing (i) the Technical Bid and the other (ii) the Price Bid, as per the provision of ITB 21 of the Bidding Document.

- 4. Eligible Bidders may obtain further information and inspect the Bidding Documents at the office of MBUST, Telephone no. 9840088016 and 9849848053, email: info@mbust.edu.np or may visit PPMO e-GP system www.bolpatra.gov.np/egp and www.mbust.edu.np.
- 5. A complete set of Bidding Documents may be downloaded from PPMO's e-GP system www.bolpatra.gov.np/egp. Bidders, submitting their bids electronically, should deposit the non-refundable cost of bidding document NRs. 20,000.00 in the account as specified below

Name of the Bank: Nepal Bank Limited, Gabahal, Lalitpur.

Name of Office: Madan Bhandari University of Science and Technology

Office Account no.: 01800106701870000001

- 6. Pre-bid meeting shall be held at *Madan Bhandari University of Science and Technology* (MBUST), Chitlang Thaha Municipality at 11:30 hours, August 12, 2025 (Shrawan 27, 2082)
- 7. Electronic bids must be submitted to the office Madan Bhandari University of Science and Technology through PPMO's e-GP system www.bolpatra.gov.np/egp on or before 13:00 hours on August 27, 2025 (Bhadra 11, 2082). Bids received after this deadline will be rejected.
- 8. The bids will be opened in the presence of Bidders' representatives who choose to attend at 14:00 hours on August 27, 2025 (Bhadra 11, 2082) at the office of Madan Bhandari University of Science and Technology. Bids must be valid for a period of 120 days from the bid submission deadline and must be accompanied by a bid security or scanned copy of the bid security in pdf format in case of e-bid, amounting to a minimum of NRs 12 Million which shall be valid for 30 days beyond the validity period of the bid (i.e. January 24, 2026)
- 9. If the last date of purchasing and /or submission falls on a government holiday, then the next working day shall be considered as the last date. In such case the validity period of the bid and bid security shall remain the same as specified for the original last date of bid submission.

Part I: BIDDING PROCEDURES

Section I: Instructions to Bidders (ITB)

Table of Clauses

A. General	9
1. Scope of Bid	9
2. Source of Funds	9
3. Fraud and Corruption	9
4.Eligible Bidders	12
5. Eligible Materials, Equipment and Services	14
B. Contents of Bidding Documents	14
6. Sections of Bidding Document	14
7. Clarification of Bidding Document, Site Visit, Pre-Bid Meeting	15
8. Amendment of Bidding Document	
9. Cost of Bidding	16
10. Language of Bid	16
11. Documents Comprising the Bid	16
12. Letter of Bid and Schedules	17
13. Alternative Bids	17
14. Bid Prices and Discounts	17
15. Currency of Bid and Payment	18
16. Documents Comprising the Technical Proposal	18
17. Documents Establishing theQualifications of the Bidder	18
18. Period of Validity of Bids	18
19. Bid Security	
20. Format and Signing of Bid	20
D. Submission and Opening of Bids	21
21. Sealing and Marking of Bids	21
22. Deadline for Submission of Bids	24
23. Late Bids	24
24. Withdrawal, and Modification of Bids	24

	25. Bid Opening	25
ŀ	Exaluation and Comparison of Bids2	7
	26. Confidentiality	27
	27. Clarification of Bids	27
	28. Deviations, Reservations, and Omissions	28
	29. Examination of Technical Bid	28
	30. Determination of Responsiveness of Technical Bid	28
	31.NonconformitiesErrors, andOmissions	29
	32 Qualification of the Bidder	29
	33. Correction of Arithmetical Errors	29
	34 Subcontractors	30
	35. Evaluation of Price Bids	30
	36. Comparison of Bids	31
	37. Employer's Right to Accept Any Bid, and to Reject Any or All Bids	31
	38. Award Criteria	32
	39. Letter of Intent to Award the Contract/Notification of Award	32
	40. Performance Security and Line of Credit.	32
	41 Signing of Contract	33
	42. Complaint and Review	33

Section I: Instructions to Bidders

A. General		
1. Scope of Bid	1.1 In connection with the Invitation for Bids indicated in the Bid Data Sheet (BDS), the Employer, as indicated in the BDS, issues this Bidding Document for the procurement of Works as specified in Section VI (Works Requirements). The name, identification, and number of lots (contracts) / multiple contracts of the National Competitive Bidding (NCB) are provided in the BDS.	
	1.2 Throughout this Bidding Document: (a)the term "in writing" means communicated in written form and delivered against receipt through e-GP system or email or fax or courier; (b) except where the context requires otherwise, words indicating the singular also include the plural and words indicating the plural also include the singular; and	
	(c) "day" means calendar day.	
2. Source of Funds	2.1 GoN Funded: In accordance with its annual program and budget, approved by the GoN, the implementing agency indicated in the BDS plans to apply a portion of the allocated budget to eligible payments under the contract(s) for which this Bidding Document is issued.	
	Or	
	Public Entities' own Resource Funded: In accordance with its annual program and budget, approved by the public entity, the implementing agency indicated in the BDS plans to apply a portion of the allocated budget to eligible payments under the contract(s) for which this Bidding Document is issued.	
	Or	
	DP Funded: The GoN has applied for or received financing (hereinafter called "funds") from the Development Partner (hereinafter called "the DP") indicated in the BDS toward the cost of the project named in the BDS. The GoN intends to apply a portion of the funds to eligible payments under the contract(s) for which this Bidding Document is issued.	
	2.2 DP Funded: Payment by the DP will be made only at the request of the GoN and upon approval by the DP in accordance with the terms and conditions of the financing agreement between the GoN and the DP (hereinafter called the "Loan/Grant Agreement"), and will be subject in all respects to the terms and conditions of that Loan/Grant Agreement. No party other than the GoN shall derive any rights from the Loan Agreement or have any claim to the funds.	
3. Fraud and Corruption	3.1 Procuring Entities as well as Bidders, suppliers and contractors and their sub-contractors shall adhere to the highest standard of ethics during the procurement and execution of such contracts. In pursuance of this;	

- (a) the Employer adopts, for the purposes of this provision, the terms as defined below:
 - (i) "corrupt practice" means the offering, giving, receiving, or soliciting, directly or indirectly, anything of value to influence improperly the actions of another party;
 - (ii) "fraudulent practice" means any act or omission, including a misrepr esentation, that knowingly or recklessly misleads, or attempts to mislead, a party to obtain a financial or other benefit or to avoid an obligation;
 - (iii) "coercive practice" means impairing or harming, or threatening to impair or harm, directly or indirectly, any party or the property of the party to influence improperly the actions of a party;
 - (iv) "collusive practice" means an arrangement between two or more parties designed to achieve an improper purpose, including influencing improperly the actions of another party.
 - v) "obstructive practice" means (a) deliberately destroying, falsifying, altering, or concealing of evidence material to an investigation; (b) making false statements to investigators in order to materially impede an investigation; (c) failing to comply with requests to provide information, documents, or records in connection with an investigation; (d) threatening, harassing, or intimidating any party to prevent it from disclosing its knowledge of matters relevant to the investigation or from pursuing the investigation; or (e) materially impeding GoN/DP's contractual rights of audit or access to information; and
 - vi) "integrity violation" is any act which violates Anticorruption Policy, including (i) to (v) above and the following: abuse, conflict of interest, violations of GoN/DP sanctions, retaliation against whistleblowers or witnesses, and other violations of Anticorruption Policy, including failure to adhere to the highest ethical standard.
- (b) the Employer will reject a proposal for award if it determines that the Bidder recommended for award has, directly or through an agent, engaged in corrupt, fraudulent, collusive, coercive, or obstructive practices or other integrity violations in competing for the contract;
- (c) DP will cancel the portion of the financing allocated to a contract if it determines at any time that representative(s) of the GoN/or of a beneficiary of DP-financing engaged in corrupt, fraudulent, collusive, or coercive practices or other integrity violations during the procurement or the execution of that contract, without the GoN having taken timely and appropriate action satisfactory to DP to remedy the situation.
- d) DP will impose remedial actions on a firm or an individual, at any time, in accordance with DP's Anticorruption Policy and related Guidelines (as amended from time to time), including declaring ineligible, either indefinitely or for a stated period of time, to participate in DP-financed, -administered, or -supported activities or to benefit from an DP-financed, -administered, or -

- supported contract, financially or otherwise, if it at any time determines that the firm or individual has, directly or through an agent, engaged in corrupt, fraudulent, collusive, coercive, or obstructive practices or other integrity violations; and
- (e) The Contractor shall permit the GoN/DP to inspect the Contractor's accounts and records relating to the performance of the Contractor and to have them audited by auditors appointed by the GoN/DP, if so, required by the GoN/DP.
- 3.2 The Bidder shall not carry out or cause to carry out the following acts with an intention to influence the implementation of the procurement process or the procurement agreement:
 - (a) give or propose improper inducement directly or indirectly,
 - (b) distortion or misrepresentation of facts,
 - (c) engaging in corrupt or fraudulent practice or involving in such act,
 - (d) interference in participation of other competing bidders,
 - (e) coercion or threatening directly or indirectly to cause harm to the person or the property of any person to be involved in the procurement proceedings,
 - (f) collusive practice among bidders before or after submission of bids for distribution of works among bidders or fixing artificial/uncompetitive bid price with an intention to deprive the Employer the benefit of open competitive bid price,
 - (g) Contacting the Employer with an intention to influence the Employer with regards to the bids or interference of any kind in examination and evaluation of the bids during the period from the time of opening of the bids until the notification of award of contract.
- 3.3 PPMO, on the recommendation of the Procuring Entity may blacklist a Bidder for a period of one (1) to three (3) years for its conduct including on the following grounds and seriousness of the act committed by the bidder:
 - (a) if convicted by a court of law in a criminal offence which disqualifies the Bidder from participating in the contract,
 - (b) if it is established that the contract agreement signed by the Bidder was based on false or misrepresentation of Bidder's qualification information,
 - (c)if it at any time determines that the firm has, directly or through an agent, engaged in corrupt, fraudulent, collusive, coercive, or obstructive practices in competing for, or in executing, a GoN/DP-financed contract.
 - (d) if the Successful Bidder fails to sign the Contract.
 - (e) if the bidder fails to inform about the saturation of maximum number of contracts as per ITB 4.10.
- 3.4 A bidder declared blacklisted and ineligible by the GoN, Public Procurement Monitoring Office (PPMO), by a competent authority under the prevailing law for failure to repay a loan disbursed by a bank or financial institution, and/or the DP in case of DP funded project, shall be ineligible to bid for a contract during the period of time determined by the GoN, PPMO, the competent authority, and/or the DP.

	3.5 In case of a natural person or firm/institution/company which is already declared blacklisted and ineligible by the GoN, any other new or existing firm/institution/company owned partially or fully by such Natural person or Owner or Board of director of blacklisted firm/institution/company; shall not be eligible bidder.	
	3.6 Furthermore, Bidders shall be aware of the provisions of GCC 28.3 and GCC 72.3(j).	
4. Eligible Bidders	4.1 A Bidder may be a natural person, private entity, or government owned entity subject to ITB 4.5 or any combination of them in the form of a Joint Venture (JV) under an existing agreement, or with the intent to constitute a legally-enforceable joint venture. In the case of a JV:	
	(a) all partners shall be jointly and severally liable for the execution of the Contract in accordance with the Contract terms. Maximum number of JV shall be as specified in the BDS and	
	(b) the JV shall nominate a Representative who shall have the authority to conduct all business for and on behalf of any and all the parties of the JV during the bidding process and, in the event the JV is awarded the Contract, during Contract execution.	
	4.2 A Bidder, and all parties constituting the Bidder, shall have the nationality of an eligible country, in accordance with Section V (Eligible Countries). A Bidder shall be deemed to have the nationality of a country if the Bidder is a citizen or is constituted, or incorporated, and operates in conformity with the provisions of the laws of that country. This criterion shall also apply to the determination of the nationality of proposed sub-contractors or suppliers for any part of the Contract including related services.	
	4.3 A Bidder shall not have a conflict of interest. A Bidder found to have a conflict of interest shall be disqualified. A Bidder may be considered to be in a conflict of interest with one or more parties in this bidding process, if any of, including but not limited to, the following apply:	
	(a) they have controlling shareholders in common; or	
	(b) they receive or have received any direct or indirect subsidy from any of them; or	
	(c) they have the same legal representative for purposes of this bid; or	
	(d) they have a relationship with each other, directly or through common third parties, that puts them in a position to have access to material information about or improperly influence the Bid of another Bidder, or influence the decisions of the Employer regarding this bidding process; or	
	(e) a Bidder participates in more than one bid in this bidding process either individually or as a partner in a joint venture. This will result in the disqualification of all Bids in which it is involved. However, subject to any finding of a conflict of interest in terms of ITB 4.3 (a)-(d) above, this does not limit the participation of the same subcontractor in more than one bid; or	
	(f) a Bidder or any of its affiliated entity, participated as a consultant in the	

- preparation of the design or technical specifications of the works that are the subject of the Bid; or
- (g) a Bidder was affiliated with a firm or entity that has been hired (or is proposed to be hired) by the Employer as Engineer for the Contract.
- (h) a Bidder that has a close business or family relationship with a professional staff of the Procuring Entity.
- 4.4 A firm that is under a declaration of ineligibility by the GoN in accordance with ITB 3, at the date of the deadline for bid submission or thereafter, shall be disqualified. A firm shall not be eligible to participate in any procurement activities under an DP-financed, -administered, or -supported project while under temporary suspension or debarment by DP pursuant to the DP's Anticorruption Policy (see ITB 3), whether such debarment was directly imposed by the DP, or enforced by other DPs pursuant to the Agreement for Mutual Enforcement of Debarment Decisions. A bid from a temporary suspended or debarred firm will be rejected.
- 4.5 Enterprises owned by Government shall be eligible only if they can establish that they are legally and financially autonomous and operate under commercial law, and that they are not a dependent agency of the GoN.
- 4.6 Bidders shall provide such evidence of their continued eligibility satisfactory to the Employer, as the Employer shall reasonably request.
- 4.7 Firms shall be excluded in any of the cases, if
 - (a) by an act of compliance with a decision of the United Nations Security Council taken under Chapter VII of the Charter of the United Nations, Nepal prohibits any import of goods or contracting of works or services from that country or any payments to persons or entities in that country. Where Nepal prohibits payments to a particular firm or for particular goods by such an act of compliance, that firm may be excluded;
 - (b) DP Funded: as a matter of law or official regulation, Nepal prohibits commercial relations with that country, provided that the DP is satisfied that such exclusion does not preclude effective competition for the supply of goods or related services required;
 - (c) DP Funded: a firm sanctioned or temporarily suspended by the DP in relation to their guidelines or appropriate provisions on preventing and combating fraud and corruption in projects financed by them.
- 4.8 In case a prequalification process has been conducted prior to the bidding process, this bidding is open only to prequalified Bidders.
- 4.9 The Bidder, including all parties constituting the Bidder, shall be ineligible to participate in the open competitive bidding process if it has already secured maximum number of construction contracts (in open competitive bidding) as specified in BDS and has not yet completed the work as stipulated in the respective contracts
- 4.10 For the purpose of ITB 4.9 above, the bidder shall declare that the bidder, and all

	parties constituting the Bidder have not already secured maximum number of construction contract (in open competitive bidding) as specified in BDS. If the bidder, and all parties constituting the Bidder has participated in bidding processes of many public entities and during that period the maximum number of contracts have been attained as specified saturates due to issuance of letters of acceptance by a particular public entity, the bidder shall inform in writing to all other concerned public entities, where the bidder have participated in bidding process, within three days of issuance of last letter of acceptance that saturates the maximum number of contracts as specified.	
5. Eligible Materials, Equipment and Services	5.1 The materials, equipment and services to be supplied under the Contract shall have their origin in any source countries as defined in accordance with Section V (Eligible Countries) and all expenditures under the Contract will be limited to such materials, equipment, and services. At the Employer's request, Bidders may be required to provide evidence of the origin of materials, equipment and services.	
	5.2 For purposes of ITB 5.1 above, "origin" means the place where the materials and equipment are mined, grown, produced or manufactured, and from which the services are provided. Materials and equipment are produced when, through manufacturing, processing, or substantial or major assembling of components, a commercially recognized product results that differs substantially in its basic characteristics or in purpose or utility from its components.	
	B. Contents of Bidding Documents	
6. Sections of Bidding Document	6.1 The Bidding Document consist of Parts I, II, and III, which include all the Sections indicated below, and should be read in conjunction with any Addenda issued in accordance with ITB 8.	
	PART I Bidding Procedures Section I Instructions to Bidders (ITB) Section II Bid Data Sheet (BDS) Section III Evaluation and Qualification Criteria (EQC) Section IV Bidding Forms (BDF) Section V Eligible Countries	
	PART II Requirements Section VI Works Requirements (WRQ) Section VII Bill of Quantities (BOQ)	
	PART III Conditions of Contract and Contract Forms Section VIII General Conditions of Contract (GCC) Section IX Special Conditions of Contract (SCC) Section X Contract Forms (COF)	
	6.2 The Invitation for Bids (IFB) issued by the Employer is not part of the Bidding Document.	
	6.3 The Employer is not responsible for the completeness of the Bidding Document and their Addenda, if they were not obtained directly from the source stated by the Employer in the Invitation for Bids.	
	6.4 The Bidder is expected to examine all instructions, forms, terms, and specifications in the Bidding Document and to furnish with its bid all	

	information and documentation as is required by the Bidding Documents. Failure to furnish all information or documentation required by the Bidding Document may result in the rejection of the bid.	
7. Clarification of Bidding Document, Site Visit, Pre-Bid Meeting	7.1 A prospective Bidder requiring any clarification of the Bidding Document shall contact the Employer in writing at the Employer's address indicated in BDS or raise any question or curiosity during the pre-bid meeting if provided for in accordance with ITB 7.4. The Employer will respond in writing to any request for clarification, provided that such request is received within the period as mentioned in ITB 7.5. The Employer shall forward copies of its response to all Bidders who have acquired the Bidding Document in accordance with ITB 6.3, including a description of the inquiry but without identifying its source. Should the Employer deem it necessary to amend the Bidding Document as a result of a request for clarification, it shall do so following the procedure under ITB 8 and ITB 22.2.	
	7.2 The Bidder is advised to visit and examine the Site of Works and its surrounding and obtain for itself, on its own risk and responsibility, all information that must be necessary for preparing the bid and entering into a Contract for construction the Works. The costs of visiting the Site shall be at the Bidder's own expense.	
	7.3 The Bidder and any of its personnel or agents will be granted permission by the Employer to enter upon its premises and lands for the purpose of such visit, but only upon the express condition that the Bidder, its personnel, and agents will release and indemnify the Employer and its personnel and agents from and against all liability in respect thereof, and will be responsible for death or personal injury, loss of or damage to property, and any other loss, damage, costs, and expenses incurred as a result of the inspection.	
	7.4 The Bidder's designated representative is invited to attend a pre-bid meeting, is provided for in the BDS . The purpose of the meeting will be to clarify issues and to answer questions on any matter that may be raised at that stage.	
	7.5 The Bidder is requested, to submit any questions in writing, to reach the Employer as mentioned in BDS .	
	7.6 Minutes of the pre-bid meeting, including the text of the questions raised, without identifying the source, and the responses given, together with any responses prepared after the meeting, will be transmitted promptly to all Bidders who have acquired the Bidding Document in accordance with ITB 6.3. Any modification to the Bidding Document that may become necessary as a result of the pre-bid meeting shall be made by the Employer exclusively through the issue of an addendum pursuant to ITB 8 and not through the minutes of the pre-bid meeting.	
	7.7 Nonattendance at the pre-bid meeting will not be a cause for disqualification of a Bidder.	
8. Amendment of Bidding Document	8.1 At any time prior to the deadline for submission of bids, the Employer may amend the Bidding Document by issuing addendum or several addenda.	

	8.2 Any addendum issued shall be part of the Bidding Document and shall communicated in writing to all who have obtained the Bidding Document for the Employer in accordance with ITB 6.3.	
8.3 To give prospective Bidders reasonable time in which to take an addendate account in preparing their Bids, the Employer may, at its discretion, extended the deadline for the submission of Bids, pursuant to ITB 22.2. However, the available to submit bids shall not be less than five (5) days since amendate bidding document.		
	C. Preparation of Bids	
9. Cost of Bidding	9.1 The Bidder shall bear all costs associated with the preparation and submission of its Bid, and the Employer shall in no case be responsible or liable for those costs, regardless of the conduct or outcome of the bidding process.	
10. Language of Bid	10.1 The Bid, as well as all correspondence and documents relating to the bid exchanged by the Bidder and the Employer, shall be written in the language specified in the BDS . Supporting documents and printed literature that are part of the Bid may be in another language provided they are accompanied by an accurate translation of the relevant passages in the language specified in the BDS , in which case, for purposes of interpretation of the Bid, such translation shall govern.	
11. Documents Comprising the Bid	11.1 The Bid shall comprise two envelopes submitted simultaneously, one called the Technical Bid containing the documents listed in ITB 11.2 and the other the Price Bid containing the documents listed in ITB 11.3, both envelopes enclosed together in an outer single envelope.	
	11.2 The Technical Bid shall comprise the following:	
	(a) Letter of Technical Bid;	
	(b) Bid Security in accordance with ITB 19;	
	(c) alternative Technical Bid, at Bidder's option and if permissible, in accordance with ITB 13;	
	(d) written confirmation authorizing the signatory of the Bid to commit the Bidder, in accordance with ITB 20.2;	
	(e) documentary evidence in accordance with ITB 17, establishing the Bidder's qualifications to perform the contract;	
	(f) Technical Proposal in accordance with ITB 16;	
	(g) Bids submitted by a Joint Venture shall include a copy of the Joint Venture Agreement entered into by all partners. Alternatively, a Letter of Intent to execute a Joint Venture Agreement in the event of a successful Bid shall be signed by all partners and submitted with the Bid, together with a copy of the proposed agreement. The Joint Venture agreement, or letter of intent to enter into a Joint Venture including a draft agreement shall indicate at least the parts of the Works to be executed by the respective partners;	

	1 (1)	
	(h) list of subcontractors, in accordance with ITB 34 (If any); and	
	(i) Any other documents required in the BDS .	
	11.3 The Price Bid shall comprise the following:	
	(a) Letter of Price Bid;	
	(b) completed Bill of Quantities (BoQ), in accordance with ITB 12 and ITB 14, or as stipulated in the BDS;	
	(c) alternative price Bids, at Bidder's option and if permissible, in accordance with ITB 13;	
	(d) Table of Price adjustment (if applicable); and	
	(e) Any other document required in the BDS .	
	11.4 The Bidder is solely responsible for the authenticity of the submitted documents.	
	11.5 The Technical Bid shall not include any financial information related to the Price Bid. A Technical Bid containing such material financial information shall be declared non-responsive.	
12. Letter of Bid and Schedules	12.1 The Letters of Technical Bid and Price Bid, Schedules, and all documents listed under ITB 11, shall be prepared using the relevant forms in Section IV (Bidding Forms) and in Section VII (Bill of Quantities). The forms must be completed without any alterations to the text, and no substitutes shall be accepted. All blank spaces shall be filled in with the information requested.	
13. Alternative Bids	13.1 Unless otherwise specified in the BDS , alternative bids shall not be considered.	
	13.2 When alternative times for completion are explicitly invited, a statement to that effect will be included in the BDS , as will the method of evaluating different times for completion.	
	13.3 When specified in the BDS pursuant to ITB 13.1, and subject to ITB 13.4 below, Bidders wishing to offer technical alternatives to the requirements of the Bidding Document must first price the Employer's design as described in the Bidding Document and shall further provide all information necessary for a complete evaluation of the alternative by the Employer, including drawings, design calculations, technical specifications, breakdown of prices, and proposed construction methodology and other relevant details. Only the technical alternatives, if any, of the lowest evaluated Bidder conforming to the basic technical requirements shall be considered by the Employer.	
	13.4 When specified in the BDS , Bidders are permitted to submit alternative technical solutions for specified parts of the Works. Such parts will be identified in the BDS and described in Section VI (Works Requirements). The method for their evaluation will be stipulated in Section III (Evaluation and Qualification Criteria).	
14. Bid Prices and Discounts	14.1 The prices and discounts quoted by the Bidder in the Letter of Price Bid and in the Schedules shall conform to the requirements specified below.	
	14.2 The Bidder shall submit a bid for the whole of the works described in ITB 1.1	

	by filling in prices for all items of the Works, as identified in Section VII (Bill of Quantities). In case of Unit Rate Contracts, the Bidder shall fill in rates and prices for all items of the Works described in the Bill of Quantities. Items against which no rate or price is entered by the Bidder will not be paid for by the Employer when executed and shall be deemed covered by the rates for other items and prices in the Bill of Quantities.
	14.3 The price to be quoted in the Letter of Price Bid shall be the total price of the Bid, excluding any discounts offered. Absence of the total price in the Letter of Price Bid may result in rejection of the Bid.
	14.4 The Bidder shall quote any discounts and the methodology for their application in the Letter of Price Bid, in accordance with ITB 12.1.
	14.5 If so indicated in ITB 1.1and ITB 35.4, bids are invited for individual Contracts or for any combination of Contracts (packages). Bidders wishing to offer any price reduction for the award of more than one Contract shall specify in their bid the price reductions applicable to each package, or alternatively, to individual Contracts within the package. Price reductions or discounts shall be submitted in accordance with ITB 14.4, provided the Bids for all Contracts are submitted and opened at the same time.
	14.6 Unless otherwise provided in the BDS and the Conditions of Contract, the prices quoted by the Bidder shall be fixed. If the prices quoted by the Bidder are subject to adjustment during the performance of the Contract in accordance with the provisions of the Conditions of Contract, the Bidder shall furnish the indices and weightings for the price adjustment formulae in the Table of Adjustment Data in Section IV (Bidding Forms) and the Employer may require the Bidder to justify its proposed indices and weightings.
	14.7 All duties, taxes, and other levies payable by the Contractor under the Contract, or for any other cause, as of the date 30 days prior to the deadline for submission of bids, shall be included in the rates and prices and the total bid price submitted by the Bidder.
15. Currency of Bid and Payment	15.1 The currency of the bid and payment shall be in Nepalese Rupees.
16. Documents Comprising the Technical Proposal	16.1 The Bidder shall furnish a Technical Proposal including a statement of work methods, equipment, personnel, schedule and any other information as stipulated in Section IV (Bidding Forms), in sufficient detail to demonstrate the adequacy of the Bidders' proposal to meet the work requirements and the completion time.
17. Documents Establishing the Qualifications of the Bidder	17.1 To establish its qualifications to perform the Contract in accordance with Section III (Evaluation and Qualification Criteria) the Bidder shall provide the information requested in the corresponding information sheets included in Section IV (Bidding Forms).
18. Period of Validity	18.1 Bids shall remain valid for the period specified in the BDS. The bid validity

of Bids

period shall start from the bid submission deadline as prescribed by the Employer in accordance with ITB 22.1. If the prescribed bid submission deadline date falls on a government holiday, then the next working day shall be considered as the bid submission deadline date. In such case the validity period of the bids shall be considered from the original bid submission deadline date.

In the case of electronic bid submission, if any technical issue arises in the handling of the e-GP system, the PPMO may extend the deadline for bid submission. However, the validity period of the bids shall still be counted from the original bid submission deadline.

A bid valid for a shorter period shall be rejected by the Employer as nonresponsive.

18.2 In exceptional circumstances, prior to the expiration of the bid validity period, the Employer may request Bidders to extend the period of validity of their Bids. The request and the responses shall be made in writing. If a bid security is requested in accordance with ITB 19, it shall also be extended 30 days beyond the deadline of the extended validity period. A Bidder may refuse the request without forfeiting its bid security. A Bidder granting the request shall not be required or permitted to modify its Bid and to include any additional conditions against the provisions specified in Bid Documents.

19. Bid Security

19.1 The Bidder shall furnish as part of its bid, in original form, a bid security as **specified in the BDS**. In case of e-submission of bid, the Bidder shall upload scanned copy of Bid security letter at the time of electronic submission of the bid. The Bidder accepts that the scanned copy of the Bid security shall, for all purposes, be equal to the original. The details of original Bid Security and the scanned copy submitted with e-bid should be the same otherwise the bid shall be non-responsive.

- 19.2 The bid security shall be, at the Bidder's option, in any of the following forms:
 - (a) an unconditional bank guarantee from Commercial Bank or Financial Institution eligible to issue Bank Guarantee as per prevailing Law or;
 - (b) a cash deposit voucher in the Employer's Account as **specified in BDS**.

In the case of a bank guarantee, the bid security shall be submitted either using the Bid Security Form included in Section IV (Bidding Forms) or in another Form acceptable to the employer. The form must include the complete name of the Bidder. The bid security shall be valid for minimum thirty (30) days beyond the original validity period of the bid, or beyond any period of extension if requested under ITB 18.2.

A bid security valid for a shorter period shall be rejected by the Employer as nonresponsive.

- 19.3 The bid security issued by any foreign Bank outside Nepal must be counter guaranteed by Commercial Bank or Financial Institution eligible to issue Bank Guarantee as per prevailing Law in Nepal.
- 19.4 Any bid not accompanied by an enforceable and substantially compliant bid security shall be rejected by the Employer as nonresponsive. In case of e-

Submission, if the scanned copy of an acceptable Bid Security letter is not uploaded with the electronic Bid then Bid shall be rejected.

19.5 The public entity shall return the bid securities except those that are to be forfeited as per ITB 19.6 to the respective bidders within three (3) days after the successful bidder has furnished the required performance security and signed the Contract Agreement pursuant, to ITB 40.1 and ITB 41.1.

19.6 The bid security shall be forfeited if:

GoN funded:

- (a) a Bidder requests for withdrawal or modification of its bid, except as provided in ITB 18.2:
 - (i) during the period of bid validity specified by the Bidder on the Letter of Technical Bid and Price Bid, in case of electronic submission;
 - (ii) from the period twenty-four hours prior to bid submission deadline up to the period of bid validity specified by the Bidder on the Letter of Technical Bid and Price Bid, in case of hard copy submission.
- (b) a Bidder changes the prices or substance of the bid while providing information pursuant to clause 27.1;
- (c) a Bidder involves in fraud and corruption pursuant to clause 3.1;
- (d) the successful Bidder fails to:
 - (i) furnish a performance security in accordance with ITB 35.5 and ITB 40.1; or
 - (ii) sign the Contract in accordance with ITB 41.1; or
 - (iii) accept the correction of arithmetical errors pursuant to clause 33.1

DP funded:

The bid security shall be forfeited

- (a) if a Bidder withdraws its bid during the period of bid validity specified by the Bidder on the Letters of Technical Bid and Price Bid, except as provided in ITB 18.2; or
- (b) if the successful Bidder fails to
 - (i) furnish a performance security in accordance with ITB 35.5 and ITB 40.1; or
 - (ii) sign the Contract in accordance with ITB 41.1; or
 - (iii) accept arithmetical corrections in accordance with ITB 33.1;
- 19.7 The Bid Security of a Joint Venture shall be in the name of the Joint Venture that submits the bid. If the Joint Venture has not been legally constituted at the time of bidding, the Bid Security shall be in the names of all future partners as named in the letter of intent mentioned in ITB 4.1.
- 20. Format and Signing of Bid
- 20.1 The Bidder shall prepare one original set of the Technical Bid and one original of the Price Bid comprising the Bid as described in ITB 11 and clearly mark it

"ORIGINAL – TECHNICAL BID" and "ORIGINAL – PRICE BID." Alternative bids, if permitted in accordance with ITB 13, shall be clearly marked "ALTERNATIVE". In addition, the Bidder shall submit copies of the bid in the number specified in the BDS, and clearly mark each of them "COPY." In the event of any discrepancy between the original and the copies, the original shall prevail.

In case of e-submission of bid, the Bidder shall submit his bid electronically in PDF or web forms files as specified in ITB Clause 21.1(b).

- 20.2 The original and all copies of the bid shall be typed or written in indelible ink and shall be signed by a person duly authorized to sign on behalf of the Bidder. This authorization shall consist of a written confirmation as **specified in the BDS** and shall be attached to the bid. The name and position held by each person signing the authorization must be typed or printed below the signature. All pages of the bid, except for un amended printed literature, shall be signed or initialed by the person signing the bid.
- 20.3 Any amendments such as interlineations, erasures, or overwriting shall be valid only if they are signed or initialed by the person signing the bid.

D. Submission and Opening of Bids

21. Sealing and Marking of Bids

- 21.1 Unless otherwise **specified in BDS**, Bidders shall submit their bids by electronic or by mail/by hand/by courier. Procedures for submission, sealing and marking are as follows:
 - (a) Bidders submitting bids by mail, by hand or by courier

shall enclose the original of the Technical Bid, and the original of the Price Bid and each copy of the Technical Bid and Price Bid, including alternative bids, if permitted in accordance with ITB 13, in separate sealed envelopes, duly marking the envelopes as "ORIGINAL TECHNICAL BID", "ORIGINAL – PRICE BID", "ALTERNATIVE" and "COPY No. – TECHNICAL BID" and "COPY NO. PRICE BID" These envelopes containing the original and the copies shall then be enclosed in one single envelope.

- (b) Bidders submitting Bids electronically shall follow the electronic bid submission procedure specified in this clause.
 - i. The bidder is required to register in the e-GP system https://www.bolpatra.gov.np/egp following the procedure specified in e-GP guideline.
 - ii. Interested bidders may either purchase the bidding document from the Employer's office as specified in the Invitation for Bid (IFB) or bidders may download the IFB and bidding document from e-GP system.
 - iii. The registered bidders need to maintain their profile data required during preparation of bids.
 - iv. In order to submit their bids, the cost of the bidding document can be deposited as specified in IFB. In addition, electronic scanned

- copy (.pdf format) of the bank deposit voucher/cash receipt should also be submitted along with the technical bid.
- v. The bidder can prepare their technical and price bids using data and documents maintained in bidder's profile and forms/format provided in bidding document by Employer. The bidder may submit bids as a single entity or as a joint venture. The bidder submitting bid in joint venture shall have to upload joint venture agreement along with partner(s) Bolpatra ID provided during bidder's registration.
- vi. Bidders (all partners in case of JV) should update their profile data and documents required during preparation and submission of their technical bids.
- vii. In case of bid submission in JV, the consent of the partners shall be obtained through the confirmation link sent to the registered email address and the partners shall have to acknowledge their confirmation.

The required forms and documents shall be part of technical bids.

No.	Document	Requirement	Remarks
1.	Letter of Technical Bid	Mandatory	PDF
2.	Bid Security / Bank Guarantee	Mandatory	PDF
3.	Firm or Company registration Certificate	Mandatory	PDF
4.	VAT and PAN registration Certificate	Mandatory (for domestic bidders only)	PDF
5.	Business Registration Licence	Mandatory	PDF
6.	Tax Clearance Certificate/Tax return submission evidence/evidence of time extension	Mandatory (for domestic bidders only)	PDF
7.	Power of Attorney of Bid signatory	Mandatory	PDF
8.	Bank Voucher for cost of bid document	Mandatory	PDF
9.	Joint venture agreement	Mandatory in case of JV Bids Only	PDF
10.	Qualification Documents	Mandatory	Using profile data (financial details, contract details etc.) and Technical Proposal
11.	Additional documents] specified in ITB 11.2 (i)	Mandatory (If any)	PDF

The required forms and documents shall be part of price bids.

_			=	
No.	Document	Requirement	Remarks	

1.	Letter of Price Bid	Mandatory	PDF
2.	Completed Bill of Quantities (BoQ)	Mandatory	Online Forms
3.	Price Adjustment Table	Mandatory (If applicable)	Online Forms
4.	Additional Documents specified in ITB 11.3 (e)	Mandatory (If any)	PDF

Note:

- a) The documents specified as "Mandatory" should be included in esubmission and non-submission of the documents shall be considered as non-responsive bid.
- b) Bidders (all partners in case of JV) should verify/update their profile documents as appropriate for the specific bid before submitting their bid electronically.
- viii. After providing all the details and documents, two separate bid response documents i.e technical bids and price bids will be generated from the system. Bidders are advised to download and verify the response documents prior to bid submission.
- ix. For verifying the authentic user, the system will send one time password (OTP) in the registered e-mail address of the bidder. System will validate the OTP and allow bidder to submit their bid.
- x. Electronically submitted bids can be modified and/or withdrawn through system. The bidder may modify their bids multiple times online within bid submission date and time specified in e-GP system. Once a Bid is withdrawn, bidder won't be able to submit another bid response for the same bid.
- xi. The Bidder / Bid shall meet the following requirements and conditions for e-submission of bids;
 - aa) The e-submitted bids must be readable through PDF reader.
 - bb) The facility for submission of bid electronically through e-submission is to promote transparency, non-discrimination, equality of access, and open competition in the bidding process. The Bidders are fully responsible to use the e- submission facility properly in e-GP system as per specified procedures and in no case the Employer shall be held liable for Bidder's inability to use this facility.
 - cc) When a bidder submits electronic bid through the PPMO e-GP portal, it is assumed that the bidder has prepared the bid by studying and examining the complete set of the Bidding documents including specifications, drawings and conditions of contract.
- 21.2. The inner and outer envelopes shall:
 - (aa) bear the name and address of the Bidder;
 - (bb) be addressed to the Employer as provided in BDS 22.1;
 - (cc) bear the specific identification of this bidding process indicated in BDS 1.1; and
- 21.3 The outer envelope and the inner envelope containing Technical Proposal shall

	Language and the second of the
	bear a warning not to open before the time and date for the opening of Technical Bid in accordance with ITB 25.1.
	21.4 The inner envelope containing the Price Bid shall bear a warning not to open until advised by the Employer in accordance with ITB 25.7
	21.5 If all envelopes are not sealed and marked as required, the Employer will assume no responsibility for the misplacement or premature opening of the bid.
22. Deadline for Submission of Bids	22.1 Bids must be received by the Employer at the address and no later than the date and time indicated in the BDS .
	In case of e-submission, the standard time for e-submission is Nepal Standard Time as set out in the server. The e-procurement system will accept the e-submission of bid from the date of publishing of notice and will automatically not allow the e-submission of bid after the deadline for submission of bid.
	22.2 The Employer may, at its discretion, extend the deadline for the submission of bids by amending the Bidding Document in accordance with ITB 8, in which case all rights and obligations of the Employer and Bidders previously subject to the deadline shall thereafter be subject to the deadline as extended.
23. Late Bids	23.1 The Employer shall not consider any bid that arrives after the deadline for submission of bids, in accordance with ITB 22. Any bid received by the Employer after the deadline for submission of bids shall be declared late, rejected, and returned unopened to the Bidder.
24. Withdrawal, and Modification of Bids	24.1 A Bidder may withdraw, or modify its bid- Technical or Price - after it has been submitted either in hard copy or by e-submission. Once a Bid is withdrawn, bidder shall not be able to submit another bid for this bidding process. Procedures for withdrawal or modification of submitted bids are as follows:
	(i) Bids submitted in Hard Copy GoN Funded:
	a) Bidders may withdraw or modify its bids by sending a written notice in a sealed envelope, duly signed by an authorized representative, and shall include a copy of the authorization in accordance with ITB 20.2. The corresponding modification of the bid must accompany the respective written notice. All notices must be:
	(aa)prepared and submitted in accordance with ITB 20 and ITB 21, and in addition, the respective envelopes shall be clearly marked "WITHDRAWAL", "MODIFICATION;" and
	(bb) received by the Employer twenty; four hours prior to the deadline prescribed for submission of bids, in accordance with ITB 22. DP Funded:
	A Bidder may withdraw or modify its Bid – Technical or Price – after it has been submitted by sending a written notice, duly signed by an authorized
	representative, and shall include a copy of the authorization in accordance with
	ITB 20.2, (except that withdrawal notices do not require copies). The corresponding modification of the Bid must accompany the respective written notice. All notices must be
	i) prepared and submitted in accordance with ITB 20 and ITB 21 (except that withdrawal notices do not require copies), and in addition, the respective envelopes shall be clearly marked

	"WITHDRAWAL," and "MODIFICATION;" and
	ii) received by the Employer prior to the deadline prescribed for submission of Bids, in accordance with ITB 22.
	ii) E-submitted bids.
	 a) Bidder may submit modification or withdrawal prior to the deadline prescribed for submission of bids through e-GP system by using the forms and instructions provided by the system.
	24.2 Bids requested to be withdrawn in accordance with ITB 24.1 shall not be opened. In case of hard copy submission, the Bid will be returned unopened to the Bidders.
	24.3 The following provisions apply for withdrawal or modification of the Bids:
	GoN Funded:
	(i) In case of bids submitted in hard copy no bid shall be withdrawn or modified in the interval between 24 hours prior to the deadline for submission of bids and the expiration of the period of bid validity specified by the Bidder on the Letter of Bid or any extension thereof.
	(ii) In case of e-submitted bids no bids shall be withdrawn or modified in the interval between deadline for submission of bids and the expiration of the period of bid validity specified by the Bidder on the Letter of Technical Bid and Price Bid or any extension thereof.
	DP Funded:
	No Bid may be withdrawn or modified in the interval between the deadline for submission of Bids and the expiration of the period of bid validity specified by the Bidder on the Letters of Technical Bid and Price Bid or any extension thereof.
	24.4 Except in case of any modification or correction in bid document made by procuring entity, Bidder may submit request for withdrawal or modification only one time.
	24.5 In case of hard copy bid, no bid may be withdrawn if the bid has already been modified; except in case of any modification or correction in bid document by procuring entity.
	24.6 Request for withdrawal or modification must be made through the same medium of submission. Request for withdrawal or modifications through different medium shall not be considered.
25. Bid Opening	25.1 The Employer shall open the Technical Bids in public at the address, on the date and time specified in the BDS in the presence of Bidders` designated representatives who choose to attend. The Price Bids will remain unopened and will be held in custody of the Employer until the specified time of their opening. If the Technical Bid and Price Bid are submitted together in one envelope, the Employer shall reject the Bid as nonresponsive.
	25.2 The Employer shall download the e-submitted Technical Bid. The e-GP system allows the Employer to download the e-submitted technical bid only after bid opening date and time after login simultaneously by at least two

members of the Bid Opening Committee.

- 25.3 Electronically submitted Technical Bid shall be opened at first in the same time and date as specified above. Electronic Bids shall be opened one by one and read out. The e-submitted technical bids must be readable through open standards interfaces. Unreadable and or partially submitted bid files shall be considered incomplete.
- 25.4 Thereafter, envelopes marked "WITHDRAWAL" shall be opened and read out and the envelope with the corresponding Bid shall not be opened, but returned to the Bidder. No bid withdrawal shall be Permitted unless the corresponding withdrawal notice contains a valid authorization to request the withdrawal and is read out at bid opening. Next, envelopes marked "MODIFICATION" shall be opened and read out with the corresponding bid. No Technical Bid and/or Price Bid modification shall be permitted unless the corresponding modification notice contains a valid authorization to request the modification and is read out and recorded at bid opening. Only the Technical Bid, both Original as well as Modification, are to be opened, read out, and recorded at the opening. Price Bids, both Original and Modification, will remain unopened in accordance with ITB 25.1.
- 25.5 All other envelopes holding the Technical Bid shall be opened one at a time, reading out: the name of the Bidder; whether there is a modification; the presence of a bid security and any other details as the Employer may consider appropriate. Only Technical Bids read out and recorded at bid opening shall be considered for evaluation. No bid shall be rejected at opening of Technical Bids except for late bids, in accordance with ITB 23.1.
- 25.6 The Employer shall prepare a record of the opening of Technical Bids that shall include, as a minimum: the name of the Bidder and whether there is a withdrawal, or modification; and the presence or absence of a bid security. The Bidders' representatives who are present shall be requested to sign the record. The omission of a Bidder's signature on the record shall not invalidate the contents and effect of the record.
- 25.7 At the end of the evaluation of the Technical Bids, the Employer will invite bidders who have submitted substantially responsive Technical Bids and who have been determined as being qualified for award to attend the opening of the Price Bids. The date, time, and location of the opening of Price Bids will be advised in writing by the Employer. Bidders shall be given at least 7 days' notice for the opening of Price Bids.
- 25.8 The Employer will notify Bidders in writing who have been rejected on the grounds of their Technical Bids being substantially nonresponsive to the requirements of the Bidding Document and return their Price Bids unopened.
- 25.9 The Employer shall conduct the opening of Price Bids of all Bidders who submitted substantially responsive Technical Bids, in the presence of Bidders' representatives who choose to attend at the address, on the date, and time

specified by the Employer. The Bidder's representatives who are present shall be requested to sign a register evidencing their attendance. 25.10 All envelopes containing Price Bids shall be opened one at a time and the following read out and recorded: (a) the name of the Bidder; (b) whether there is a modification; (c) the Bid Prices, including any discounts and alternative offers; and (d) any other details as the Employer may consider appropriate. Only Price Bids, discounts, modifications, and alternative offers read out and recorded during the opening of Price Bids shall be considered for evaluation. No Bid shall be rejected at the opening of Price Bids. 25.11 The Employer shall prepare a record of the opening of Price Bids that shall include, as a minimum, the name of the Bidder, the Bid Price (per lot if applicable), any discounts, modifications and alternative offers. The Bidders' representatives who are present shall be requested to sign the record. The omission of a Bidder's signature on the record shall not invalidate the contents and effect of the record. E. Evaluation and Comparison of Bids 26. Confidentiality 26.1 Information relating to the examination, evaluation, comparison, and postqualification of bids and recommendation of Contract award, shall not be disclosed to Bidders or any other persons not officially concerned with such process until information on Contract award is communicated to all Bidders. 26.2 Any attempt by a Bidder to influence the Employer in the evaluation of the bids or Contract award decisions may result in the rejection of its bid. 26.3 Notwithstanding ITB 26.2, from the time of bid opening to the time of Contract award, if any Bidder wishes to contact the Employer on any matter related to the bidding process, it may do so in writing. 27. Clarification of 27.1 To assist in the examination, evaluation, and comparison of the Technical Bids and Price Bids, the Employer may, at its discretion, ask any Bidder for a clarification of its Bid. Any clarification submitted by a Bidder that is not in response to a request by the Employer shall not be considered. The Employer's request for clarification and the response shall be in writing. No change in the substance of the Technical Bid or prices in the Price Bid shall be sought, offered, or permitted, except to confirm the correction of arithmetic errors discovered by the Employer in the evaluation of the Price Bids, in accordance with ITB 33. In case of e-submission of bid, upon notification from the employer, the bidder shall also submit the original of documents comprising the Technical and Price Bid as per ITB 11.2 and ITB 11.3 for verification of submitted documents for acceptance of the e-submitted bid. 27.2 If a Bidder does not provide clarifications of its Bid by the date and time set in

	the Employer's request for clarification, its Bid may be rejected.
28. Deviations, Reservations, and Omissions	 28.1 During the evaluation of bids, the following definitions apply: (a) "Deviation" is a departure from the requirements specified in the Bidding Document; (b) "Reservation" is the setting of limiting conditions or withholding from complete acceptance of the requirements specified in the Bidding Document; and (c) "Omission" is the failure to submit part or all of the information or documentation required in the Bidding Document.
29. Examination of Technical Bid	29.1 The Employer shall examine the Technical Bid to confirm that all documents and technical documentation requested in ITB 11.2 have been submitted. If any of these documents or information (except alternative Technical Bid which is optional) is missing, the bid shall be rejected.
	29.2 In case of e-submission bids, the Employer shall confirm that all the documents and information requested in ITB 21.1 have been submitted. If any of these documents or information is missing, the bid shall be rejected.
30. Determination of Responsiveness of Technical Bid	30.1 The Employer's determination of a Bid's responsiveness is to be based on the contents of the bid itself, as defined in ITB 11.2.
	30.2 A substantially responsive Technical Bid is one that meets the requirements of the Bidding Document without material deviation, reservation, or omission. A material deviation, reservation, or omission is one that,
	(a) if accepted, would:
	(i) affect in any substantial way the scope, quality, or performance of the Works specified in the Contract;
	or
	(ii) limit in any substantial way, inconsistent with the Bidding Document, the Employer's rights or the Bidder's obligations under the proposed Contract; or
	(b) if rectified, would unfairly affect the competitive position of other Bidders presenting substantially responsive bids.
	30.3 The Employer shall examine the technical aspects of the Bid submitted in accordance with ITB 16, Technical Proposal, in particular, to confirm that all requirements of Section VI (Works Requirements) have been met without any material deviation, reservation or omission.
	30.4 If a bid is not substantially responsive to the requirements of the Bidding Document, it shall be rejected by the Employer and may not subsequently be made responsive by correction of the material deviation, reservation, or omission.
	30.5 In case of e-submission bids, the Employer evaluates the bid on the basis of the

	information in the electronically submitted bid files. If the Bidder cannot substantiate or provide evidence to establish the information provided in e-submitted bid through documents/ clarifications as per ITB Clause 27.1, the bid shall not be considered for further evaluation.
	30.6 In Case, a corruption case is being filed to Court against the Natural Person or Board of Director of the firm/institution /company or any partner of JV, such Natural Person or Board of Director of the firm/institution /company or any partner of JV such bidder's bid shall be excluded from the evaluation, if public entity receives instruction from Government of Nepal.
	30.7 Except in case of e-submission, the Price Bid of the bidder, which is evaluated as substantially non-responsive in technical bid, shall be returned to the respective bidders.
31. Non-conformities Errors, and Omissions	31.1 Provided that a bid is substantially responsive, the Employer may waive any non-conformities in the bid that do not constitute a material deviation, reservation, or omission.
	31.2 Provided that a Technical Bid is substantially responsive, the Employer may request that the Bidder submit the necessary information or documentation, within a reasonable period of time, to rectify nonmaterial nonconformities in the Technical Bid related to documentation requirements. Requesting information or documentation on such nonconformities shall not be related to any aspect of the Price Bid. Failure of the Bidder to comply with the request may result in the rejection of its bid.
	31.3 Provided that a Technical Bid is substantially responsive, the Employer shall rectify quantifiable nonmaterial nonconformities related to the Bid Price. To this effect, the Bid Price shall be adjusted, for comparison purposes only, to reflect the price of a missing or non-conforming item or component. The adjustment shall be made using the methods indicated in Section III (Evaluation and Qualification Criteria).
	31.4 If the monetary value of such non-conformities is found to be more than fifteen percent of the Bid Price of the bidder pursuant to ITB 31.3 , such bid shall be considered nonresponsive and shall not be involved in evaluation.
32 Eligibility and Qualification of the Bidder	32.1 The Employer shall determine to its satisfaction during the evaluation of Technical Bids whether Bidders meet the eligibility and qualifying criteria specified in Section III (Evaluation and Qualification Criteria).
	32.2 The determination shall be based upon an examination of the documentary evidence of the Bidder's qualifications submitted by the Bidder, pursuant to ITB 17.1.
	32.3 An affirmative determination shall be a prerequisite for the opening and evaluation of a Bidder's Price Bid. A negative determination shall result into the disqualification of the Bid, in which event the Employer shall return the unopened Price Bid to the Bidder.
33. Correction of	33.1 During the evaluation of Price Bids, the Employer shall correct arithmetical

Arithmetical Errors	errors on the following basis:
	(a) only for unit price Contracts, if there is a discrepancy between the unit price and the total price that is obtained by multiplying the unit price and quantity, the unit price shall prevail and the total price shall be corrected, unless in the opinion of the Employer there is an obvious misplacement of the decimal point in the unit price, in which case the total price as quoted shall govern and the unit price shall be corrected;
	(b) if there is an error in a total corresponding to the addition or subtraction of subtotals, the subtotals shall prevail and the total shall be corrected;
	(c) If there is a discrepancy between the bid price in the Summary of Bill of Quantities and the bid amount in item (c) of the Letter of Price Bid, the bid price in the Summary of Bill of Quantities will prevail and the bid amount in item (c) of the Letter of Price Bid will be corrected.
	(d) If there is a discrepancy between words and figures, the amount in words shall prevail, unless the amount expressed in words is related to an arithmetic error, in which case the amount in figures shall prevail subject to (a), (b) and (c) above.
	33.2 If the Bidder that submitted the lowest evaluated bid does not accept the correction of errors, its bid shall be disqualified and its bid security shall be forfeited.
34 Subcontractors	34.1 In case of Prequalification, the Bidder's Bid shall name the same subcontractor as submitted in the prequalification application and approved by the Employer.
	In case of Post-qualification, the Employer may permit subcontracting for certain specialized works as indicated in Section III When subcontracting is permitted by the Employer, the sub-contractor shall meet the qualifications criteria as indicated in section III.
	Sub-contractors' qualification and experience will not be considered for evaluation of the Bidder. The Bidder on its own (without taking into account the qualification and experience of the sub-contractor) should meet the qualification criteria.
	Bidders may propose subcontracting up to the percentage of total value of contracts or the volume of works as specified in the BDS .
35. Evaluation of Price Bids	35.1 The Employer shall use the criteria and methodologies listed in this Clause. No other evaluation criteria or methodologies shall be permitted.
	35.2 To evaluate a Price Bid, the Employer shall consider the following:
	(a) the bid price, excluding Value Added Tax, and Provisional Sums, in the Summary Bill of Quantities, for Unit Rate Contracts, or Schedule of Prices for lump sum Contracts, but including Day work items, where priced competitively;
	(b) adjustment for correction of arithmetic errors in accordance with ITB 33.1;
	(c) adjustment due to discounts offered in accordance with ITB 14.4;
	(d) adjustment for nonconformities in accordance with ITB 31.3;

	(e) application of all the evaluation factors indicated in Section III (Evaluation and Qualification Criteria);
	35.3 The estimated effect of the price adjustment provisions of the Conditions of Contract, applied over the period of execution of the Contract, shall not be taken into account in bid evaluation.
	35.4 If this Bidding Document allows Bidders to quote separate prices for different lots (Contracts), and to award multiple Contracts to a single Bidder as specified in BDS, the methodology to determine the lowest evaluated price of the Contract combinations, including any discounts offered in the Letter of Price Bid, is specified in Section III (Evaluation and Qualification Criteria).
	35.5 if the bid for an Unit Rate Contract, which results in the lowest Evaluated Bid Price is seriously unbalanced or front loaded or extremely low in the opinion of the Employer, the Employer may require the Bidder to produce detailed price analysis for any or all items of the Bill of Quantities, to demonstrate the internal consistency of those prices with the construction methods and schedule proposed. After evaluation of the price analysis, taking into consideration the schedule of estimated Contract payments, the Employer may require that the amount of the performance security be increased at the expense of the Bidder as mentioned in BDS to protect the Employer against financial loss in the event of default of the successful Bidder under the Contract or may consider the bid as non-responsive .
	35.6 In case of e-submission bids, the Employer evaluates the bid on the basis of the information in the electronically submitted bid files. If the Bidder cannot substantiate or provide evidence to establish the information provided in e-submitted bid through documents/ clarifications as per ITB Clause 27.1, the bid shall not be considered for further evaluation.
	35.7 In Case, a corruption case is being filed to Court against the Natural Person or Board of Director of the firm/institution /company or any partner of JV, such Natural Person or Board of Director of the firm/institution /company or any partner of JV such bidder's bid shall be excluded from the evaluation, if public entity receives instruction from Government of Nepal.
36. Comparison of Bids	36.1 The Employer shall compare all substantially responsive bids in accordance with ITB 35.2 to determine the lowest evaluated bid.
37. Employer's Right to Accept Any Bid, and to Reject Any or All Bids	37.1 The Employer reserves the right to accept or reject any bid, and to annul the bidding process and reject all Bids at any time prior to contract award, without thereby incurring any liability to Bidders. In case of annulment, all Bids submitted and specifically, bid securities, shall be promptly returned to the Bidders.
	37.2 The public entity shall give notice of the rejection of bids or the cancellation of the procurement proceedings pursuant to ITB 37.1, along with the reasons for such rejection or cancellation, to all bidders.

	37.3 Where any bidder requests, within thirty (30) days of the communication of the notice pursuant to ITB 37.2, the grounds for the rejection of all bids or the cancellation of the procurement proceedings, the public entity shall provide such information to that bidder.
	F. Award of Contract
38. Award Criteria	38.1 The Employer shall award the Contract to the Bidder whose offer has been determined to be the lowest evaluated bid and is substantially responsive to the Bidding Document, provided further that the Bidder is determined to be qualified to perform the Contract satisfactorily.
39. Letter of Intent to Award the Contract/Notification of Award	39.1 The Employer shall notify the concerned Bidder whose bid has been selected in accordance with ITB 38.1 within seven days of the selection of the bid, in writing that the Employer has intention to accept its bid and the information regarding the name, address and amount of selected bidder shall be given to all other bidders who submitted the bid.
	39.2 After issuance of the notice under ITB 39.1 if the concerned bidder provides information pursuant to ITB 4.10 regarding saturation of maximum number of contracts, the employer shall disqualify the bidder and shall select the next lowest evaluated Bidder in accordance with ITB 38.1 and notify accordingly as per ITB 39.1.
	39.3 If no bidder submits an application pursuant to ITB 42 within a period of seven days of the notice provided under ITB 39.1, the Employer shall, accept the bid selected in accordance with ITB 38.1 and Letter of Acceptance shall be communicated to the selected bidder prior to the expiration of period of Bid validity, to furnish the performance security and sign the contract within fifteen days.
	39.4 After communicating letter of acceptance under ITB 39.3, if the concerned bidder provides information pursuant to ITB 4.10 regarding saturation of maximum number of contracts, the employer shall reject the bid of that bidder and shall select the next lowest evaluated Bidder in accordance with ITB 38.1 and shall issue the notice accordingly as per ITB 39.1. In such case bid security of the rejected bidder shall not be forfeited.
	39.5 In Case, a corruption case is being filed to Court against the Natural Person or Board of Director of the firm/institution /company or any partner of JV, such Natural Person or Board of Director of the firm/institution /company or any partner of JV such bidder's bid shall be excluded from the evaluation, if public entity receives instruction from Government of Nepal.
40. Performance Security	40.1 Within Fifteen (15) days of the receipt of Letter of Acceptance from the Employer, the successful Bidder shall furnish the performance security in accordance with the Conditions of Contract, subject to ITB 35.5, as specified below from Commercial Bank or Financial Institution eligible to issue Bank Guarantee as per prevailing Law in Nepal using Sample Form for the Performance Security included in Section X (Contract Forms), or another form acceptable to the Employer. The performance security issued by any foreign Bank outside Nepal must be counter guaranteed by Commercial Bank or Financial Institution eligible to issue Bank Guarantee as per prevailing Law in Nepal.

	1
	i) If bid price of the bidder selected for acceptance is up to 15 (fifteen) percent below the approved cost estimate, the performance security amount shall be 5 (five) percent of the bid price.
	ii) For the bid price of the bidder selected for acceptance is more than 15 (fifteen) percent below of the cost estimate, the performance security amount shall be determined as follows:
	Performance Security Amount = [(0.85 x Cost Estimate –Bid Price) x 0.5] + 5% of Bid Price.
	The Bid Price and Cost Estimate shall be without VAT and Contingencies but including Provisional Sum.
	40.2 Failure of the successful Bidder to submit the above-mentioned Performance Security or to sign the Contract Agreement shall constitute sufficient grounds for the annulment of the award and forfeiture of the bid security. In that event the Employer may award the Contract to the next lowest evaluated Bidder whose offer is substantially responsive and is determined by the Employer to be qualified to perform the Contract satisfactorily. The process shall be repeated according to ITB 39.
41 Signing of Contract	41.1 The Employer and the successful Bidder shall sign the Contract Agreement within the period as stated ITB 40.1.
	41.2 At the same time, the Employer shall affix a public notice on the result of the award on its notice board and make arrangement for causing such notice to be affixed on the notice board also of the <i>District Coordination Committee</i> , <i>District Administration Office</i> , <i>Provincial Treasury and Controller Office and District Treasury and Controller Office</i> . The Employer may make arrangements to post the notice into its website, if it has; and if it does not have, into the website of the Public Procurement Monitoring Office, identifying the bid and lot numbers and the following information: (i) the result of evaluation of bid; (ii) date of publication of notice inviting bids; (iii) name of newspaper; (iv) reference number of notice; (v) item of procurement; (vi) name and address of bidder making contract and (viii) contract price
	41.3 Within thirty (30) days from the date of issuance of notification pursuant to ITB 39.1 unsuccessful bidders may request in writing to the Employer for a debriefing seeking explanations on the grounds on which their bids were not selected. The Employer shall promptly respond in writing to any unsuccessful Bidder who, requests for debriefing.
	41.4 If the bidder whose bid has been accepted fails to sign the contract as stated ITB 40.1, the Public Procurement Monitoring Office shall blacklist the bidder on recommendation of the Public Entity.
42. Complaint and Review	42.1 If a Bidder is dissatisfied with the Procurement proceedings or the decision made by the Employer in opening of the price bid or the intention to award the Contract, it may file an application to the Chief of the Public Entity within Seven (7) days of providing the notice under ITB 25.8 and ITB 39.1 by the Public Entity, for review of the proceedings stating the factual and legal grounds.
	42.2 Late application filed after the deadline pursuant to ITB 42.1 shall not be

processed.

- 42.3 The chief of Public Entity shall, within five (5) days after receiving the application, give its decision with reasons, in writing pursuant to ITB 42.1:
 - (a) whether to suspend the procurement proceeding and indicate the procedure to be adopted for further proceedings; or
 - (b) to reject the application.

The decision of the chief of Public Entity shall be final for the Bid amount up to the value as stated in 42.4.

- 42.4 If the Bidder is not satisfied with the decision of the Public Entity in accordance with ITB 42.3, or the decision is not given within five (5) days of receipt of application pursuant to ITB 42.1, it can, within seven (7) days of receipt of such decision, file an application to the Public Procurement Review Committee of the GoN, stating the reason of its disagreement on the decision of the chief of Public Entity and furnishing the relevant documents, provided that its Bid amount ,equal or more than Rupees Twenty Million (NRs. 20,000,000). The application may be sent by hand, by post, by courier, or by electronic media at the risk of the Bidder itself.
- 42.5 Late application filed after the deadline pursuant to ITB 42.4 shall not be processed.
- 42.6 Within three (3) days of the receipt of application from the Bidder, pursuant to ITB 42.4, the Public Procurement Review Committee shall notify the concerning Public Entity to furnish its procurement proceedings, pursuant to ITB 42.3.
- 42.7 Within three (3) days of receipt of the notification pursuant to ITB 42.6, the Public Entity shall furnish the copy of the related documents to the Public Procurement Review Committee.
- 42.8 The Public Procurement Review Committee, after inquiring from the Bidder and the Public Entity, if needed, shall give its decision within thirty (30) days of the receipt of the application filed by the Bidder, pursuant to ITB 42.4.
- 42.9 The Bidder, filing application pursuant to ITB 42.4, shall have to furnish a cash amount or Bank guarantee from Commercial Bank or Financial Institution eligible to issue Bank Guarantee as per prevailing Law equivalent to ten percent (10 %) of amount of bid security in case of complaint against decision pursuant to ITB 25.8 and one percent (1%) of its quoted Bid amount in case of complaint against decision pursuant to ITB 39.1 with the validity period of at least ninety (90) days from the date of the filing of application pursuant to ITB 42.4.
- 42.10 If the claim made by the Bidder pursuant to ITB 42.4 is justified, the Public Procurement Review Committee shall have to return the security deposit to the applicant, pursuant to ITB 42.9, within seven (7) days of such decision made.
- 42.11 If the application submitted by the Bidder pursuant to ITB 42.4 is dismissed by the

Public Procurement Review Committee, the security deposit (Cash or Bank
Guarantee) submitted by the Bidder pursuant to ITB 42.9 shall be forfeited.

Section II: Bid Data Sheet

This section consists of provisions that are specific to each procurement and supplement the information or requirements included in Section I. Instructions to Bidders.

	A. General	
ITB 1.1	The number of the Invitation for Bids is: MBUST/W/NCB-01/2082/83	
ITB 1.1	The Employer is: Madan Bhandari University of Science and Technology	
ITB 1.1	Multiple Contract or lots (contracts) is not applicable	
ITB 2.1	The name of the Project is <i>Construction of Undergraduate Program Building Block-2</i> The DP is <i>Not applicable</i> The implementing agency is Madan Bhandari University of Science and Technology GoN Funded or DP Funded: <i>GON Funded</i>	
ITB 3.3 (d)	For DP Funded: Not Applicable	
ITB 4.1 (a)	For GoN Funded: Maximum number of partners in a joint venture shall be: 3 (three)	
ITB 4.4	For DP: Not Applicable	
ITB 4.9 <u>&</u> <u>ITB 4.10</u>	 For GoN Funded: The Bidder, including all parties constituting the Bidder, shall be ineligible to participate in the open competitive bidding process if it has already secured five (5) number of construction contracts (in open competitive bidding) and has not yet completed the work as stipulated in the respective contracts. Following Procurement of Works contracts shall not be counted for this purpose: a) The works for which tender were invited or contracts accepted before 2078-12-03 B.S (March 17, 2022 A.D). b) The works for which tender were invited and contracts accepted after 2078-12-03 B.S (March 17, 2022 A.D) but the work acceptance report has been approved according to Rule 117 of PPR. c) The works for which tenders were invited or contracts accepted under all types of foreign 	
assistance.		
	B. Bidding Document For clarification purposes only, the Employer's address is:	
ITB 7.1	Attention: Er. Sabin Birbal Address: Chitlang, Thaha Municipality Ward 9, Nepal Telephone: 9840088016 and 9849848053 Facsimile number:	

	Electronic mail address: info@mbust.edu.np
	A Pre-Bid meeting <i>shall be</i> held. Pre-Bid Meeting will
ITB 7.4	Take place at the following date, time and place:
	Date: August 12, 2025 (Shrawan 27, 2082)
	Time: 11:30 A.M
	Place: Madan Bhandari University of Science and Technology, Chitlang, Thaha Municipality Ward
	9, Bagmati Province
	A site visit shall not be organized by the Employer.
ITB 7.5	Time for request: Requests for clarification should be received by the Employer no later than 10 days prior to the deadline for submission of bids.
	C. Preparation of Bids
ITB 10.1	The language of the bid is: English / Nepali
ITB 11.2 (i)	The Bidder shall submit with its Technical Bid the following additional documents:
	i. Letter of Technical Bid;
	ii. Up to date firm/company registration certificate.
	iii. Business Registration licenses.
	iv. VAT and PAN registration certificate.
	v. TAX clearance certificate up to Fiscal year 2080/81.
	vi. Self-declaration letter stating the bidder as well as any partner of joint venture has not participated in more than five bidding process since 2078-12-03 i.e. March 17, 2022 and currently ongoing public construction work that has not been substantially completed.
	vii. Bid Security in accordance with ITB 19;
	viii. Written confirmation authorizing the signatory of the Bid to commit the Bidder, in accordance with ITB 20.2;
	ix. Documentary evidence in accordance with ITB 17, establishing the Bidder's qualifications to perform the contract;
	x. Technical Proposal in accordance with ITB 16;
	xi. In the case of a bid submitted by a JV, the JV agreement, or letter of intent to enter into a JV including a draft agreement, indicating at least the parts of the Works to be executed by the respective partners; and
	xii. Tax clearance certificate and JV agreements for the verification of the turnover of best three years
	xiii. Construction schedule clearly showing start and finish of all the work items in MS Project or Primavera
	xiv. Method statement clearly describing the process of the construction work to be carried out by the contractor.

	xv. Project organization chart
	xvi. Personnel Mobilization schedule
	xvii. Equipment schedule
ITB 11.3 (b)	In accordance with ITB 12 and ITB 14, the following schedules shall be submitted with the bid, including the priced Bill of Quantities for Unit Rate Contracts and Schedule of Prices for lump sum contracts: N/A
ITB 11.3 (e)	The Bidder shall submit with its Price Bid the following additional documents:
	Table of Price Adjustment Data
ITB 13.1	Alternative bids shall not be permitted.
ITB 13.2	Alternative times for completion <i>shall not be</i> permitted.
ITB 13.4	Alternative technical solutions shall be permitted for the following parts of the Works: N/A
ITB 14.6	The prices quoted by the Bidder <i>shall be</i> subject to adjustment during the performance of the Contract.
ITB 18.1	The bid validity period shall be: One Hundred Twenty (120) days.
ITB 19.1	The Bidder shall furnish a bid security, from Commercial Bank or Financial Institution eligible to issue Bank Guarantee as per prevailing Law in Nepal with a minimum of NRs 12 Million which shall be valid for 30 days beyond the validity period of the bid (i.e(i.e. January 24, 2026 (Magh 10, 2082)
ITB 19.2 (b)	Office Name:
112 13.2 (6)	Bank Name Nepal Bank Limited
	Branch Name: Gabahal, Lalitpur.
	Office Name: Madan Bhandari University of Science and Technology Account No: 01800106701870000001
ITB 20.1	In addition to the original of the bid, the number of copy/ies is/are: <i>Not Applicable</i>
ITB 20.2	The written confirmation of authorization to sign on behalf of the Bidder shall indicate:
	(a) The name and description of the documentation required to demonstrate the authority of the signatory to sign the Bid such as a Power of Attorney; and
	(b) In the case of Bids submitted by an existing or intended JV, an undertaking signed by all parties (i) stating that all parties shall be jointly and severally liable, and (ii) nominating a Representative who shall have the authority to conduct all business for and on behalf of any and all the parties of the JV during the bidding process and, in the event the JV is awarded the Contract, during contract execution.
	D. Submission and Opening of Bids
ITB 21.1	Bidders shall have the option of submitting their bids by electronic only.
· · · · · · · · · · · · · · · · · · ·	

ITB 22.1	For bid submission purposes only, the Employer's address is:
1110 22.1	Attention: Er. Sabin Birbal
	Address: Chitlang, Thaha Municipality Ward 9, Nepal
	Telephone: 9840088016 and 9849848053
	The deadline for bid submission is:
	Date: August 27, 2025 (Bhadra 11, 2082), Wednesday
	Time: 13:00 hours
ITB 25.1	The Technical Bid opening shall take place at:
112 25.1	Address: Chitlang, Thaha Municipality Ward 9, Nepal
	Date: August 27, 2025 (Bhadra 11, 2082), Wednesday
	Time: 14:00 hours
	E. Evaluation and Comparison of Bids
ITB 34.1	Contractor's proposed subcontracting: Maximum percentage of subcontracting permitted is: Not Applicable.
ITB 35.4	Not Applicable
ITB 35.5	The amount of the performance security be increased by Eight (8) percent of the quoted bid price without VAT but Including PS.
ITB 41.4	For DP Funded: Not Applicable

Section III: Evaluation and Qualification Criteria

This Section contains all the criteria that the Employer shall use to evaluate bids and qualify Bidders by post-qualification exercise. GoN/DP requires bidders to be qualified by meeting predefined, precise minimum requirements. The method sets pass-fail criteria, which, if not met by the bidder, results in disqualification. In accordance with ITB 32 and ITB 35, no other methods, criteria and factors shall be used. The Bidder shall provide all the information requested in the forms included in Section IV (Bidding Forms).

1. Evaluation

In addition to the criteria listed in ITB 35.2 (a) - (e) the following criteria shall apply:

Note:

Use the evaluation criteria listed below as appropriate and required for the project.

1.1 Adequacy of Technical Proposal

Evaluation of the Bidder's Technical Proposal will include an assessment of the Bidder's technical capacity, to mobilize key equipment and personnel for the contract consistent with its proposal regarding work methods, scheduling, and material sourcing in sufficient detail and fully in accordance with the requirements stipulated in Section VI (Works Requirements).

Non-compliance with equipment and personnel requirements described in Section VI (Works Requirements) shall not be grounds for bid rejection and such non-compliance will be subject to clarification and rectification prior to contract award.

1.2 Multiple Contracts (Not Applicable)

1.3 In Case, other than Multiple Contracts

Bidders have the option to Bid for any one or more Contracts. The contracts will be awarded to the Bidder or Bidders offering the lowest evaluated cost to the Employer, subject to the selected Bidder(s) meeting the required qualification which shall be the sum of the minimum requirements for respective individual contracts. Under this case, Contract shall be awarded based on Least Cost Combination to the Employer.

1.4 Completion Time (Not Applicable)

1.5 Alternative Technical Solutions (Not Applicable)

1.6 Quantifiable Nonconformities and Omissions

Subject to ITB 14.2 and ITB 35.2, the evaluated cost of quantifiable nonconformities including omissions, is determined as follows:

Pursuant to ITB 31.3, the cost of all quantifiable nonmaterial nonconformities shall be evaluated, but excluding omission of prices in the BoQ. The Employer will make its own assessment of the cost of any nonmaterial nonconformities and omissions for the purpose of ensuring fair comparison of bids.

2. Qualification

2.1 Eligibility

Criteria		Documents						
Requirement	Single		Joint Venture		Submission			
	Entity	All Partners Combined	Each Partner	One Partner	Requirements			
2.1.1 Nationality								
Nationality in accordance with ITB sub-clause 4.2	must meet requirement	must meet requirement	must meet requirement	not applicable	Letter of Technical Bid, Forms ELI –1; ELI –2 with attachments			
2.1.2 Conflict of Interest	2.1.2 Conflict of Interest							
No conflicts of interest in accordance with ITB Sub-Clause 4.3.	must meet requirement	existing or intended JV must meet requirement	must meet requirement	not applicable	Letter of Technical Bid			
2.1.3 Government/ DP Eligib	ility							
Not having been declared ineligible by government /DP, as described in ITB Sub-Clause 4.4.	must meet requirement	must meet requirement	must meet requirement	not applicable	Letter of Technical Bid			
2.1.4 Government-owned Entity								
Bidder required to meet conditions of ITB Sub-Clause 4.5.	must meet requirement	existing or intended JV must meet requirement	must meet requirement	not applicable	Letter of Technical Bid, Forms ELI - 1, ELI - 2, with attachments			
2.1.5 UN Eligibility				•				

Not having been declared ineligible based on a United Nations resolution or Employer's country law, as described in ITB Sub-Clause 4.7.	must meet requirement	existing or intended JV must meet requirement	must meet requirement	not applicable	Letter of Technical Bid
2.1.6 Bidder's Running Cont	tracts				
Bidders have not yet secured five (5) number of construction Contracts ² (in open competitive bidding) as described in ITB Sub-Clause 4.9.	must meet requirement	existing or intended JV must meet requirement	must meet requirement	not applicable	Letter of Technical Bid, Form ELI-3
2.1.7 Other Eligibility					
Firm or Company Registration Certificate	must meet requirement	not applicable	must meet requirement	not applicable	Document attachment
Business Registration License	must meet requirement	not applicable	must meet requirement	not applicable	Document attachment
VAT and PAN Registration certificate (only for domestic bidders)	must meet requirement	not applicable	must meet requirement	not applicable	Document attachment
Tax Clearance Certificate or Tax return submission evidence or evidence of time extension for the F/Y 2080/81 (Only for domestic bidders)	must meet requirement	not applicable	must meet requirement	not applicable	Document attachment
Additional requirements [Insert if any]					

2.2 Pending Litigation

Criteria Compliance Requirements Documents
--

² Following Procurement of Works contracts shall not be counted for this purpose:

a) The works for which tender were invited or contracts accepted before 2078-12-03 B.S (March 17, 2022 A.D)

b) The works for which tender have been invited and contracts accepted after 2078-12-03 B.S (March 17, 2022 A.D) but the work acceptance report has been approved according to Rule 117 of PPR.

c) The works for which tenders were invited or contracts accepted under all types of foreign assistance.

Requirement	Single		Submission Requirements		
	Entity	All Partners Combined	Each Partner	One Partner	Requirements
2.2.1 Pending Litigation					
All pending litigation shall be treated as resolved against the Bidder and so shall in total not represent more than 50 percent of the Bidder's net worth.	must meet requirement by itself or as partner to past or existing JV	not applicable	must meet requirement by itself or as partner to past or existing JV	not applicable	Form LIT - 1

2.3 Financial Situation

2.3.1 Historical Financial Performance							
Submission of audited balance sheets and income statements, for the last 5 years to demonstrate the current soundness of the Bidder's financial position. As a minimum, a Bidder's net worth for the last year calculated as the difference between total assets and total liabilities should be positive.	must meet requirement	not applicable	must meet requirement	not applicable	Form FIN - 1 with attachments		

2.3.2 Average Annual Construction Turnover							
Minimum average annual construction turnover of NRs 332 Million calculated as total certified payments received for construction contracts in progress or completed, within best three years out of last ten fiscal years.	must meet requirement	must meet requirement	must meet 25% of the requirement	must meet 40% of the requiremen t	Form FIN -2		

Only the net amount shall be calculated after deducting the amount for VAT and such amount shall be adjusted to present value by applying wholesale price index of Nepal Rastra Bank.

2.3.3 Financial Resources				
Using Forms FIN - 3 and FIN - 4 in Section IV (Bidding Forms) the Bidder must demonstrate	must meet requirement	must meet 25 % the requirement	must meet 40 % the requirement	Form FIN - 3
access to, or availability of,				

financial resources such as liquid			
assets ³ , unencumbered real			
assets, and other financial			
resources, (other than any			
contractual advance payments) to			
meet the cash-flow requirement			
of NRs. 91 Million.			

2.3.4 Required Bid Capacity					
The bidding capacity of the bidder should be equal to or more than the NRs 345 Million.	must meet requirement	must meet requirement	must meet 25% of the requirement	must meet 40% of the requirement	Form FIN - <u>4 and</u> Form FIN - <u>5</u>

2.4 Experience

Criteria		Compliance 2	Requirements		Documents
Requirement	Single		Joint Venture		Submission
-	Entity	All Partners Combined	Each Partner	One Partner	Requirement
2.4.1 General Construction Expo	erience				
Experience under construction	must	not applicable	must meet	not	Form EXP - 1
contracts in the role of	meet		requirement	applicable	
contractor, subcontractor, or	requireme				
management contractor for at	nt				
least the last 3 years prior to the					
applications submission					
deadline.					

2.4.2 Specific Construction Experience						
(a) Contracts of Similar Size and Nature						
Criteria		Compliance 1	Requirements		Documents	
Requirement	Single Entity	Joint Venture			Submission Requirement	
	v	All Partners Combined	Each Partner	One Partner		
i) Participation as Prime	Must	Not Applicable	not applicable	must meet	Form EXP – 2(a)	

³ Liquid Assets mean cash and cash equivalents, short-term financial instruments, short term available-for-sale-securities, marketable securities, trade receivables, short-term financing receivables and other assets that can be converted into cash within ONE YEAR.

CONSTRUCTION OF UNDERGRADUATE PROGRAM BUILDING BLOCK 2-44

contractor, management contractor, or subcontractor, within the last ten (10) years, that have been successfully or are substantially completed with a value of at least NRs 288 Million in a single RCC building Project and that are similar to the proposed works. The similarity shall be based on the physical size, complexity, methods, technology or other characteristics as described; 1. Electrical Works 2. Sanitary Works 3. Firefighting Works ii) Participation as Prime contractor in at least one (1) or cumulative of Two (2) RCC frame structure building contract completed within the printingle contract property and the proposed works. The similarity shall be based on the physical size, complexity, methods, technology or other characteristics as described; 1. Electrical Works 2. Sanitary Works 3. Firefighting Works Wust Meet Requirement as follows: (i) Either one partner in at least One (1) or cumulative of the partner in at least One (1) or cumulative o						
subcontractor, within the last ten (10) years, that have been successfully or are substantially completed with a value of at least NRs 288 Million in a single RCC building Project and that are similar to the proposed works. The similarity shall be based on the physical size, complexity, methods, technology or other characteristics as described; 1. Electrical Works 2. Sanitary Works 3. Firefighting Works iii) Participation as Prime contractor in at least one (1) or cumulative of Two (2) RCC frame structure building contract completed within the projuinal contract, which is a prime contract completed within the projuinal contract prime contractor in at least One (1) or cumulative of cumulative of cumulative of cumulative of completed within the projuinal contract completed within the contract contract completed within the contract	~				requirement	
last ten (10) years, that have been successfully or are substantially a completed with a value of at least NRs 288 Million in a single RCC building Project and that are similar to the proposed works. The similarity shall be based on the physical size, complexity, methods, technology or other characteristics as described; 1. Electrical Works 2. Sanitary Works 3. Firefighting Works Must Meet Requirement as follows: (i) Either one partner in at least One (1) or cumulative of Two (2) RCC frame structure building contract completed within the original contract, and the properties of the properties of the properties of the partner in at least One (1) or cumulative of cumulative of the partner in at least One (1) or cumulative of the partner in at least One (1) or cumulative of the partner in at least One (1) or cumulative of the partner in at least One (1) or cumulative of the partner in at least One (1) or cumulative of the partner in at least One (1) or cumulative of the partner in at least One (1) or cumulative of the partner in at least One (1) or cumulative of the properties of the partner in at least One (1) or cumulative of the partner in at least One (1) or cumulative of the partner in at least One (1) or cumulative of the partner in at least One (1) or cumulative of the partner in at least One (1) or cumulative of the partner in at least One (1) or cumulative of the partner in at least One (1) or cumulative of the partner in at least One (1) or cumulative of the partner in at least One (1) or cumulative of the partner in at least One (1) or cumulative of the partner in at least One (1) or cumulative of the partner in at least One (1) or cumulative of the partner in at least One (1) or cumulative of the partner in at least One (1) or cumulative of the partner in at least One (1) or cumulative of the partner in at least One (1) or cumulative of the partner in at least One (1) or cumulative of the partner in at least One (1) or cumulative of the partner in at least One (1) or cumulative of the partner in		_				
have been successfully or are substantially completed with a value of at least NRs 288 Million in a single RCC building Project and that are similar to the proposed works. The similarity shall be based on the physical size, complexity, methods, technology or other characteristics as described; 1. Electrical Works 2. Sanitary Works 3. Firefighting Works Must Meet Requirement as follows: (i) Either one partner in at least one (1) or cumulative of Two (2) RCC frame structure building contract completed within the principal contract partner in at least One (1) or cumulative of cumulative cumulativ		111,				
or are substantially ^a completed with a value of at least NRs 288 Million in a single RCC building Project and that are similar to the proposed works. The similarity shall be based on the physical size, complexity, methods, technology or other characteristics as described; 1. Electrical Works 2. Sanitary Works 3. Firefighting Works Must Meet Requirement as follows: (i) Either one partner in at least one (1) or cumulative of Two (2) RCC frame structure building contract completed within the original contract partner in at least One (1) or cumulative of or cumulative of the contract partner in at least One (1) or cumulative of the contract completed within the original contract partner in partner in at least One (1) or cumulative of the contract completed within the original contract partner in at least One (1) or cumulative of the contract completed within the original contract partner in at least One (1) or cumulative of the contract completed within the original contract completed within the contract contract completed within the contract con						
completed with a value of at least NRs 288 Million in a single RCC building Project and that are similar to the proposed works. The similarity shall be based on the physical size, complexity, methods, technology or other characteristics as described; 1. Electrical Works 2. Sanitary Works 3. Firefighting Works Must Meet Requirement as follows: (i) Either one partnet one partnet in at least One (1) or cumulative of the continual completed within the original contract completed within the original contract partner in at least One (1) or cumulative of the contract of t						
of at least NRs 288 Million in a single RCC building Project and that are similar to the proposed works. The similarity shall be based on the physical size, complexity, methods, technology or other characteristics as described; 1. Electrical Works 2. Sanitary Works 3. Firefighting Works Must Meet Requirement as follows: (i) Either one partner in at least one (1) or cumulative of Two (2) RCC frame structure building contract completed within the cordinal contract partner in at least One (1) or cumulative of	-					
Million in a single RCC building Project and that are similar to the proposed works. The similarity shall be based on the physical size, complexity, methods, technology or other characteristics as described; 1. Electrical Works 2. Sanitary Works 3. Firefighting Works Must Meet Requirement as Form EXP-2(a) Additional Form contractor in at least one (1) or cumulative of Two (2) RCC frame structure building contract completed within the original contract period. Must Meet Requirement as follows: (i) Either one partner in at least One (1) or cumulative of cumulative cumulative of cumulative of cumulative cumulative cumulative of cumulative cu						
building Project and that are similar to the proposed works. The similarity shall be based on the physical size, complexity, methods, technology or other characteristics as described; 1. Electrical Works 2. Sanitary Works 3. Firefighting Works Wust Meet Requirement as follows: (i) Either one partner in at least One (1) or cumulative of Two (2) RCC frame structure building contract completed within the original contract period. But Must Meet Requirement as follows: (i) Either one partner in at least One (1) or cumulative of or cumulative or cum						
are similar to the proposed works. The similarity shall be based on the physical size, complexity, methods, technology or other characteristics as described; 1. Electrical Works 2. Sanitary Works 3. Firefighting Works Must Meet Requirement as follows: (i) Either one partner in at least one (1) or cumulative of Two (2) RCC frame structure building contract completed within the original contract period. Additional Form -1 Form EXP-2(a) Additional Form -1 Least One (1) or cumulative of or cumulative or cumulati	I -					
similarity shall be based on the physical size, complexity, methods, technology or other characteristics as described; 1. Electrical Works 2. Sanitary Works 3. Firefighting Works Wust Meet Requirement as follows: (i) Either one partner in at least one (1) or cumulative of Two (2) RCC frame structure building contract completed within the original contract period. Similarity shall be based on the physical size, completed within the original contract period. Must Meet Requirement as follows: (i) Either one partner in at least One (1) or cumulative of or cumulative or cumu						
on the physical size, complexity, methods, technology or other characteristics as described; 1. Electrical Works 2. Sanitary Works 3. Firefighting Works Must Meet Requirement as follows: (i) Either one partner in at least One (1) or cumulative of Two (2) RCC frame structure building contract completed within the original contract partied. Must Meet Requirement as follows: (i) Either one partner in at least One (1) or cumulative of cumulative cumulative of cumulative	proposed works. The					
complexity, methods, technology or other characteristics as described; 1. Electrical Works 2. Sanitary Works 3. Firefighting Works Wust Meet Requirement as follows: It is a prime contractor in at least one (1) or cumulative of Two (2) RCC frame structure building contract completed within the original contract requirement as least One (1) or cumulative of or cumulative of the partner in at least One (1) or cumulative of cumulative of the partner in at least One (1) or						
technology or other characteristics as described; 1. Electrical Works 2. Sanitary Works 3. Firefighting Works Must Meet Requirement as follows: It is participation as Prime contractor in at least one (1) or cumulative of Two (2) RCC frame structure building contract completed within the original contract requirement partner in at least One (1) or cumulative of cumulative cumulativ						
characteristics as described; 1. Electrical Works 2. Sanitary Works 3. Firefighting Works Must Meet Requirement as follows: Cumulative of Two (2) RCC frame structure building contract completed within the original contract period. Must Meet Requirement as follows: (i) Either one partner in at least One (1) or cumulative of cumulative cumulative of cumulative cumulat						
described; 1. Electrical Works 2. Sanitary Works 3. Firefighting Works Must Meet Requirement as follows: Cumulative of Two (2) RCC frame structure building contract completed within the original contract period.						
1. Electrical Works 2. Sanitary Works 3. Firefighting Works Must Meet Requirement as follows: (i) Either one partner in at least One (1) or cumulative of Two (2) RCC frame structure building contract completed within the original contract partner in at least One (1) or cumulative of Two (2) RCC frame structure building contract completed within the original contract period.						
2. Sanitary Works 3. Firefighting Works Must Meet Requirement as follows: (i) Either one partner in at least One (1) or cumulative of Two (2) RCC frame structure building contract completed within the original contract partner in at least One (1) or cumulative of the contract complete and the contract complete and the contract complete and the contract complete and the contract partner in at least One (1) or cumulative of the contract complete and the contract contract complete and the contract complete and the contract contract complete and the contract	,					
ii) Participation as Prime contractor in at least one (1) or cumulative of Two (2) RCC frame structure building contract completed within the original contract period. Must Meet Requirement as follows: (i) Either one partner in at least One (1) or cumulative of cumulative cumulative of cumulative cumula						
ii) Participation as Prime contractor in at least one (1) or cumulative of Two (2) RCC frame structure building contract completed within the original contract period. Must Meet Requirement as follows: (i) Either one partner in at least One (1) or cumulative of cumulative contract completed within the criginal contract period.	2. Sanitary Works					
Prime contractor in at least one (1) or cumulative of Two (2) RCC frame structure building contract completed within the original contract period. Requirement as follows: (i) Either one partner in at least One (1) or cumulative of	3. Firefighting Works					
Prime contractor in at least one (1) or cumulative of Two (2) RCC frame structure building contract completed within the original contract period. Requirement as follows: (i) Either one partner in at least One (1) or cumulative of						
Prime contractor in at least one (1) or cumulative of Two (2) RCC frame structure building contract completed within the original contract period. Requirement as follows: (i) Either one partner in at least One (1) or cumulative of	ii) Participation as		Must Meet	not applicable	must meet	Form EXP-2(a)
least one (1) or cumulative of Two (2) RCC frame structure building contract completed within the original contract period of the contract complete of the contract complete of the contract complete of the contract period of the c	_			пос прричисть		
RCC frame structure building contract completed within the original contract period (i) Either one partner in at least One (1) or cumulative of	least one (1) or		_		1	
building contract completed within the original contract period partner in at least One (1) or cumulative of			(i) Either one			- 1
completed within the criginal contract period least One (1) or cumulative of	RCC frame structure		` '			
completed within the cumulative of	building contract		*			
original contract noriginal	1 *					
	original contract period					
prior to the applications Building						
submission deadline Contract with a			C			
within the last ten (10) value of at least						
years, with a value of at NRs 288	1 -		NRs 288			
least NRs 288 Million overlyding VAT and Million.			Million.			
excluding VAT and PS. (ii) JV partners in			(ii) IV partners in			
two (2) RCC	10.		_			
Building			* *			
contracts with a			•			
value of at least						
NRs 288			NRs 288			
Million (total of			Million (total of			
two contracts).			two contracts).			

Only the net amount shall be calculated after deducting the amount for VAT and such amount shall be adjusted to present value by applying wholesale price index of Nepal Rastra Bank.

^{*} A contract for which a Taking-Over Certificate has been issued shall be considered as substantially completed.

Criteria		Documents			
Requirement	Single Entity		Joint Venture		Submission Requirement
		All Partners	Each	One	
		Combined	Partner	Partner	

(b) Construction Experience in Key Activities*							
Participation as Prime contractor, management contractor, or subcontractor, within a last ten (10) years, For the above or other contracts stipulated in 2.4.2(a) above, a minimum annual production rate on construction experience in the following key activities that have been successfully or substantially completed in a single RCC building project:	must meet all requirements	must meet all requirements	not applicable	not applicable	Form EXP - 2(b)		
Steel Reinforcement: 5,46,200.00 kg							
RCC Works M25 and above: 2970 Cu.m							

2.5 Subcontractors

Not Applicable

Section IV: Bidding Forms

This Section contains the forms which are to be completed by the Bidder and submitted as part of its Bid.

Letter of Technical Bid

The Bidder must accomplish the Letter of Technical Bid in its letter head clearly showing the Bidder's complete name and address.

Date:
Name of the contract:
Invitation for Bid No.: MBUST/W/NCB-01/2082/83
IIIVII.auoii 101 Diu 110 141DUS 1/ W/11CD-01/2002/03

To: Madan Bhandari University of Science and Technology Chitlang, Thaha Municipality Ward 9, Nepal

We, the undersigned, declare that:

- (a) We have examined and have no reservations to the Bidding Documents, including Addenda issued in accordance with Instructions to Bidders (ITB) Clause 8.
- (b) We offer to execute in conformity with the Bidding Documents the following Works: Construction of Undergraduate Program Building Block-2
- (c) Our Bid consisting of the Technical Bid and the Price Bid shall be valid for a period of *120* days from the date fixed for the bid submission deadline in accordance with the Bidding Documents, and it shall remain binding upon us and may be accepted at any time before the expiration of that period.
- (d) Our firm, including any subcontractors or suppliers for any part of the Contract, have nationalities from eligible countries in accordance with ITB 4.2 and meet the requirements of ITB 3.4,& ITB 3.5
- (e) We are not participating, as a Bidder or as a subcontractor, in more than one Bid in this bidding process in accordance with ITB 4.3(e), other than alternative offers submitted in accordance with ITB 13.
- (f) Our firm, its affiliates or subsidiaries, including any Subcontractors or Suppliers for any part of the contract, has not been declared ineligible by DP, under the Employer's country laws or official regulations or by an act of compliance with a decision of the United Nations Security Council;
- (g) [We are not a government owned entity] / [We are a government owned entity but meet the requirements of ITB 4.5];¹
- (h) We declare that, we including any subcontractors or suppliers for any part of the contract do not have any conflict of interest in accordance with ITB 4.3 and we have not been punished for an offense relating to the concerned profession or business.
- (i) We declare that we are solely responsible for the authenticity of the documents submitted by us.

- The document and information submitted by us are true and correct. If any document/information given is found to be concealed at a later date, we shall accept any legal actions by the Employer.
- (j) We agree to permit the Employer/DP or its representative to inspect our accounts and records and other documents relating to the bid submission and to have them audited by auditors appointed by the Employer.
- (k) If our Bid is accepted, we commit to mobilizing key equipment and personnel in accordance with the requirements set forth in Section VI (Works Requirement) and our technical proposal, or as otherwise agreed with the Employer.
- (l) We declare that we have not yet secured five (5)⁴ number of construction contract (in open competitive bidding) as described in ITB Sub-Clause 4.9.

Name: [insert complete name of the person signing the Bid]
In the capacity of [insert legal capacity of person signing the Bid]
Signed [signature of the person whose name and capacity are shown above]
Duly authorized to sign the Bid for and on behalf of [insert complete name of the Bidder]
Date linsert date of signing l

¹ Note: Use one of the two options as appropriate.

⁴ Note: Following Procurement of Works contracts shall not be counted for this purpose:

a) The works for which tender were invited or contracts accepted before 2078-12-03 B.S (March 17, 2022 A.D).

b) The works for which tender have been invited and contracts accepted after 2078-12-03 B.S (March 17, 2022 A.D) but the work acceptance report has been approved according to Rule 117 of PPR.

c) The works for which tenders were invited or contracts accepted under all types of foreign assistance.

Letter of Price Bid

The Bidder must accomplish the Letter of Price Bid in its letterhead clearly showing the Bidder's complete name and address.

Date:
Name of the contract:
Invitation for Bid No.: MBUST/W/NCB-01/2082/83
To: Madan Bhandari University of Science and Technology Chitlang, Thaha Municipality Ward 9, Nepal
We, the undersigned, declare that:
(a) We have examined and have no reservations to the Bidding Documents, including Addenda issued in accordance with Instructions to Bidders (ITB) Clause 8;
 (m) We offer to execute in conformity with the Bidding Documents the following Works: Construction of Undergraduate Program Building Block-2. (c) The total price of our Bid, excluding any discounts offered in item (d) below is: [Insert one of the options below as appropriate] or when left blank is the Bid Price indicated in the Bill of Quantities.
Option 1, in case of single contract: Total price is: [insert the total price of the Bid in words and figures];
Or
Option 2, in case of multiple lots (contracts): (i) Total price of each lot (contracts): [insert the total price of each lot in words and figures]; (ii) Total price of subject contract [say Lot1] and Lot2 [another contract] [insert the total price in words and figures]; (iii) Total price of subject contract [say Lot1] and Lot3 [another contract] [insert the total price in words and figures]; Total price of subject contract [say Lot1], Lot2 [another contract], Lot3 [another contract],
(d) The discounts offered and the methodology for their application for subject contract [single contract] are:

Add following if Bidding Document provisions applicability of multiple contracts:

The discounts offered and the methodology for their application for subject contract [say Lot1] and Lot2 [another contract] are:							
The discounts offered and the methodology for their application for subject contract [say Lot1] and Lot3 [another contract] are:							
The discounts offered and the methodology for their application for subject contract [say Lot1], Lot2 [another contract] and Lot3 [another contract],, are:							
[Note:1. Formulate possible combinations depending upon the number of lots under Bidding Process and modify accordingly Paragraph (c) and (d)]							
(e) Our bid shall be valid for a period of <i>120</i> days from the date fixed for the bid submission deadline in accordance with the Bidding Documents, and it shall remain binding upon us and may be accepted a any time before the expiration of that period;							
(f) If our bid is accepted, we commit to obtain a performance security in accordance with the Bidding Document;							
(g) We have paid, or will pay the following commissions, gratuities, or fees with respect to the bidding process or execution of the Contract: ⁵							
Name of Recipient Address Reason Amoun							
(h) We understand that this bid, <i>together with your written acceptance thereof in</i> cluded in you notification of award, shall constitute a binding contract between us, until a formal contract is prepared and executed;							
We understand that you are not bound to accept the lowest evaluated bid or any other bid that you may receive; and							
j) We declare that we are solely responsible for the authenticity of the documents submitted by us.							
(k) We agree to permit the Employer/DP or its representative to inspect our accounts and records and other documents relating to the bid submission and to have them audited by auditors appointed by the Employer.							
Name: [insert complete name of the person signing the Bid]							
In the capacity of [insert legal capacity of person signing the Bid]							

⁵ If none has been paid or is to be paid, indicate "None".

Duly authorized to sign the Bid for and on behalf of <i>[insert complete name of the Bidder]</i>
Date [insert date of signing]

Table of Price Adjustment Data⁶

[To be used if Price Adjustment is applicable as per GCC 53.1]

Code	Index Description	Source of Index*	Base Value and Date	Employer's Proposed Weighting Range (coefficient)	Bidder's Proposed Weighting (coefficient)**
1	2	3	4	5	6
	Non - Adjustable (A)			0.15	0.15
	Labor (b)			0.15-0.30	
	Materials (c)			0.50-0.65	
	Equipment usage (d)			0.03-0.10	
		Total			1.00

^{*}Normally following source of index shall apply. Public Entity shall choose applicable Index for each item.

- (a) Labor: "National Salary and Wage Rate Index"- "Construction Labor" of Nepal Rastra Bank or rate fixed by District Rate Fixation Committee
- (b) Material: "National Wholesale Price Index" Construction Materials" of Nepal Rastra Bank
- (c) Equipment usage: "National Wholesale Price Index" Machinery and Equipment" of Nepal Rastra Bank or "Fuel" Price fixed by Nepal Oil Corporation.
- ** Bidders proposed weightings should be within the range specified by the Employer in column 5

⁶ Non-compliance of the data (stipulated by the bidder in this table) with requirements described here shall not be grounds for bid rejection and such non-compliance will be subject to clarification and rectification prior to contract award.

Table of Price Adjustment Data⁷

[To be used if Price Adjustment is applicable as per GCC 53.6]

Code	Construction Material*	Unit	Base Price (NRs/Unit) (Exfactory)	Source (Factory)**
1	2	3	4	5

^{*} Major construction materials to be specified by Employer in column - 2.

Note:

The base prices of the construction materials shall be taken as of 30 days before the deadline for submission of the Bid as quoted by the Bidder and verified by the Employer. For the purpose of calculation of price adjustment, the Exfactory price of the same source shall be taken into consideration.

^{**} Base Price and source normally to be specified by Employer (or alternatively informed to be proposed by bidder) in column 4 and 5.

⁷ Non-compliance of the data (stipulated by the bidder in this table) with requirements described here shall not be grounds for bid rejection and such non-compliance will be subject to clarification and rectification prior to contract award.

Bid Security

Bank Guarantee

Bank's Name, and Address of Issuing Branch or Office
(On Letter head of the Bank)

(On Letter head of the Bank)
Beneficiary:[Insert name and address of Employer]
Date:
Furthermore, we understand that, according to your conditions, bids must be supported by a b
guarantee. At the request of the Bidder, we
obligation(s) under the bid conditions, because the Bidder:
(a) has withdrawn or modifies its Bid:
i) during the period of bid validity specified by the Bidder on the Letter of Technical and Price Bi in case of electronic submission
(ii) from the period twenty-four hours prior to bid submission deadline up to the period of bid validispecified by the Bidder on the Letter of Technical Bid and Price Bid, in case of hard copy submission or
(b) does not accept the correction of errors in accordance with the Instructions to Bidde (hereinafter "the ITB"); or
(c) changes the prices or substance of the bid while providing information pursuant to clause 27.1 of IT or
(d) having been notified of the acceptance of its Bid by the Employer during the period of bid validit (i) fails or refuses to execute the Contract Agreement, or (ii) fails or refuses to furnish the performance security, in accordance with the ITB.
(e) is involved in fraud and corruption in accordance with the ITB
This guarantee will remain in force up to and including the datenumberdays afted the deadline for submission of Bids as such deadline is stated in the instructions to Bidders or as it must be extended by the Employer, notice of which extension(s) to the Bank is hereby waived. Any demand respect of this guarantee should reach the Bank not letter than the above date.
This Bank guarantee shall not be withdrawn or released merely upon return of the original guarantee the Bidder unless notified by you for the release of the guarantee.
This guarantee is subject to the Uniform Rules for Demand Guarantees (URDG), 2010 Revisions, IC Publication No. 758, except that the supporting statement under Article 15(a) is hereby excluded.
Bank's seal and authorized signature(s)
Note: The bid security of

Technical Proposal Format

Personnel	
Equipment	
Site Organization	
Method Statement	
Mobilization Schedule	
Construction Schedule	
Others	

Personnel

Form PER - 1: Proposed Personnel

Bidders should provide the names of suitably qualified personnel to meet the specified requirements for each of the positions listed in Section VI (Work Requirements). The data on their experience should be supplied using the Form below for each candidate.

No.	Name	Position*	Academic Qualification	Total Work Experience [Years]	Experience in Similar Works [years]
1.					
2.					
3.					
4.					
5.					

^{*} As listed in Section VI (Work Requirements).

Form PER - 2: Resume of Proposed Personnel

The Bidder shall provide all the information requested below.

Position*			
Personal Information	Name Date of Birth Professional qualifications		
Present employment	Name of employer		
	Address of employer		
	Telephone	Contact (manager/personnel officer)	
	Fax	E-mail	
	Job title	Years with present employer	

Summarize professional experience over the last twenty years in reverse chronological order. Indicate particular technical and managerial experience relevant to the project.

From	То	Company, Project, Position and Relevant Technical and Management Experience

Equipment

Form EQU: Equipment

The Bidder shall provide adequate information to demonstrate clearly that it has the capability to meet the requirements for the key equipment listed in Section VI (Work Requirements). A separate Form shall be prepared for each item of equipment listed, or for alternative equipment proposed by the Bidder.

(i) For the equipment under Bidder's ownership

No.	Equipment Type and Characteristics	Total Nos. of Equipment under Bidder's Ownership	No. of Equipment engaged/proposed for ongoing/committed contracts	Nos. of Equipment proposed for this contract
1.				
2.				
3.				
4.				
5.				

(ii)	(ii) For the Equipment to be leased/hired					
No.	Equipment Type and Characteristics	Total Nos. of Equipment under the ownership of lease/hire provider	No. of Equipment engaged/committed for other works		Nos. of Equipment proposed to be leased/hired for this contract	
1.		1				
2.						
<i>3. 4.</i>						
5.						
Type of	Type of Equipment					
Equipment Information		Name of manufacture	Name of manufacturer		Model and power rating	
		Capacity	Capacity		Year of manufacture	
Current Status		Current location	Current location			
		Details of current com	Details of current commitments			
Source		Indicate source of the	Indicate source of the equipment			
		Owned Rented	☐ Owned ☐ Rented ☐ Leased ☐ Specially manufactured			

The following information shall be provided only for equipment not owned by the Bidder.

Owner	Name of owner		
	Address of owner		
	Telephone Contact name and title		
	Fax	email	
Agreements	Details of rental / lease / manufacture agreements specific to the project		

The Bidder shall be solely responsible for the data provided. However, this shall not limit the right of Employer to verify the authenticity of submitted information.

Bidder's Information and Qualification Format

Site Organization	
Method Statement	
Mobilization Schedule	
Construction Schedule	
Others	

Bidder's Qualification

To establish its qualifications to perform the contract in accordance with Section III (Evaluation and Qualification Criteria) the Bidder shall provide the information requested in the corresponding Information Sheets included hereunder.

Form ELI - 1: Bidder's Information Sheet

Bidder's Information				
Bidder's legal name				
In case of JV, legal name of each partner				
Bidder's country of constitution				
Bidder's year of constitution				
Bidder's legal address in country of constitution				
Bidder's authorized representative (name, address,				
telephone numbers, fax numbers, e-mail address)				
Attached are copies of the following original documents.				
1. In case of single entity, articles of incorporation or constitution of the legal entity named above, in accordance with ITB 4.1 and 4.2.				
2. Authorization to represent the firm or JV named in above, in accordance with ITB 20.2.				
3. In case of JV, letter of intent to form JV or JV agreement, in accordance with ITB 4.1.				
4. In case of a government-owned entity, any additional documents not covered under 1 above required to comply with ITB 4.5.				

Form ELI - 2: JV Information Sheet

Each member of a JV must fill in this form

JV / Specialist Subcontractor Information		
Bidder's legal name		
JV Partner's or Subcontractor's legal name		
JV Partner's or		
Subcontractor's country of constitution		
JV Partner's or		
Subcontractor's year of constitution		
JV Partner's or		
Subcontractor's legal address in country of		
constitution		
JV Partner's or		
Subcontractor's authorized representative		
information (name, address, telephone numbers,		
fax numbers, e-mail address)		
Attached are copies of the following original documents.		
1. articles of incorporation or constitution of the ITB 4.1 and 4.2.	ne legal entity named above, in accordance with	
2. Authorization to represent the firm named a	bove, in accordance with ITB 20.2.	
3. In the case of government-owned entity, documents establishing legal and financial autonomy and compliance with commercial law, in accordance with ITB 4.5.		

Form ELI - 3: Bidder's Running Contracts⁸

Each member of a JV must fill in this form

Bidder's Running Contracts							
Contract Identification no.	Identification Source of of Letter of Status of contract**		Date of Issuance of Taking Over Certificate***				
	Identification	Contract Identification Source of	Contract Date of issuance Identification Source of Letter of	Contract Date of issuance Identification Source of Letter of Status of contract**			

^{*} Mention GON funded or DP funded or Other PE (Insert name) funded

^{**} Mention "Yet to sign" if contract is not signed, "Running" if contract has been signed and contract is running and "Substantially completed" if taking over certificate has been issued.

^{**} Insert date of issuance of taking over certificate if the awarded contract has been substantially completed and taking over certificate has been issued.

⁸:Note Following Procurement of Works contracts shall not be counted for this purpose

a) The works for which tender were invited or contracts accepted before 2078-12-03 B.S (March 17, 2022 A.D).

b) The works for which tender have been invited and contracts accepted after 2078-12-03 B.S (March 17, 2022 A.D) but the work acceptance report has been approved according to Rule 117 of PPR.

c) The works for which tenders were invited or contracts accepted under all types of foreign assistance

Form LIT - 1: Pending Litigation

Each member of a JV must fill in this form

Pending Litigation									
 No pending litigation in accordance with Criteria 2.2 of Section III (Evaluation and Qualification Criteria) Pending litigation in accordance with Criteria 2.2 of Section III (Evaluation and Qualification Criteria) 									
Year	Matter in Dispute	Value of Pending Claim in NRS	Value of Pending Claim as a Percentage on Net Worth						

Form FIN - 1: Financial Situation

Each Bidder or member of a JV must fill in this form

Financial Data for Previous 3 Years [in NRS]					
Year 1:	Year 2:	Year 3:			

Information from Balance Sheet

Total Assets		
Total Liabilities		
Net Worth		
Current Assets		
Current Liabilities		

Information from Income Statement

Total Revenues		
Profit Before Tax		
Profit After Tax		

- O Attached are copies of financial statements (balance sheets including all related notes, and income statements) for the last three or above years, as indicated above, complying with the following conditions.
- o All such documents reflect the financial situation of the Bidder or partner to a JV, and not sister or parent companies.
- o Historic financial statements must be audited by a certified auditor.
- O Historic financial statements must be complete, including all notes to the financial statements.
- Historic financial statements must correspond to accounting periods already completed and audited (no statements for partial periods shall be requested or accepted).

Form FIN - 2: Average Annual Construction Turnover

Each Bidder or member of a JV must fill in this form

The information supplied should be the Annual Turnover of the Bidder or each member of a JV in terms of the amounts billed to clients for each year for work in progress or completed to NRs at the end of the period reported.

Annual Turnover Data for the Last 10 Years (Construction only)						
Year	Amount Currency					
- Average Annual Construction Turnov (Best three years within the last 10 years)						

Form FIN - 3: Financial Resources

Specify proposed sources of financing, such as liquid assets, unencumbered real assets and other financial means, net of current commitments, available to meet the total construction cash flow demands of the subject contract or contracts as indicated in Section III (Evaluation and Qualification Criteria).

	Financial Resources							
No.	Source of financing	Amount (in NRS)						
1								
2								
3								

Form FIN – 4: Bid Capacity

Each Bidder or member of a JV must fill in this form

Bid Capacity = $[(5 \times A) - B]$

A = Average Annual Turnover of best three years out of last ten fiscal years.

 $B = Annual \ Value \ of the existing commitments and works (ongoing) to be completed, calculated from FIN-4.$

SN	Name of Bidder	Pan No.	A, in Million	B, in Million	Bid Capacity, in Million
1					
2					
3					

Tatal	Rid	('nı	nonity	
I Otal	Diu	Caj	pacity	•

Signature of Bidder

Form FIN- 5: Current Contract Commitments / Works in Progress

Bidders and each partner to a JV should provide information on their current commitments on all contracts that have been awarded, or for which a letter of intent or acceptance has been received, or for contracts approaching completion, but for which an unqualified, full completion certificate has yet to be issued.

	Current Contract Commitments (For Calculation of B with reference of FIN-3)								
No.	Name of Contract	Name of the Contractor/s	Employer's Contact Address, Tel, Fax	Contract Share in % (a)	Contract Amount in Millions (b)	Contract Date(yyyy- mm) (c)	Initial or Revised Contract Duration (months) (d)	Value of outstanding works [In Millions, NRS]# (e)	Estimated Time in Month to Complete the outstanding works (f) = (c) + (d) - Date of Invitation of Bid (f)
1									
2									
3									
4									

Signature of Bidder

The Outstanding Works means Contract Price (excluding Vat) minus Work Evaluated by Employer till the reference date. Bidder shall have to submit the relevant documentary evidence to substantiate the facts/figures.

Note 1: "B" shall be calculated as : $B = \sum_{f} \left[\frac{(e) \times (a)}{(f)} \right] x 12$, If (f) is less than 12, then value of (f) shall be taken as 12.

Note 2: If Initial or Revised Contract Date is run out with respect to Date of Invitation of Bid, the Estimated Time in Month to Complete the outstanding works shall be taken equal to 12 months.

Form EXP - 1: General Construction Experience

Each Bidder or member of a JV must fill in this form.

	General Construction Experience							
Starting Month Year	ing h Year Month Year Month Year Month Ye							

Form EXP - 2(a): Specific Construction Experience

Fill up one (1) form per contract.

Contract of Sin	ature		
Contract No of	Contract Iden	tification	
Award Date		Completion	
		Date	
Role in Contract			☐ Subcontractor
	Contractor	Management	
		Contractor	
Total Contract Amount	□ NRS		
	•••••		
If Partner in a JV or subcontractor, specify	Percent of	Amount	
participation of total contract amount	Total		
Employer's Name		l	
Address			
Telephone/Fax			
Number			
E-mail			
Description of the similarity in accordance with	Criteria 2.4.2 (a)) of Section III	
i i) Participation as Prime contractor, management contractor, or subcontractor, within the last ten (10) years, that have been successfully or are substantially completed with a value of at least NRs 288 Million in a single RCC building Project and that are similar to the proposed works. The similarity shall be based on the physical size, complexity, methods, technology or other characteristics as described;			
1. Electrical Works			
2. Sanitary Works			
3. Firefighting Works			

ii) Participation as Prime contractor in at least one (1) or cumulative of Two (2) RCC frame structure building contract completed within the original contract period prior to the applications submission deadline within the last ten (10) years, with a value of at least NRs 288 Million excluding VAT and PS.

Additional Form-1

Specific Construction Experience for Completed Building Projects with in Last Ten Years (to be filled separately by each of the JV partners)

Participation as Prime contractor in at least one (1) RCC frame structure institutional building contract completed within the original contract period prior to the applications submission deadline within the last ten (10) years, with a value of at least NRs 288 Million.

	Specific Construction Experience ⁹								
Name of Contract	Name of the Contractor	Role in JV, if JV (Prime contractor or management contractor or sub-contractor)	Contract Date (yyyy- mm- dd)	Original date of contract completion (yyyy-mm- dd) as per contract document	Actual date of contract completion (yyyy-mm- dd) as per completion certificate				

⁹ Notarized copies of the Contract Document showing the agreement date and original completion date and Completion Certificate must be submitted. The Bidder should be able to submit the originals on request. Failure to submit notarized copies or originals on demand will be treated as the lack of evidence of dates referred to in the table.

CONSTRUCTION OF UNDERGRADUATE PROGRAM BUILDING BLOCK 2-74

_

Form EXP - 2(b): Specific Construction Experience in Key Activities

Fill up one (1) form per contract.

Till up one (1) form per contract.				
Contract of Similar S	ize and Natur	e		
Contract No of	Contract Identification			
Award Date		Completion Date		
Role in Contract	Contractor	Management Contractor	Subcontractor	
Total Contract Amount	□ NRS			
If Partner in a JV or subcontractor, specify participation of total contract amount	Percent of Total	Amount		
Employer's Name				
Address				
Telephone/Fax				
Number				
E-mail				
Description of the similarity in accordance with Criter	ia 2.4.2 (a) of S	Section III		
Participation as Prime contractor, management contractor, or subcontractor, within a last ten (10) years, For the above or other contracts stipulated in 2.4.2(a) above, a minimum annual production rate on construction experience in the following key activities that have been successfully or substantially completed in a single RCC building project:				
Steel Reinforcement: 5,46,200.00 kg				
RCC Works M25 and above: 2970 Cu.m				

Section V - Eligible Countries

For the purpose of ITB 4.2: "Nepal";

Part II: REQUIREMENTS

Table of Clauses

Section VI: Works Requirements (WRQ)

Scope of Work	80
Specifications	81
Notes on the Specifications	
Sample Clause: Equivalency of Standards and Co	des 82
Drawings	83
Supplementary Information	97
Personal Requirements	92
Equipment Requirements	93
Section VII: Bill of Quantities	101
Notes for Unit Rate Contracts:	101
Preamble of Bill of Quantities	
A. General	
B. Day work Schedule	
Provisional Sums	Error! Bookmark not defined.
Bill of Ouantities	Error! Bookmark not defined.

Section VI: Works Requirements

This Section contains the Scope of Work, Specification, the Drawings, supplementary information that describe the Works to be procured, <u>Personnel Requirements and Equipment Requirements</u> .	ıt

Scope of Work

The construction site is located at Chitlang, Thaha Municipality Ward 9, Bagmati Province. The main work is the construction of RCC frame structure Construction of Academic Block-2 Building. Civil works will be accompanied by Sanitary and Plumbing works, Electrical Works including landscaping works etc.

Specifications

Notes on the Specifications

A set of precise and clear specifications is a prerequisite for Bidders to respond realistically and competitively to the requirements of the Employer without qualifying or conditioning their Bids. The specifications must be drafted to permit the widest possible competition and, at the same time, present a clear statement of the required standards of workmanship, materials, and performance of the goods and services to be procured. Only if this is done will the objectives of economy, efficiency and fairness in procurement be realized, responsiveness of Bids be ensured, and the subsequent task of bid evaluation facilitated. The specifications should require that all goods and materials to be incorporated in the Works be new, unused, of the most recent or current models, and incorporate all recent improvements in design and materials unless provided otherwise in the Contract.

Samples of specifications from previous similar projects are useful in this respect. The use of metric units is encouraged by the Funding Agency in case of funding assisted projects. Most specifications are normally written specially by the Employer or Project Manager to suit the Contract Works in hand. The available standard specification of works of Ministry of Physical Infrastructure and Transport, DoLI and Other line Ministries can be adopted for respective civil construction works.

There are considerable advantages in standardizing General Specifications for repetitive Works in recognized public sectors, such as highways, urban housing, irrigation, and water supply, in the same country or region where similar conditions prevail. The General Specifications should cover all classes of workmanship, materials, and equipment commonly involved in construction; however, it may not necessarily be adequate to be used in a particular Works Contract and may necessitate preparation of Particular (Special) Specifications to amend and or supplement the provision of the General Specifications to meet the requirement of the particular Works.

Care must be taken in drafting specifications to ensure that they are not restrictive. In the specification of standards for goods, materials, and workmanship, recognized international standards should be used as much as possible. Where other particular standards are used, whether national standards of Nepal or other standards, the specifications should state that goods, materials, and workmanship that meet other authoritative standards, and which ensure substantially equal or higher quality than the standards mentioned, will also be acceptable.

Employers should decide whether technical solutions to specified parts of the Works are to be permitted. Alternatives are appropriate in cases where obvious (and potentially less costly) alternatives are possible to the technical solutions indicated in the Procurement Documents for certain elements of the Works, taking into consideration the comparative specialized advantage of potential bidders. For example:

The Employer should provide a description of the selected parts of the Works with appropriate references to Drawings, Specifications, Bill of Quantities, and Design or Performance criteria, stating that the alternative solutions if applicable shall be at least structurally and functionally equivalent to the basic design parameters and specifications.

Such alternative solutions shall be accompanied by all information necessary for a complete evaluation by the Employer, including drawings, design calculations, technical specifications, breakdown of prices, proposed construction methodology, and other relevant details.

Sample Clause: Equivalency of Standards and Codes

Wherever reference is made in the Contract to specific standards and codes to be met by the goods and materials to be furnished, and work performed or tested, the provisions of the latest current edition or revision of the relevant standards and codes in effect shall apply, unless otherwise expressly stated in the Contract. Where such standards and codes are national, or relate to a particular country or region, other authoritative standards that ensure a substantially equal or higher quality than the standards and codes specified will be accepted subject to the Project Manager's prior review and written consent. Differences between the standards specified and the proposed alternative standards shall be fully described in writing by the Contractor and submitted to the Project Manager at least 30 days prior to the date when the Contractor desires the Project Manager's consent. In the event the Project Manager determines that such proposed deviations do not ensure substantially equal or higher quality, the Contractor shall comply with the standards specified in the documents.


These Notes for Preparing Specifications are intended only as information for the Employer or the person drafting the Procurement Documents. They should not be included in the final documents.


Attached in Annex I


Drawings

Note:

- 1. It is customary to bind the drawings in a separate volume, which is often larger than other volumes of the contract documents. The size will be dictated by the scale of the drawings, which must not be reduced to the extent that details are reduced illegible.
- 2. A simplified map showing the location of the Site in relation to the local geography, indicating major roads, posts, airports, and railroads, is helpful.
- 3. The construction drawings, even if not fully developed, must show sufficient details to enable bidders to understand the type and complexity of the work involved and the price the Bill of Quantities.





































Supplementary Information

Personnel Requirements

Using Form PER-1 and PER-2 in Section IV (Bidding Forms), the Bidder must demonstrate it has personnel that meet the following requirements:

SN.	Position	Required No.	Academic Qualification [When position demands]	Total Work Experience [Years]	Experience in Similar Works [years]
1.	Project Manager	1	Master's degree in Architecture/ Construction Management/ Civil Engineering/ Engineering Management	7	5
2.	Civil Engineer	1	Bachelor's degree in Civil Engineering	5	3
3.	Architect	1	Bachelor's degree in Architecture	5	3
4.	Electrical Engineer	1	Bachelor's degree in Electrical Engineering	5	3
5.	Civil Sub Engineer	1	Diploma in Civil Engineering	5	3

Equipment Requirements

Using Form EQU in Section IV (Bidding Forms), the Bidder must demonstrate it has the key equipment listed below:

No.	Equipment Type and Characteristics	Min. Number Requirement
1.	Excavator	1 Nos.
2.	Tipper/Trucks	2 Nos.
3.	Two Bag Concrete Mixture Machine	2 Nos.
4.	Concrete Pump 40 m head	2 Nos.
5.	Hoist with capacity of 1 Ton of appropriate height	1 Nos.
6.	Needle Vibrators	5 Nos.
7.	Plate Vibrator	2 Nos.
8.	Water Pumps 2 Hp	2 Nos.
9.	Electrical Generator of 50 KVA	1 Nos.

Section VII: Bill of Quantities¹⁰

Notes for Unit Rate Contracts:

Objectives

The objectives of the Bill of Quantities are

- (a) to provide sufficient information on the quantities of Works to be performed to enable Bids to be prepared efficiently and accurately; and
- (b) when a Contract has been entered into, to provide a priced Bill of Quantities for use in the periodic valuation of Works executed.

In order to attain these objectives, Works should be itemized in the Bill of Quantities in sufficient detail to distinguish between the different classes of Works, or between Works of the same nature carried out in different locations or in other circumstances which may give rise to different considerations of cost. Consistent with these requirements, the layout and content of the Bill of Quantities should be as simple and brief as possible.

Content

The Bill of Quantities should be divided generally into the following sections:

- (a) Preamble;
- (b) Work Items (grouped into parts);
- (c) Day works Schedule;
- d) Provisional Sums; and
- (d) Summary.

Preamble

The Preamble should indicate the inclusiveness of the unit prices, and should state the methods of measurement which have been adopted in the preparation of the Bill of Quantities and which are to be used for the measurement of any part of the works.

Work Items

The items in the Bill of Quantities should be grouped into sections to distinguish between those parts of the Works which by nature, location, access, timing, or any other special characteristics may give rise to different methods of construction, or phasing of the Works, or considerations of cost. General items common to all parts of the works may be grouped as a separate section in the Bill of Quantities.

Day work Schedule

A Day work Schedule should be included only if the probability of unforeseen work, outside the items included in the Bill of Quantities, is high. To facilitate checking by the Employer of the realism of rates quoted by the Bidders, the Day work Schedule should normally comprise the following:

(a) A list of the various classes of labour, materials, and Constructional Plant for which basic day work rates or prices are to be inserted by the Bidder, together with a statement of the conditions under which the Contractor will be paid for work executed on a day work basis.

¹⁰In lump sum contracts, delete "Bill of Quantities" and replace with "Schedule of Activities" throughout this section.

(b) Nominal quantities for each item of Day work, to be priced by each Bidder at Day work rates as bid. The rate to be entered by the Bidder against each basic Day work item should include the Contractor's profit, overheads, supervision, and other charges.

Provisional Sums

Provisional Sums included and so designated in the Bill of Quantities shall be expended in whole or in part at the direction and discretion of the Project Manager in accordance with the Conditions of Contract.

Summary

The Summary should contain a tabulation of the separate parts of the Bill of Quantities carried forward, with provisional sums for Day work, for physical (quantity) contingencies, and for price contingencies (upward price adjustment) where applicable.

Preamble of Bill of Quantities

A. General

- 1. The Bill of Quantities shall be read in conjunction with the Instructions to Bidders, General and Special Conditions of Contract, Technical Specifications, and Drawings.
- 2. The quantities given in the Bill of Quantities are estimated and provisional, and are given to provide a common basis for bidding. The basis of payment will be the actual quantities of work ordered and carried out, as measured by the Contractor and verified by the Project Manager and valued at the rates and prices bid in the priced Bill of Quantities, where applicable, and otherwise at such rates and prices as the Project Manager may fix within the terms of the Contract.
- 3. For any item for which measurement is based on records made before or during construction the records shall be prepared and agreed between the Engineer and the Contractor. Should the Contractor carry out such work without the prior agreement of the Engineer, the Engineer may request the Contractor to carry out investigations to confirm the extent of the work and the quantity of work certified for payment shall be solely at the Engineer's discretion. The cost of any such investigation shall be borne by the Contractor.
- 4. The rates and prices bid in the priced Bill of Quantities shall, except as otherwise provided under the Contract, include all construction equipment, labor, supervision, materials, erection, maintenance, insurance, profit, taxes, and duties, together with all general risks, liabilities, and obligations set out or implied in the Contract.
- 5. A rate or price shall be entered against each item in the priced Bill of Quantities, whether quantities are stated or not. The cost of items against which the Contractor has failed to enter a rate or price shall be deemed to be covered by other rates and prices entered in the Bill of Quantities.
- 6. The whole cost of complying with the provisions of the Contract shall be included in the Items provided in the priced Bill of Quantities, and where no Items are provided, the cost shall be deemed to be distributed among the rates and prices entered for the related Items of Work.
- 7. General directions and descriptions of work and materials are not necessarily repeated nor summarized in the Bill of Quantities. References to the relevant sections of the Contract documentation shall be made before entering prices against each item in the priced Bill of

Quantities. The Specification Clause references where given in the item description of the Bills of Quantities are for the convenience of bidders and generally refer to the principal relevant- specification clause but do not necessarily represent the whole of the specification requirements for the work required within the item. The presence of a Specification clause reference shall not in any way reduce the Bidders obligation to complete work in accordance with all the requirements of the Specification.

- 8. Provisional Sums included and so designated in the Bill of Quantities shall be expended in whole or in part at the direction and discretion of the Project Manager in accordance with the Conditions of Contract.
- 9. The method of measurement of completed work for payment shall be in accordance with the Specifications.
- 10. The abbreviations and symbols used in this Bill of Quantities are:[Insert as applicable]

B. Day work Schedule

a)General

1. Work shall not be executed on a day work basis except by written order of the Project Manager. Bidders shall enter basic rates for day work items in the Schedules. These rates shall apply to any quantity of day work ordered by the Project Manager. Nominal quantities have been indicated against each item of day work, and the extended total for day work shall, be carried forward as a Provisional Sum to the Summary Total Bid Amount. Unless otherwise adjusted, payments for day work shall be subject to price adjustment in accordance with the provisions in the Conditions of Contract.

b) Day work Labor

- 1. In calculating payments due to the Contractor for the execution of day works, the hours for labor will be reckoned from the time of arrival of the labor at the job site to execute the particular item of day work to the time of departure from the job site, but excluding meal breaks and rest periods. Only the time of classes of labor directly doing work ordered by the Project Manager and are competent to perform such work will be measured. The time of gangers (charge hands) actually doing work with the gangs will also be measured but not the time of foremen or other supervisory personnel.
- 2. The Contractor shall be entitled to payment in respect of the total time that labor is employed on day work, calculated at the basic rates entered by it in the "SCHEDULE OF DAY WORK RATES: 1. LABOR". The rates for labor shall be deemed to cover all costs to the Contractor including (but not limited to) i) the amount of wages paid to such labor, transportation time, overtime, subsistence allowances, ii) any sums paid to or on behalf of such labor for social benefits in accordance with Nepal law, iii) Contractor's profit, overheads, superintendence, liabilities and insurance and iv) charges incidental to the foregoing.

c) Day work Equipment

- 1. The Contractor shall be entitled to payments in respect of Constructional Plant already on site and employed on day work at the basis rental rates entered by him in the "SCHEDULE OF DAY WORK RATES:2 EQUIPMENT". The said rates shall be deemed to include due and complete allowance for depreciation, interest, indemnity and insurance, repairs, maintenance, supplies, fuel, lubricant, and other consumables and all overhead, profit and administrative costs related to the use of such equipment. The cost of drivers, operators and assistants also shall be included in the rate of the equipment and no separately payment shall be made for it.
- 2. In calculating the payment due to the Contractor for Constructional Plant employed on day work, only the actual number of working hours will be eligible for payment, except that where applicable and agreed with the Project Manager, the travelling time from the part of the Site where the Construction Plant was located when ordered by the Project Manager to be employed on day work and the time for return journey there to shall be included for payment.

d) Day work Materials

- 1. The Contractor shall be entitled to payment in respect of materials used for day work (except for materials for which the cost is included in the percentage addition to labor costs as detailed heretofore), at the rates entered by him in the "SCHEDULE OF DAY WORK RATES: 3 MATERIALS" and shall be deemed to include overhead charges and profit as follows;
 - (i) the rates for materials shall be calculated on the basis of the invoiced price, freight, insurance, handling expenses, damage, losses, etc. and shall provide for delivery to store for stockpiling at the Site.
 - (ii) the cost of hauling materials for use on work ordered to be carried out as day work, from the store or stockpile on the Site to the place where it is to be used also shall be include in the same rate.

Provisional Sums

The estimated cost of specialized work to be carried out, or of special goods to be supplied, by other contractors should be indicated in the relevant part of the Bill of Quantities as a particular provisional sum with an appropriate brief description. A separate procurement procedure is normally carried out by the Employer to select such specialized contractors. To provide an element of competition among the Bidders in respect of any facilities, amenities, attendance, etc., to be provided by the successful Bidder as prime Contractor for the use and convenience of the specialist contractors, each related provisional sum should be followed by an item in the Bill of Quantities inviting the Bidder to quote a sum for such amenities, facilities, attendance, etc.

Bill of Quantities

Project Name: Construction of Undergraduate Program Building Block 2 Location: Chitlang, Thaha Municipality Ward 9, Bagmati Province, Nepal

				Rates per	Unit	Total	Daman
S.N.	Description of Works	Units	Quantity	In Figures	In Words	Total Amount	Remar ks
<u>A</u>	PROVISIONAL SUM						
1	Provide Contractor's All Risk (CAR) policy Insurance for the loss of damage to works, plant, material, equipment, property and personnel injury or death as per specification and instructions of approved engineer all complete.	P.S	1.00	3,100,000.00	Thirty One Lakhs only/-	3,100,000. 00	
В.	GENERAL ITEMS						
2	Notice Board: Provide, erect and maintain project site notice board (2m x 2m) with metal frame, posts and necessary accessories up to the completion of the project as per specifications and instructions of the engineer all complete.	No	2.00				
3	Temporary Fencing: Supplying and laying temporary fencing of CGI sheet (0.41mm thick) 2450mm height around the construction area including 50mm dia. MS vertical pipes placed at 1000 mm c/c and 25 mm dia MS pipes horizontal pipes placed at 1000 mm c/c with two gates for entry and exit to avoid trespassers as per drawings, specifications and instructions of site engineer all complete.	Sq.m	587.00				
4	Safety Net : Supplying and laying safety net for preventing accidental fall of people or objects from the site which can be installed both horizontally or vertically according to the requirements along with framework support for netting and other necessary accessories/items around the constructing building as per specification and instructions of site engineer all complete.	Sq.m	3,256.00				

	CCTV :				
5	Provide & maintain the continuous site suvilliances with provision of all time colour IP based camera 4 in number (light blink while movement at night), colour 2MP CCTV (Hikvision or Eq.), 4ch ENVR, 8 port 10/100 Poe Switch, Cabling with CAT 6 Cable etc for day to day photographic and videographic record including desktop and other accessories as per specification and instructions of site engineer all complete. (Access to the CCTV shall be provided to the Client and Consultant.)	set	1.00		
6	Provide, operate, maintain and ensure Quality Control Laboratory at site including all necessary equipment, accessories and consumables with manpower for Cubes or Cylinder Crushing Test, Sand Analysis test etc. as per specification and approval of engineer up to the completion of the project.	LS	1.00		
7	Independent Laboratory Tests: Provision of laboratory tests as required, to be conducted by the independent laboratory as per specification and approval of engineer up to the completion of the project: (Note: Tests conducted for the approval of materials shall be in the scope of contractor.) Cubes or cylinder crushing Test	Nos.	9.00		
8	Independent Laboratory Tests: Provision of laboratory tests as required, to be conducted by the independent laboratory as per specification and approval of engineer up to the completion of the project: (Note: Tests conducted for the approval of materials shall be in the scope of contractor.): Brick Test (Brick Crushing Test, Water Absorption Test, Efflorescence Test)	Nos.	9.00		
9	Independent Laboratory Tests: Provision of laboratory tests as required, to be conducted by the independent laboratory as per specification and approval of engineer up to the completion of the project: (Note: Tests conducted for the approval of materials shall be in the	Nos.	9.00		

i	<u>, </u>		1	•	1	•	
	scope of contractor.) :						
	Cement Test (Compressive						
	Strength/Initial & Final Setting						
	Test) Independent Laboratory Tests: Provision of laboratory tests as required, to be conducted by the						
10	independent laboratory as per specification and approval of engineer up to the completion of the project: (Note: Tests conducted for the approval of materials shall be in the scope of contractor.) : Rebar test (U.T.M. Tensile	Nos.	9.00				
	Strength test) For 8mm dia. Rebar						
11	Independent Laboratory Tests: Provision of laboratory tests as required, to be conducted by the independent laboratory as per specification and approval of engineer up to the completion of the project: (Note: Tests conducted for the approval of materials shall be in the scope of contractor.): Rebar test (U.T.M. Tensile Strength test) For 10mm dia. Rebar	Nos.	9.00				
	Independent Laboratory Tests :						
12	Provision of laboratory tests as required, to be conducted by the independent laboratory as per specification and approval of engineer up to the completion of the project: (Note: Tests conducted for the approval of materials shall be in the scope of contractor.): Rebar test (U.T.M. Tensile Strength test) For 12mm dia. Rebar	Nos.	9.00				
13	Independent Laboratory Tests: Provision of laboratory tests as required, to be conducted by the independent laboratory as per specification and approval of engineer up to the completion of the project: (Note: Tests conducted for the approval of materials shall be in the scope of contractor.): Rebar test (U.T.M. Tensile	Nos.	9.00				
	Strength test) For 16mm dia.						
	Rebar						
14	Independent Laboratory Tests: Provision of laboratory tests as required, to be conducted by the independent laboratory as per specification and approval of engineer up to the completion of the	Nos.	9.00				
	engineer up to the completion of the						

ĺ	muoisst		Ì		
	project: (Note: Tests conducted for the				
	(Note: Tests conducted for the approval of materials shall be in the				
	1 /				
	Rebar test (U.T.M. Tensile Strength test) For 20mm dia.				
	Rebar				
	Independent Laboratory Tests:				
	Provision of laboratory tests as				
	required, to be conducted by the				
	independent laboratory as per				
	specification and approval of				
	engineer up to the completion of the				
15	project:	Nos.	9.00		
13	(Note: Tests conducted for the	1103.	7.00		
	approval of materials shall be in the				
	scope of contractor.) :				
	Rebar test (U.T.M. Tensile				
	Strength test) For 25mm dia.				
	Rebar				
	Independent Laboratory Tests :				
	Provision of laboratory tests as				
	required, to be conducted by the	Nos.	9.00		
	independent laboratory as per				
	specification and approval of				
	engineer up to the completion of the				
16	project:				
	(Note: Tests conducted for the				
	approval of materials shall be in the				
	scope of contractor.) :				
	Rebar test (U.T.M. Tensile				
	Strength test) For 32mm dia.				
	Rebar				
	Independent Laboratory Tests:				
	Provision of laboratory tests as required, to be conducted by the				
	independent laboratory as per				
	specification and approval of				
17	engineer up to the completion of the	Nos.	9.00		
1'	project:	1100.	7.00		
	(Note: Tests conducted for the				
	approval of materials shall be in the				
	scope of contractor.) :				
	Aggregate test (Impact Test)			 	
	Independent Laboratory Tests:			 	
	Provision of laboratory tests as				
	required, to be conducted by the				
	independent laboratory as per				
	specification and approval of				
18	engineer up to the completion of the	Nos.	6.55		
	project:	1.55.	9.00		
	(Note: Tests conducted for the				
	approval of materials shall be in the				
	scope of contractor.) :				
	Aggregate test (Crushing Value				
	Test)				

19	Independent Laboratory Tests: Provision of laboratory tests as required, to be conducted by the independent laboratory as per specification and approval of engineer up to the completion of the project: (Note: Tests conducted for the approval of materials shall be in the scope of contractor.): Sieve Analysis (Wet)	Nos.	9.00		
20	Independent Laboratory Tests: Provision of laboratory tests as required, to be conducted by the independent laboratory as per specification and approval of engineer up to the completion of the project: (Note: Tests conducted for the approval of materials shall be in the scope of contractor.): Sieve Analysis Test (Dry)	Nos.	9.00		
21	Provide as Built Drawing of project (Architectural, Structural, electrical, sanitary & building services) in 1:100 scale 5 sets hard copy including digital copy as per the approval of the engineer upto the completion of project all complete.	Job	1.00		
22	Safety Equipments: Supplying and providing all the safety equipments like helmets, boots, gloves, safety wears, jackets, goggles. masks etc to the engineers, site supervisors, workers, labors, visitors, official personels and all the people involved in the construction upto the completion of the constructions as per specification and instructions of site engineer all complete.	LS	1.00		
C.	CIVIL WORKS :-				
23	Site Clearance Works: Clearing the required area of the Site of all the top soil, vegetation, roots and other unuseful materials including leveling, removing bushes, trees; stacking the useful items in specified space and disposing other items as per drawing, specifications & instruction of site engineer all complete.	Sq.m	3,572.00		

24	Sheet Piling Work: Providing, preparing and installation of piling of 7.5 meter long vertical ms pipe (ISNB 150M) at 350mm C/C and 5mm thick sheets false work to retain the soil upto height of 3m including horizontal MS section (ISMC 75) throughout length of wall welded to vertical piles at 1 meter C/C spacing and necessary supports, removing after completion for foundation, basement and shear wall as per drawing, specification and instruction of site engineer all complete.	Sq.m	192.00		
25	Hydraulic Excavation: Excavation in any kind of soils at all levels for all types of structures, including shoring, strutting, pumping and bailing out water, de-watering if any so as to keep foundations in dry condition at any stage of work, drain the water away from the site through sub drain and connecting into main drain, stacking the excavated earth at proper place near site for refill using mechanical means as per drawing, specifications & instruction of site engineer all complete.	Cu.m	21,295.00		
26	Manual Excavation: Earthwork in excavation in all types of soil manually including timbering and shoring as per design, drawing, specification & instruction of site Engineer all complete.	Cu.m	642.00		
27	Filling Works: Filling of excavated earthwork in layers of 150mm with sprinkling water and compaction in foundation, flower bed, steps etc as per drawing, specification & instruction of site Engineer all complete.	Cu.m	2,090.00		
28	Disposal works: The disposal of excessive excavated soil outside from site area including labour and transportation all complete as per specification & instruction of site Engineer all complete.	Cu.m	19,847.00		
29	Brick Soling Works: Supplying and laying Chimney made Dry Flat Brick Soling in perfect line and level with sand filling in joints as per drawing, specification and instruction of site Engineer all complete.	Sq.m	4,197.00		
30	Sand packing/filling works in line and level as per drawing, specification & instruction of site	Cu.m	57.00		

	Engineer all complete.				
31	Supplying and laying Pebbles- Natural Matt (White & Beige) packing works in line and level with proper compaction as per drawing, specification & instruction of site Engineer all complete.	kg	9,994.00		
32	Plain cement concrete (PCC): PCC in Foundation with cement, sand and crushed aggregate in Nominal mix 1:2:4 ratio including mixing, laying, curing and finishing all complete as per drawing, specification and instruction of site Engineer.	Cu.m	460.00		
33	RCC Works (M20): Structural Concrete in any form, size, shape and level for all Reinforced Cement Concrete (R.C.C) works with cement, sand and crushed aggregate in Nominal mix 1:1.5:3 ratio including mixing, laying, compacting, finishing and curing all complete as per drawing, specification and instruction of site Engineer.	Cu.m	268.00		
34	RCC Works (M25): Providing and laying design mixed plain cement concrete of following grades for all kinds of R.C.C. works in any form, size, shape and level with cement, sand and crushed coarse aggregates of 20 mm/13 mm gauge including setting out, mixing, compacting, curing, finishing and providing construction / expansion joints and providing and mixing admixtures of the approved make to achieve the required strength, as per specification, drawing and instruction of the Client/ Engineer, all complete. Note: Rate should include cost of carrying out mix design, admixtures and carrying out all necessary tests as per NBC/ IS code, all complete (M25 GRADE CONCRETE)	Cu.m	667.00		

35	RCC Works (M30): Providing and laying design mixed plain cement concrete of following grades for all kinds of R.C.C. works in any form, size, shape and level with cement, sand and crushed coarse aggregates of 20 mm/ 13 mm gauge including setting out, mixing, compacting, curing, finishing and providing construction / expansion joints and providing and mixing admixtures of the approved make to achieve the required strength, as per specification, drawing and instruction of the Client/ Engineer, all complete. Note: Rate should include cost of carrying out mix design, admixtures and carrying out all necessary tests as per NBC/ IS code, all complete (M30 GRADE CONCRETE)	Cu.m	3,046.00		
36	Reinforcement Works: Providing, straightening, cleaning, cutting, fabricating, bending and placing TMT(Fe 500) for stirrups, ties and main reinforcement bars and binding the bars with 18 gauge annealed wire for tying them at each junction as per design and details for all types of R.C.C elements including all waste and cut pieces, provision for spacers, chairs, providing and placing cement mortar (1:1) cover blocks to keep the bars in the intended position at all levels as per drawing, specification, instruction and approval of engineer all complete.	kg	682,763.0 0		
37	Formworks: Centering and shuttering with approved 19mm waterproofing plywood for all R.C.C.works of any shape size and at any level with necessary propping scaffolding, staging supporting, cutting holes for utilization works and removal of formwork and lead upto 30 m etc as per drawing, specification, instruction and approval of engineer all complete. (For Column)	Sq.m	3,242.00		
38	Formworks: Centering and shuttering with approved 12mm waterproofing plywood for all R.C.C.works of any shape size and at any level with necessary propping scaffolding, staging supporting, cutting holes for utilization works and removal of formwork and lead upto 30 m etc as	Sq.m	5,957.00		

	per drawing, specification, instruction and approval of engineer all complete. (For Beam)				
39	Formworks: Centering and shuttering with approved 12mm waterproofing plywood for all R.C.C.works of any shape size and at any level with necessary propping scaffolding, staging supporting, cutting holes for utilization works and removal of formwork and lead upto 30 m etc as per drawing, specification, instruction and approval of engineer all complete. (For Slab)	Sq.m	11,606.00		
40	Chimney made brick work upto Ground Floor: Brick masonary work in (1:4) cement sand mortar upto ground floor with approved quality first class chimney made bricks in perfect line and level including wetting the bricks ,packing the joints and curing , with necessary scafolding work ,including supplying of all materials , labour, lead and lift, Work all complete as per design, drawing, specification and approval of site Engineer.	Cu.m	636.00		
41	Chimney made brick work above Ground Floor: Brick masonry work in (1:4) cement sand mortar above ground floor with approved quality first class chimney made bricks in perfect line and level including wetting the bricks ,packing the joints and curing , with necessary scafolding work ,including supplying of all materials , labour, lead and lift, Work all complete as per design, drawing, specification and approval of site Engineer.	Cu.m	1,560.00		
42	Stone masonary work (1:6): Stone masonry work in (1:6) cement sand mortar with approved quality stone upto ground floor in perfect line and level including wetting the stone, packing the joints and curing, with necessary scafolding work, including supplying of all materials, labour, lead and lift work as per design, drawings, specifications and instructions of the site engineer all complete.	cum	2,163.00		

43	Pointing Works on stone masonary: Supplying and laying ruled pointing works with (1:1) cement sand mortar on stone masonry wall surfaces of good finish including cleaning and wetting the surface and curing the work all complete as per specification and approval of site Engineer	Sq.m	1,616.00		
44	100mm Diameter HDPE pipe: Supplying and laying 100 mm diameter high density polethene pipe (1.703 Avg. wt. kg/m) staggeres at 1m c\c in retaining wall and wherever required all complete as per specification, instruction and drawing and approval of engineer.	R.m	2,296.00		
45	Geotextile Membrane: Supplying and laying Geotextile Membrane around the pipe of weep hole of Retaining wall as per design, drawings, specifications and instructions of the site engineer all complete.	Sq.m	153.00		
46	Toilet Cubical Partitions System: Supply and installation of Toilet Cubicle Partition System which is made of HPL compact laminate board of approved color with quality hardware's in Stainless Steel (SS)- 304 grade, 12 mm thickness. Product shall be certified for GREEN GAURD and tested by EPH quality, made of decorative kraft paper impregnated with fire proof melamine resin. Size of the cubicle shall be minimum 900mm x 1250mm x 1800 mm height with the door size of 600 mm width as per design, drawing, specification and approval of engineer all complete. Brand: Sturdo or Greenlam or Stylam or equivalent	Set	168.00		
47	Urinal Partition: Supply and installation of white glazed porcelain clay (68x30) cm division plate as per design, drawing, specification and approval of engineer all complete.	Pcs	27.00		

ĺ	1	i i	i	ı	İ	i i
48	Aluminium Double Glazed Windows: Providing and fixing of Two Track aluminium Sliding/ Fixed/Casement windows with section size 101 x 45 x 1.5 mm thick white powder/anodized frame & shutter with Double Glazing toughened glass - (5 mm clear + 11 mm air gap + 5mm clear glass = 21mm) using mosquito net, weather proof silicons, Ss Srews, SS heavy duty lock, Epdm flexible rubber, Ss double roller and all other necessary hardwares all complete as per design, drawing, specification and approval of site Engineer. Brand: Mount or Equivalent	Sq.m	456.00			
49	Aluminium Single Glazed Casement Window: Providing& fixing of aluminium Casement windows with 101 x 45 x 1.5 mm thick white Powder/anodized frame with 5 mm thick Clear toughened glass including all the necessary hardwares, fittings and accessories all complete as per design, drawing, specifications and instruction of Site engineer. Brand: Mount or Equivalent	Sq.m	30.00			
50	(Structural Glazing/Curtain Window): Providing, making & fixing of structral glazing works with section size with (60 x 80 + 32 x 2.0) mm thick white powder coated/anodized frame including horizental pressure / cover plates & 20 mm DGU-(5mm clear +10mm gap+5mm Clear) toughned glass using weatherproof silicons, SS srew including all the necessary hardwares, fittings and accessories all complete as per design, drawing, specifications and instruction of Site engineer. Brand: Mount or Equivalent	Sq.m	308.00			
51	Aluminium Single Glazed Sliding Ventilation Windows: Providing and fixing of aluminium sliding ventilation windows of section size (101 x 45 x 1.5mm) thick white powder/anodized frame with 5mm thick clear toughen glass including all the necessary hardwares, fittings and accessories all complete as per design, drawing, specifications and instruction of Site engineer. Brand: Mount or Equivalent	Sq.m	83.00			

52	Aluminium Double Glazed Casement Door: Providing & fixing of structral glazing works with door (60 x 80 + 32 x 2.00) mm thick white powder coated /anodized frame including 20 mm DGU glass (5mm clear +10mm gap+ 5mm clear) toughened glass using weatherproof silicons, SS srew and all other necessary hardwares as per design, drawing, specification and approval of site Engineer all complete. Brand: Mount or Equivalent	Sq.m	137.00		
53	Salwood Chaukhat frame works for doors & windows as approved by site incharge such that the timber used must be first class kiln seasoned and preservative treated sal wood, to shape and profile as shown in the drawings with mitred joints including providing and fixing necessary MS hold fasts (20 x 6 mm) 300 mm long, 3 nos at each side, and concrete (1:2:4) block grouting for fixing the holdfast and anchor fasteners/ coach screws Frames must be erected in absolute plumb and level as per design, drawings, specifications and instructions of the site engineer all complete.	Cu.m	3.40		
54	Non Fire Rated Wooden Door: Proving and fixing Non fire rated wooden door including hardwares such as 3043F, 5 Knuckle, 2 Ball bearing butt hinges size 4" x 3" x 3mm, in SS 304 and in SS finish, Europrofile or equivalent cylinder bothside/thumbturn Key System with Pure series lever handle Pure 8906 / 8100 /8998 Lever Handle on Roses & escutcheons 7122 including 271 Sash lock with 78mm CTC, 55mm Backset 20mm Square for end, floor stop half dome with 45mm dia door will be 40 mm thick Single leaf solid core and resin bound FLUSH DOOR SHUTTERS, confirming to IS. 1659 - 1960 and 2202 part I - 1962 as modified unto date BOTH SIDE TEAK veneering factory pressed teakwood lipping as per specification & design around the shutters and fixed to existing frame as specified including cost of materials as per design, drawings, specifications and instructions of the site engineer all complete. Brand: Surya or Sagun or Navair or equivalent	Sq.m	195.00		

	Hardware Brand : Dormakaba or Navair or Doortal or equivalent				
55	Fire Rated Metal Door: Supply and installation of 120 mins fire rated (1.2 mm thick galvanised steel) single/double/unequal leaf door of shutter thickness: 46mm and NDRF 100 x 57mm frame profile. Shutter should have wool insulation infil treated with VIPEER FRS 881 LH.with the necessary fire rated hardwares and fittings. The doors should be equipped with 3043F Fire rated 5 knuckle 2 Ball Bearing SS304 Butt Hinges 4*3*3mm, Fire Rated and 5,00,000 cycle tested Dorma TS or equivalent 68 door closer EN2/3/4,PHCR 1/2 point locking Push Bar and PHCRT external trim, Door Stopper, and 1.6mm thick stainless steel kick plate. Each leaf requires to have 120 mins fire rated toughened vision panel 200 x 300 mm glass as per design and drawings tested as per latest DSR and fulfilling the criteria of latest NBC and IS 16231. The work shall be done as per drawings, specification and approval of engineer all complete. Brand: Navair or Doortal or equivalent Equivalent Brand: Dormakaba or	Sqm	34.00		
56	Non Fire rated Metal Door: Providing and fixing of non fire rated (1.2 mm thick stainless steel) single/double leaf metal door of shutter thickness: 49mm and 100mm x 57mm frame profile with the necessary hardwares and fittings. The doors should be equipped with hardwares: BB 4330, 5 Knuckle, 2 Ball bearing butt hinges size 4" x 3" ×3mm of SS 304 grade, Pure 8100 Antimicrobial Pure series lever handle, Including 271 Sash lock with 78mm CTC, 55mm Backset 20mm Square for end, and Euro Profile Cylinder-60mm. Each leaf requires to have toughened vision panel 200 x 1500mm glass as per design & drawing. The door should have TS 68 EN 2/3/4 rack and pinion door closer. The work shall be done as per drawings, specification and approval of engineer all complete. Brand: Navair or Doortal or equivalent	Sqm	40.00		

	Equivalent Brand: Dormakaba or Doortal or equivalent				
57	Aluminium Partition Works: Providing and fixing Full Height Partition of Aluminium section in naturally anodized or black anodized/powder coated color Section size (102 x 45 x1.5) fitted with 5 mm clear glass or 9 mm both side laminated board as per drawing. The cost shall be inclusive of providing and fixing Glass Louver for Ventilation and Aluminium door with hardware and accessories along with MS channels for support system all complete as per drawing, specification and approval of site engineer.	Sqm	761.00		
58	Expansion Joint (External-Vertical wall) : Supply and fixing Expansion joint for External Vertical wall with Alumunium Plate of 3mm thick with feasible movement capacity, joint width 450mm or as per drawings, material 5052 grade alumunium, anodised finish with water barrier as per drawings, specifications, instruction & approval of Site Engineer all complete. Brand: Spring Thunder or VSIL or Bituflex or equivalent	Rm	42.00		
59	Expansion Joint (Internal-Vertical wall & Ceiling): Supply and fixing expansion joint for internal vertical wall and ceiling area with Alumunium Plate of 3mm thick with feasible movement capacity, joint width 450mm or as per drawings, material 5052 grade alumunium, anodised finish as per drawings, specifications, instruction & approval	Rm	162.00		

	of Site Engineer all complete. Brand : Spring Thunder or VSIL or Bituflex or equivalent				
60	Expansion Joint (Internal-Floor): Supply and fixing expansion joint for horizontal floor expansion joint for slab (3mm thick galvanized steel) with feasible movement capacity, joint width 450mm or as per drawings, with water barrier as per drawings, specifications, instruction & approval of Site Engineer all complete. Brand: Spring Thunder or VSIL or Bituflex or equivalent	R.m	129.00		
61	Expansion Joint (External-Roof): Supply and fixing expansion joint for External horizontal Roof expansion joint with alumunium plate (3mm Thick) with feasible movement capacity, joint width 450mm or as per drawings, with water barrier and top seal gaskets for the center plate screw of the roof cover for the water tight transition as per drawings, specifications, instruction & approval of Site Engineer all complete. (Spring Thunder or VSIL or Bituflex or equivalent)	R.m	57.00		
62	Polysulphide Polymer Based Joint Sealing System: Supply and installation of high performance two component Polysulphide Polymer Based joint Sealing System (including application of Primer /Filler Board, Debonding Tape, Primer, PU Coat membrane and Masking Tape) as per specifications, drawings and instruction of engineer at site. (For gap width upto 50mm/Sealant Depth 25mm)	R.m	25.00		
63	Plaster Works (on ceiling): Supplying and laying 12.5 mm thick cement plastering work with (1:3) cement sand mortar on Celing surfaces and beam of good finish including cleaning and wetting the surface and curing the work all complete as per specification and approval of site Engineer.	Sq.m	1,915.00		

64	Plaster Works (on walls): Supplying and laying 12.5 mm thick cement plastering work in (1:4) cement mortar on walls of good finish including cleaning and wetting the surface and curing the work all complete as per specification and approval of site Engineer.	Sq.m	16,828.00		
65	Plain White Putty Works (on internal Walls & ceiling): Providing and laying 2mm thick Plain White Putty on internal walls & ceiling surfaces with proper finishing , work all complete as per specification and approval of site Engineer.	Sq.m	11,620.00		
66	Plain White Putty Works (on external surfaces): Providing and laying 2mm thick Waterproof Plain White Putty on external surfaces with proper finishing, work all complete as per specification and approval of site Engineer.	Sq.m	2,382.00		
67	Drip Edge: Providing Drip Edge around the edge of all pojected slabs above ground floor as per drawing, specification and instructions of approved engineer all complete.	R.m	1,260.00		
68	Painting Works (Internal Wall & Ceiling): Painting work with two coat plastic emulsion paint on inner wall and ceiling surfaces along with one coat of primer with approved colour as per design and proper finishing, work all complete as per specification and approval of site Engineer.	Sq.m	11,620.00		
69	Painting Works (External Walls): Supplying and Painting two coat weather proof paint (Apex or equivalent) with one coat primer on outer wall surfaces with approved colour and proper finishing, work all complete as per specification and approval of site Engineer.	Sq.m	2,491.00		
70	Enamel Paint: Two coats of Enamel paint over one coat of primer on wooden and mild steel works including railing with approved colour and proper finishing, work all complete as per specification and approval of site Engineer.	Sq.m	1,317.00		
71	Chapra Polish: Supplying and applying three coat of Chapra Polish on the Wooden doors with proper finishing, work all completer as per specification and approval of site	Sq.m	195.00		

	Engineer.				
72	Pierre De Beton Texture : Supplying and applying approved shade of Pierre De Beton Texture or equivalent with one coat of polyunder primer, base coat of Hyperion or equivalent by trowel, coat of Hyperion or equivalent by Pierre De Beton tool, color coat of Antica wash by brush including form and top coat of Acropure inclusive grooving (if necessary) and equivalent over the exterior plaster surface of any shape, size and height inculsive of surface preparation by providing scaffolding, puttying sanding surface, watering (if necessary), cleaning as per drawings, designs, specifications and	Sq.m	1,179.00		
73	instructions of Site Engineer all complete. Stone Effect Decorative Coating: Supplying and applying of "DECORCEM STONE EFFECT (10-12mm)" or equivalent -a fiber reinforced light weight cementitious overlay system reflecting stone effects to be applied in approved shade and pattern. The product confirms the IS:1237-1980 having average water absorption (%) 3.2, average wet transverse strength 4N/mm^2 and average resistance to wear 2.54mm. The product should be finally sealed with silicon acrylic sealant to make it dust and water proof inclusive of scaffolding as per drawings, designs, specifications and instructions of Site Engineer all	Sq.m	735.00		
74	complete. Gypsum Board False Ceiling: Supplying and laying of 12mm thick plain gypsum board false ceiling in GI frames works with perimeter channel (20 × 28 × 30)mm, Intermediate section(45 × 15 × 0.9)mm, Ceiling angle (25 × 10)mm, Sofit cleat 1.5mm thick including connecting clips, control joint, paper & fibre tape, dry wall screws, M-6 nuts & bolts, metal-to-metal scews, edge beads, angle beads, jointing compound, rawl plugs whereever required as per design, drawing, specification and instruction of the approved engineer all complete.	Sq.m	1,105.00		
75	Metal Lay-in False Ceiling: Supplying and laying Metal finish	Sq.m	284.00		

	false ceiling board which shall be fixed at all heights of size 600 x 600 mm of approved texture, design and pattern. The tiles should have durable, electrostatic factory applied polyester coil or power coated finish to meet or exceed EN 13964 and TIAM standards. The tile should have standard color i.e. Global white (12% gloss), Light Reflectance min. 80%, Fire Performance of ClassA2-s1.d0 as per EN13501 standard in true horizontal level suspended on interlocking T-Grid all round galvanized iron section of 0.33mm thick comprising of the tile shall be laid on Suprafine 32 with 15 mm wide T-section flanges color white having rotary stitching on all T sections i.e. the Main Runner, 1200 mm & 600 mm Cross Tees with a web height of 32mm and a load carrying capacity of 14 Kgs/m2 with a minimum pull out strength of 100 Kgs as per design, drawing, specification and instruction of the approved engineer all complete.				
76	Mineral Fibre False Ceiling: Providing and fixing Mineral Fiber false ceiling classic-lite board, size 600 x 600 mm and 12 mm Thickness of approved texture, design and pattern. The board should have Noise Reduction Coefficient (NRC value) = 0.50 , Humidity Resistance (RH) of 70%, Light Reflectance-84%, Thermal conductivity k = 0.06w/m K, Weight 2.5 kgs/m2, Fire Performance as per B-S2, d0 in true horizontal level suspended on interlocking T-Grid all round galvanized iron section of 0.33mm thick (galvanized @120gsm) comprising of Prelude. The tile shall be laid on Prelude 32 with 24mm wide,T sections flanges color white having rotary stitching on all T sections i.e the main runner, 1200mm and 600mm Cross tees with a web height of 32mm and a load carrying capacity of 14Kgs/m2 with a minimum pull out strength of 100Kgs. all complete as per drawing, design, specification and approval of site engineer.	Sq.m	4,099.00		
77	Non slip Glazed Vitrified Tile: Supplying and fixing of approved quality non-slip glazed vitrified tile on toilet, balcony etc (Somany, Kazaria or equivalent) on floor	Sq.m	285.00		

ı	1	i	•	•	i	1	1 1
	surfaces of size as per drawing and						
	specification in 1:4 cement sand						
	mortar with proper finish in perfect						
	line and level works including proper						
	grout in joints of matching color						
	using 3mm spacers with proper slope						
	as per design, drawings,						
	specifications and instructions of the						
	site engineer all complete works.						
	Full Body Vitrified Tile : Supplying						
	and fixing of approved quality full						
	body vitrified tile (Somany, Kazaria						
	or equivalent) on floor surfaces of						
	size as per drawing and specification						
	in 1:4 cement sand mortar in perfect						
78	line and level works including proper	Sq.m	5,099.00				
	grout in joints of matching color		3,077.00				
	using 3mm spacers with proper slope						
	as per design, drawings,						
	specifications and instructions of the						
	site engineer all complete works.						
	Ceramic Glazed wall tile:						
	Supplying and fixing of approved						
	quality ceramic glazed wall tile						
	(Somany, Kazaria or equivalent) of						
	size as per drawing and specification						
	on wall surfaces with boader in 1:4						
79	cement sand mortar in perfect line	Sq.m					
17		5q.m	769.00				
	and level work including proper						
	grout in joints of matching color						
	using 3mm spacers with proper slope						
	as per design, drawings,						
	specifications and instructions of the						
	site engineer all complete works.						
	Full Body Vitrified Tile skirting						
	works:						
	Supplying and fixing of approved						
	quality full body vitrified tile						
	(Somany or Kazaria or equivalent)						
	skirting of 100m height in 1:6	_					
80	cement sand mortar in perfect line	Rm	2,253.00				
	and level work including proper		_,				
	grout in joints of matching color as						
	per design, drawings, specifications						
	and instructions of the site engineer						
	all complete works.						
	Granite Works:						
	Supplying and laying 16 mm thick						
	granite on RCC slabs and walls with						
	20mm thick 1:2 cement sand mortar						
81	in perfect line and level including	Sq.m	0.52.00				
	polishing, grooving as per design,	-	852.00				
	drawings, specifications and						
	instructions of the site engineer all						
	complete works.						
	complete works.						

82	Granite Skirting Works: Supplying and laying 16 mm thick Granite Skirting with 12.5 mm thick 1:3 cement sand mortar in perfect line and level including polishing as per design, drawings, specifications and instructions of the site engineer all complete works. Granite Double Nosing Works: Supplying and laying Granite double nosing with full Bullnose finish in perfect line and level as per design, drawings, specifications and instructions of the site engineer all complete works.	Sq.m R.m	21.00 743.00		
84	Granite Single Nosing Works: Supplying and laying Granite single nosing with half Bullnose finish in perfect line and level as per design, drawings, specifications and instructions of the site engineer all complete works.	R.m	239.00		
85	Parqueting On Floor: Supplying and laying of Laminated wood parquet 8 mm thickness TARKETT Brand or Equivalent and Impact resistance according EN 13329 annex H and thermal resistance according to EN 12667 with PEFC & FSC Certificate along with full installation, cost of labours & materials required for installation purpose for different areas as per design, drawings, specification and instruction of site engineer all complete.	Sq.m	738.00		
86	Teak Wood Skirting (Ht 100mm): Supplying, laying and installation of 100mm height teak wood skirting along with full installation cost of labor & materials with all necessary accessoriesas per drawing and specification and instruction of site engineer all complete.	R.m	790.00		
87	Plain Cement Screeding works: Supplying and applying 50 mm thick Plain cement screeding work in 1:2:4 with cement, sand and crushed aggregate including mixing, laying, compacting and wetting in perfect line and level as per drawings, specifications and approval of site Engineer all complete.	Sq.m	8,761.00		
88	Punning Works: Provide and laying 3mm cement punning cement sand (1:1) including cleaning, watering, curing the laid surface all complete as per specification, instruction & approval	Sq.m	1,150.00		

	of Site Engineer.				
89	Cement Sand Skirting Works: Supplying and laying 16 mm thick C/S skirting of height 150mm with plaster of 1:4 cement sand mortar and 3mm thick punning in perfect line and level as per drawing, specification, instruction & approval of Site Engineer all complete.	R.m	695.00		
90	Floor Hardener: Providing and applying the single component nonmetallic floor hardener consisting of cleaned, graded, non-oxidizing metallic aggregates, pigments and admixtures that give abrasion Resistance up to 150 - 225% better abrasion resistance then control concrete, Compressive Strength, N / mm² 28 days 60 - 70, at the coverage of 5 kg per m² for 3 mm thickness including surface preparation, trowelling of surface gaining proper finishing all complete as per manufacture specification's and instruction of site engineer.Brand: Shali floor NM or Equivalent	Kg	7,298.00		
91	Stainless Steel Railing Works: Making and fitting fixing of stainless steel pipe railling with 50 mm diameter stainless steel pipe handrail with 4 rows of 25mm diameter stainless steel pipe in between handrail and floor and 50 mm diameter stainless steel pipe for vertical post @ 2m. c/c including welding , cutting, finishing all complete as per design, specification and approval of site Engineer.	R.m	182.00		
92	Metal Works: Supplying, materials, fabricating and erecting Ms pipes of different section in horizontal and vertical directions and for railing on Ramps, Staircase (Landscape), metal staircase, metal bracing, metal stage for water tank etc. in perfect line including welding, cutting ,fixing with including primer as per design, drawings, specifications and instructions of the approved engineer all complete.	Kg	18,320.00		
93	Polymer modified Waterproofing Works: Providing and applying polymer modified arcylic base two component water proofing on toilet floor, terrace ,balcony etc, flexible waterproofing coating in two layers applied in	Sqm	1,881.00		

	horizontal and vertical strokes, when each coat is in tacky condition, Aquafin-2K/M plus or equivalent having cTack-bridging to ASTM C836: > 2.0 mm Elongation, to ASTM D 412-16: ca. 192 o/o and Water tightness when installed: 2.5 bar meeting the (ASTM D 412-98 a) over the prepared RCC slab and on the vertical surfaces after incorporating joint tape in the corner areas (internal and external corner pieces), at the transition between wall and floor as well as over connection joints. After 3 days ponding the area with water for 3				
	davs to test water tightness etc. as per drawing, specification and instruction of site engineer all complete.				
94	Crystalline Base Waterproofing Works: Providing and applying crystalline base waterproofing on shear wall, in two layers with horizontal and vertical strokes, when each coat is in tacky condition, Aquafin-IC or equivalent that can resists 130m from positive and negative side that should match German DVGW worksheets W 347 AND W 270 or equivalent, over the prepared RCC slab and on the vertical surfaces as per drawings, specification & instruction of Site Engineer all complete.	Sqm	1,491.00		
95	Lift Works: Supplying, installation, testing and commissioning of GEN2 ARISE (Gearless/MRL) of Otis or META 200 Gearless MR of TKE or KONE or equivalent brand of passenger elevator of Capacity 884 kg (13Pax), with Voice announcement unit, 1.5MPS with 52m rise and 9 stops, Hoistway Dimension of (2m x 1.7m), Anit Collision Device, permanent Magnet Gearless synchronous Motor with VVVF Regenerative drive(CLosed Loop), an IP based CCTV system, with Door with 120 min fire rating Automatic Rescue Operation, desined false ceiling with stainless steel finish and cross flow fan. The Flooring shall be done with approved granite provided by the client. The work shall be done with safety standards (ISO 9001:2015 & ISO 14001:2015) with EN81 motor standards all complete as per design, drawings, specifications and	Nos	1.00		

	approval of Engineer. Make Brand: Ottis or TKE or KONE or equivalent. Refer Specification for more Details.				
96	Signage Works: Supplying, installing & fitting of 3D Steel Letter (SS metal material) with text height 300mm on the walls with required inscriptions as per design, drawings, specifications, instructions & approval of the site engineer all complete works.	Job	1.00		
97	Carpet Dubo Works: Providing and laying Carpet Dubo in perfect line and level as per design, drawings, specifications, instructions & approval of the site engineer all complete works.	Sq.m	321.00		
98	Flagstone Works:Supplying, and laying of 25mm thick flagstone with cement sand mortar (1:4) in perfect line and level including packing of joints as per design, drawings, specifications, instructions & approval of the site engineer all complete works.	Sq.m	2,284.00		
D	SANITARY WORKS				
D1	SANITARY INSTALLATION: Providing and fixing in position of all work items with all necessary fittings complete with testing and ready for operation as per drawings, specifications, manufacturer's recommendations and instructions. The rate shall include for position marking, maintain line, level or grade wherever required, sand filling/compaction, earth cutting and backfilling, cutting, chasing of walls, plasters or tiles etc. and making good and touching up to restore to original conditions wherever instructed and applicable for any of the items below. Sanitaryware: Hindware/ Parryware/Bathsense/ Jaquar CP Fixtures: As Sanitaryware SWR Pipes: Marvel/ Mangalam/ Kankai/ Astral PVC Cold Water Supply Pipe and fittings: Marvel/ Mangalam/ Astral CPVC Gun Metal Gate Valve: Leader/Zoloto Ball Valve: Marvel/ Mangalam/ Kankai/ Astral				

100	White glazed earthernware single piece European Water Closet set with standard bakelite seat cover, bracket, CP angular cock, PVC connector pipe complete with testing and ready for operation all complete. White glazed earthernware under counter Hand wash basin with 15 mm CP/PVC connector with both ends couplings, 15mm CP angular cock -1 no, 15mm CP Pillar cock, 32mm PVC bottle trap, waste coupling with testing and ready for	Set Set	45.00 27.00		
101	operation all complete. Stainless Steel single bowl Kitchen Sink with drain board, 15 mm CP/PVC connector with both ends couplings, 15mm CP angular cock - 1 no , 15mm CP Single lever swivel sink cock, 32mm PVC bottle trap, waste coupling with testing and ready for operation all complete.	Set	4.00		
102	White glazed earthernware under counter Hand wash basin 600x460mm for Disabled with 15 mm CP/PVC connector with both ends couplings, grab bars, 15mm CP angular cock -1 no , 15mm CP Presmatic Pillar Cock, 32mm PVC bottle trap, waste coupling with testing and ready for operation all complete	set	6.00		
103	Stainless Steel Singlebow Janitor Sink with15mmCP/PVC connector with bothends couplings,15mm CPangularcock-1no, 15mm CP swivel sink cock, 32mm PVC bottle trap, waste coupling with testing and ready for operation all complete.	set	6.00		
104	Providing and fixing of Stainless steel Emergency Safety shower & eye wash with stainless steel trap tray confirming to ISO228/1, EN15154 testing and ready for operation	Set	10.00		
105	Providing and fixing of Stainless steel shower Drain of length 1200 mm width 100mm, end type outlet, Viking or equivalent	Set	10.00		
106	White glazed earthernware Wallhung Flat back Urinal size 300*250mm complete with CP Push cock and spreader set, testing and ready for operation	Set	39.00		
107	CP Toilet Paper Holder heavy	No.	45.00		
108	Wall mount Liquid Soap Dispenser	No.	21.00		
109	15mm CP Commode Spray with plastic head	No.	45.00		
110	20 x 600mm CP Towel Rail Heavy	No.	18.00		
111	Electric Hand Dryer (Germany)	No.	18.00		

1	complete with electrical cables				
	5 mm thick looking mirror of Modi				
112	or approved make with CP mirror	sqm	10.00		
	screws and clips.	•	19.00		
113	PVC Multi-floor trap with SS grating	No.	108.00		
114	Rain water intelt multi-floor trap	No.			
	inclined with SS grating	110.	12.00		
115	20 mm CP Grab bar - 450mm bend	Set			
	type		6.00		
116	20 mm CP Grab bar - Rear	Set	6.00		
D2	WATER SUPPLY INSTALLATION				
117	50mm CPVC pipes SDR-11 including MS clamps and brackets, nails and hooks, and all necessary CPVC/Brass specials required for complete installation, cutting, jointing, sealing of joints etc, installation of pipes and specials including making holes and cutting grooves on walls or floor and repairing the same to its original finish. Pipes to be installed on trenches or walls or floor or duct as per drawings, specifications and instructions, cleaning of the system, testing and ready for operation. The rate shall include for all labour and materials required all complete. The measurement shall be done for running meters, fittings etc not payable separately.	Rm	161.00		
118	40mm CPVC pipes SDR-11 including MS clamps and brackets, nails and hooks, and all necessary CPVC/Brass specials required for complete installation, cutting, jointing, sealing of joints etc, installation of pipes and specials including making holes and cutting grooves on walls or floor and repairing the same to its original finish. Pipes to be installed on trenches or walls or floor or duct as per drawings, specifications and instructions, cleaning of the system, testing and ready for operation. The rate shall include for all labour and materials required. The measurement shall be done for running meters, fittings etc not payable separately.	Rm	12.00		

119	32mm CPVC pipes SDR-11 including MS clamps and brackets, nails and hooks, and all necessary CPVC/Brass specials required for complete installation, cutting, jointing, sealing of joints etc, installation of pipes and specials including making holes and cutting grooves on walls or floor and repairing the same to its original finish. Pipes to be installed on trenches or walls or floor or duct as per drawings, specifications and instructions, cleaning of the system, testing and ready for operation. The rate shall include for all labour and materials required all complete. The measurement shall be done for running meters, fittings etc not payable separately.	Rm	158.00		
120	25mm CPVC pipes SDR-11 including MS clamps and brackets, nails and hooks, and all necessary CPVC/Brass specials required for complete installation, cutting, jointing, sealing of joints etc, installation of pipes and specials including making holes and cutting grooves on walls or floor and repairing the same to its original finish. Pipes to be installed on trenches or walls or floor or duct as per drawings, specifications and instructions, cleaning of the system, testing and ready for operation. The rate shall include for all labour and materials required all complete. The measurement shall be done for running meters, fittings etc not payable separately.	Rm	16.00		
121	20mm CPVC pipes SDR-11 including MS clamps and brackets, nails and hooks, and all necessary CPVC/Brass specials required for complete installation, cutting, jointing, sealing of joints etc, installation of pipes and specials including making holes and cutting grooves on walls or floor and repairing the same to its original finish. Pipes to be installed on trenches or walls or floor or duct as per drawings, specifications and instructions, cleaning of the system, testing and ready for operation. The rate shall include for all labour and materials required all complete. The measurement shall be done for running meters, fittings etc not payable separately.	Rm	878.00		

122	CPVC Ball Valve - 50 mm	No.	3.00		
123	CPVC Ball Valve - 32 mm	No.	6.00		
124	CPVC Ball Valve - 20 mm	No.	28.00		
	Solenoid Valve 1" Normally				
125	open/close 220V AC (Brass of SS	No.	1.00		
	materials)		1.00		
	Design, supply, delivery and				
	installation of Packaged Drinking				
	Water RO system of output capacity				
	500LPH having max. rejection as				
	40% completely made in SS304 on				
	SS304 skid & enclosure from all				
126	sides consisting of inbuilt pre filtration with UV treatment and	set			
120	inbuilt SS304 storage tank. It should	sci	1.00		
	have minimum three automatic				
	dispenser with one for hot water and				
	also have a 20Ltr Jar Filling station				
	in-built all complete.				
	Make Thermax or WAE or				
	equivalent. for installation at terrace				
	Design, Supply, Delivery and				
	installation of Packaged Drinking				
	Water Fountain Model - DWF Plus				
	Ultra, Body Material - SS304 & Tripal Coated GI, Chilling Capacity -				
127	30 LPH, Installation Type - Wall	nos	6.00		
	Hanging, Input Power - 220 V AC,		0.00		
	50 Hz, Water - Ambient all				
	complete. Make: Thermax or WAE				
	or equivalent.				
	Water Storage Tank :				
	5000 litres capacity SS 304				
	cyllindrical vertical water storage				
120	tank complete with inter-connection,	4			
128	overflow, washout and vents. Panchakanya or Hilltake or	set	2.00		
	equivalent with all complete set as				
	per specifications and engineer				
	instructions.				
	SEWER, VENT, RAIN AND				
D3	WASTE WATER				
	INSTALLATION				
	Duradrain SN4 (160 mm): PVC				
	SWR (Soil, Waste, Rain) pipes with				
	all necessary ring gaskets, PVC fittings, including MS clamps,				
	fittings, including MS clamps, hangers, cutting, jointing, sealing,				
	installation of pipes and specials				
	including making holes and cutting				
120	grooves on walls or floor and	Б			
129	repairing the same to its original	Rm	249.00		
	finish. Pipes to be installed on				
	trenches or walls or floor or duct or				
	hung to ceilings as per drawings,				
	specifications, manufacturer's				
	recommendations, instructions,				
	cleaning of the system, testing and				
	ready for operation. The rate shall				

	include for all labour and materials required all complete. The measurement shall be done for running meters, fittings etc not payable separately.				
130	Duradrain SN4 (110 mm): PVC SWR (Soil, Waste, Rain) pipes with all necessary ring gaskets, PVC fittings, including MS clamps, hangers, cutting, jointing, sealing, installation of pipes and specials including making holes and cutting grooves on walls or floor and repairing the same to its original finish. Pipes to be installed on trenches or walls or floor or duct or hung to ceilings as per drawings, specifications, manufacturer's recommendations, instructions, cleaning of the system, testing and ready for operation. The rate shall include for all labour and materials required all complete. The measurement shall be done for running meters, fittings etc not payable separately.	Rm	131.00		
131	ED-6 kg/cm2 (160mm): PVC SWR (Soil, Waste, Rain) pipes with all necessary ring gaskets, PVC fittings, including MS clamps, hangers, cutting, jointing, sealing, installation of pipes and specials including making holes and cutting grooves on walls or floor and repairing the same to its original finish. Pipes to be installed on trenches or walls or floor or duct or hung to ceilings as per drawings, specifications, manufacturer's recommendations, instructions, cleaning of the system, testing and ready for operation. The rate shall include for all labour and materials required all complete. The measurement shall be done for running meters, fittings etc not payable seperately.	Rm	33.00		

132	ED-6 kg/cm2 (110mm): PVC SWR (Soil, Waste, Rain) pipes with all necessary ring gaskets, PVC fittings, including MS clamps, hangers, cutting, jointing, sealing, installation of pipes and specials including making holes and cutting grooves on walls or floor and repairing the same to its original finish. Pipes to be installed on trenches or walls or floor or duct or hung to ceilings as per drawings, specifications, manufacturer's recommendations, instructions, cleaning of the system, testing and ready for operation. The rate shall include for all labour and materials required all complete. The measurement shall be done for running meters, fittings etc not payable seperately.	Rm	575.00		
133	ED-6 kg/cm2 (75mm): PVC SWR (Soil, Waste, Rain) pipes with all necessary ring gaskets, PVC fittings, including MS clamps, hangers, cutting, jointing, sealing, installation of pipes and specials including making holes and cutting grooves on walls or floor and repairing the same to its original finish. Pipes to be installed on trenches or walls or floor or duct or hung to ceilings as per drawings, specifications, manufacturer's recommendations, instructions, cleaning of the system, testing and ready for operation. The rate shall include for all labour and materials required all complete. The measurement shall be done for running meters, fittings etc not payable seperately.	Rm	363.00		
134	ED-6 kg/cm2 (50mm): PVC SWR (Soil, Waste, Rain) pipes with all necessary ring gaskets, PVC fittings, including MS clamps, hangers, cutting, jointing, sealing, installation of pipes and specials including making holes and cutting grooves on walls or floor and repairing the same to its original finish. Pipes to be installed on trenches or walls or floor or duct or hung to ceilings as per drawings, specifications, manufacturer's recommendations, instructions, cleaning of the system, testing and ready for operation. The rate shall include for all labour and materials requiredall complete. The measurement shall be done for running meters, fittings etc not payable seperately.	Rm	45.00		

1	1	i i	ì	i i	1	
	Supply and installation of 500 litres					
135	capacity LLDPE tank for collection	no	1.00			
	of Urine from urinals		1.00			
	Construction of Soak Pit made with					
	RCC Rings 1200 mm dia and 6 m					
136	high complete with excavation, 150	Rm	6.00			
	thick RCC 1:2:4 slab cover, disposal		0.00			
	of extra excavated material					
137	CI manhole cover 600mm dia	Set	13.00			
138	CI rain inlet cover 31 kg	Set	18.00			
E	FIRE FIGHTING SYSTEM					
E 1	SUB HEAD -I : HYDRANT					
	SYSTEM					
	Supply, erection, jointing, testing and					
	commissioning of IS 1239 M.S.					
	Suction and Delivery pipes. The					
	pipes being fixed on the walls or					
	suspended from the ceiling with					
139	angle iron supports complete with	Mtr				
	fittings such as bends, tees, flanges		112.00			
	and all necessary accessories					
	complete with 2 coats of P.O. Red					
	Synthetic enamel paint followed by 2 coats of Primer.					
	coats of Primer.					
	Supply, erection, jointing, testing and					
	commissioning of IS 1239 M.S.					
	Suction and Delivery pipes. The					
	pipes being fixed on the walls or					
	suspended from the ceiling with					
	angle iron supports complete with					
140	fittings such as bends, tees, flanges	Mtr	133.00			
	and all necessary accessories					
	complete with 2 coats of P.O. Red					
	Synthetic enamel paint followed by 2					
	coats of Primer.					
	80 NB					
141	Single Headed Landing Valve	Sets				
	150161	200	13.00			
1 44	15.0 M long x 63 Dia. Hose. with SS	C .				
142	couplings.	Sets	26.00			
<u> </u>	(for Internal & external Hydrant).					
143	Supply and Installation of 20mm	Sets				
143	Hose Reel 30m long with Drum. Unit 1 Set.	seis	12.00			
	Gun metal WATER BRANCH PIPE	_				
144	WITH NOZZLE	Sets	13.00			
145	AIR RELEASE VALVE	Set.	2.00			
	M.S.HOSE BOX					
146	size1500x900x450mm.	Nos.	13.00			
147	M.S. HOSE BOX 600*600*450 mm	Nos.	1.00			
148	Protection of underground pipes	sa m			 	
140	using Pypkote	sq.m.	18.00			
E2	SUB HEAD -II : FIRE					
	EXTINGUISHER					
	Supply and fixing of Fire					
149	Extinguishers as indicated in the	Nos	6.00			
	drawings		6.00			
	Type BC: ABC -6 kg					

150	Supply and fixing of Fire Extinguishers as indicated in the	Nos			
130	drawings	1105	13.00		
151	Type BC: CO2 -4.5 kg Primary Surface Drain having internal size (450*400)mm including 150mm thick RCC wall, excavation ,resurfacing ,plastering punning ,50mm th Slab cover & maintaining the slope as per instruction with all complete work.	rm	150.00		
152	Secondary Surface Drain having internal size (300*400)mm including 150mm thick RCC wall, excavation , resurfacing , plastering punning ,50mm th Slab cover & manintaining the slope as per instruction with all complete work.	rm	164.00		
153	PVC SWR (Soil, Waste, Rain) Ecodrain pipes with all necessary ring gaskets, PVC fittings, including MS clamps, hangers, cutting, jointing, sealing, installation of pipes and specials including making holes and cutting grooves on walls or floor and repairing the same to its original finish. Pipes to be installed on trenches or walls or floor or duct or hung to ceilings as per drawings, specifications, manufacturer's recommendations, instructions, cleaning of the system, testing and ready for operation. The rate shall include for all labour and materials required. The measurement shall be done for running meters, fittings etc not payable separately 300 mm ED HDPE DWC	rm	32.00		
154 F	HDPE-DWC SN-8 200mm pipe with all necessary ring gaskets, fittings, including MS cutting, jointing, sealing, installation of pipes and specials including making holes and cutting grooves on walls or floor and repairing the same to its original finish. Pipes to be installed on trenches or walls or floor or duct or hung to ceilings as per drawings, specifications, manufacturer's recommendations, instructions, cleaning of the system, testing and ready for operation. The rate shall include for all labour and materials required. The measurement shall be done for running meters, fittings etc not payable separately. ELECTRICAL WORKS	rm	450.00		

155	Supply , installation , testing and commissioning of Light , Fan point and 5 Ampere Power Point wiring , with required materials and labour all complete , PVC rigid Conduit for ceiling circuits and concealed for switches and circuits emanating from Main DB or concerned DB. Wires shall be copper , stranded and make/brand shall be LVU/ Mahalaxmi/Prime/Janata or equivalent Wiring installation for Lights and fans points on Mains supplies with mains and submains running basically under ceiling and on walls for circuits , switch controls for lights and fans and for wall fans / brackets lights with 2 nos. 2.5 + 1 nos. 1.5 sq.mm stranded flexible PVC insulated copper wire in PVC conduit , with all required fixing accessories including chasing / chiseling of wall and making good of the same	Pts	844.00		
156	Supply , installation , testing and commissioning of Wiring Power Points for 13/16 A power outlets with 3 nos. 16 ampere 3 Pin Round or 3 - 4 nos. 13 ampere universal pin outlets in one circuit and supplied from Mains DB , in conceled PVC Conduit with 2*4.0 sq.mm + 1*2.5 sq.mm Stranded PVC insulated copper wires in basically concealed PVC conduit laid in floor and partly under wall for circuits and for terminals including chiselling / chasing of wall and making good of the same including providing Surface Fixed Double lock type Battens for circuits to Outlets under Counters / Work tables in coordination with other concerned trade / s). Wires shall be copper , stranded and make/ brand shall be LVU/ Mahalaxmi/ Prime/Janata or equivalent	Pts	615.00		
157	Supply , installation , testing and commissioning of Convenience Outlets with required surface / concealed mounting boxes. All Switches and outlets shall be Modular Fitting Northwest/Schneider/L&T/Legrand or equivalent make. Samples shall be submitted before installation. 13/16 amp Switch Socket with Universal Pin supported outlet flush mounted with GI box	Nos.	615.00		

158	Supply , installation , testing and commissioning of following light and fan fixtures. All LED Lighting and Fan Fixtures shall be of Wipro/Philips/Crompton or equivalent make . Samples shall be submitted for approval for all types 12 watt Surface mounted LED Down Lighter Fixture , 6" with inbuilt LED driver and all required fixing accessories.	Set	34.00		
159	Supply , installation , testing and commissioning of following light and fan fixtures. All LED Lighting and Fan Fixtures shall be of Wipro/Philips/Crompton or equivalent make . Samples shall be submitted for approval for all types 36 watt LED Panel light fixture 2'x2' surface type with inbuilt LED Driver with lumen efficiency>100 lumen/watt	Set	768.00		
160	Supply , installation , testing and commissioning of following light and fan fixtures. All LED Lighting and Fan Fixtures shall be of Wipro/Philips/Crompton or equivalent make . Samples shall be submitted for approval for all types 20 watt LED tubelight 1200mm long with inbuilt LED Driver	Set	12.00		
161	Supply and installation of following light and fan fixtures. All LED Lighting and Fan Fixtures shall be of Wipro/Philips/Crompton or equivalent make . Samples shall be submitted for approval for all types Mirror Light with 10 Watt LED Lamp and Inbuilt LED Driver	Set	30.00		
162	Supply , installation , testing and commissioning of following light and fan fixtures. All LED Lighting and Fan Fixtures shall be of Wipro/Philips/Legero or equivalent make . Samples shall be submitted for approval for all types Dusk to Dawn PIR Sensor for light fixture supporting 10A load	Set	90.00		
163	1 gang switch: Supply, installation, testing and commissioning of including making necessary connections, following light control switches 1 way/2 way, 10 amp outlet, with facia plate/s, modular units and Flush mounting GI Boxes including fixing and making good of wall surface. All Switches and outlets shall be Modular Fitting Northwest/	Nos.	124.00		

	Scheider/L&T/Legrand or equivalent make. Samples shall be submitted before installation.				
164	2 gang switch: Supply , installation , testing and commissioning of including making necessary connections, following light control switches 1 way/2 way, 10 amp outlet , with facia plate/s, modular units and Flush mounting GI Boxes including fixing and making good of wall surface. All Switches and outlets shall be Modular Fitting Northwest/ Scheider/L&T/Legrand or equivalent make. Samples shall be submitted before installation.	Nos.	20.00		
165	3 gang Switch: Supply, installation, testing and commissioning of including making necessary connections, following light control switches 1 way/2 way, 10 amp outlet, with facia plate/s, modular units and Flush mounting GI Boxes including fixing and making good of wall surface. All Switches and outlets shall be Modular Fitting Northwest/ Scheider/L&T/Legrand or equivalent make. Samples shall be submitted before installation.	Nos.	25.00		
166	4 gang Switch:Supply , installation , testing and commissioning of including making necessary connections, following light control switches 1 way/2 way, 10 amp outlet , with facia plate/s, modular units and Flush mounting GI Boxes including fixing and making good of wall surface. All Switches and outlets shall be Modular Fitting Northwest/Scheider/L&T/Legrand or equivalent make. Samples shall be submitted before installation.	Nos.	30.00		
167	6 gang Switch: Supply, installation, testing and commissioning of including making necessary connections, following light control switches 1 way/2 way, 10 amp outlet, with facia plate/s, modular units and Flush mounting GI Boxes including fixing and making good of wall surface. All Switches and outlets shall be Modular Fitting Northwest/ Scheider/L&T/Legrand or equivalent	Nos.	22.00		

	make. Samples shall be submitted before installation.				
168	1 gang 2 way Switch: Supply , installation , testing and commissioning of including making necessary connections, following light control switches 1 way/2 way, 10 amp outlet , with facia plate/s, modular units and Flush mounting GI Boxes including fixing and making good of wall surface. All Switches and outlets shall be Modular Fitting Northwest/ Scheider/L&T/Legrand or equivalent make. Samples shall be submitted before installation.	Nos.	8.00		
169	Supply , laying and connection of following copper/aluminium cables/wires with PVC Pipe sleeves. Wires shall be copper , stranded and make/ brand shall be LVU/ Mahalaxmi/ Prime/Janata or equivalent 4C 150 Sq.mm Aluminium Armoured Cable as incomer to Main Distribution Board	Rm	400.00		
170	Supply , laying and connection of following copper/aluminium cables/wires with PVC Pipe sleeves. Wires shall be copper , stranded and make/ brand shall be LVU/ Mahalaxmi/ Prime/Janata or equivalent 4C 50 Sq.mm Aluminium Armoured Cable as incomer to Main Distribution Board	Rm	600.00		
171	Supply , laying and connection of following copper cables/wires with PVC Pipe sleeves. Wires shall be copper , stranded and make/ brand shall be LVU/ Mahalaxmi/ Prime/Janataor equivalent 4*16+1*6 sq.mm Copper Cable, unarmoured from MDB to Floor DB's	Rm	400.00		
172	Supply , laying and connection of following copper cables/wires with PVC Pipe sleeves. Wires shall be copper , stranded and make/ brand shall be LVU/ Mahalaxmi/ Prime/Janataor equivalent 4*10+1*6 sq.mm Copper Cable, unarmoured from MDB to Floor	Rm	700.00		

	DB's				
173	Supply , laying and connection of following copper cables/wires with PVC Pipe sleeves. Wires shall be copper , stranded and make/ brand shall be LVU/ Mahalaxmi/ Prime/Janata or equivalent4*6+1*2.5 sq.mm Copper Cable, unarmoured from FDB to Sub-DB's & MDB to Second Floor DBs	Rm	1,600.00		
174	Supply , laying and connection of following copper cables/wires with PVC Pipe sleeves. Wires shall be copper , stranded and make/ brand shall be LVU/ Mahalaxmi/ Prime/Janataor equivalent 2*6+1*2.5 sq.mm Copper Cable, unarmoured from FDB to Sub-DB's	Rm	450.00		
175	CABLE TRAYS: Fabricating and installing following size of perforated pre galvanised cable trays including horizontal and vertical bends, reducers, tees, cross members and other accessories as required and duly suspended from the ceiling with M.S. suspenders and including painting etc. as required including all fixing and support accessories such as tie rod, anchor bolt etc all complete 300 mm. width x 50 mm. depth x 2 mm. thickness	Rm	400.00		
176	CABLE TRAYS: Fabricating and installing following size of perforated pre galvanised cable trays including horizontal and vertical bends, reducers, tees, cross members and other accessories as required and duly suspended from the ceiling with M.S. suspenders and including painting etc. as required including all fixing and support accessories such as tie rod, anchor bolt etc all complete 600 mm. width x 50 mm. depth x 2 mm. thickness	Rm	35.00		

177	LADDER CABLE TRAYS: Fabricating and installing following size of perforated pre galvanised cable trays including horizontal and vertical bends, reducers, tees, cross members and other accessories as required and duly suspended from the ceiling with M.S. suspenders and including painting etc. as required including all fixing and support accessories such as tie rod, anchor bolt etc all complete 300 mm. width x 50 mm. depth x 2 mm. thickness	Rm	150.00		
178	Supply ,embedding , testing and commissioning of Earth station comprising of 600mm*600mm*3.15mm copper plate, as earth electrode, approx. and average 18m long 35Sq.mm Cu Wire, in PVC Pipe sleeve, as earth lead brazet to electrode and leading to Main DB and system , with perforated GI Pipe connected to electrode in series for reinforcement of earth ressistance and also for watering purpose including pipe making and refilling in layers of compacted earth after filling to the top brim of electrode with alternate layers of salt and charcoal , all complete together with making of RCC Slab covered watering chamber of minimum 300*300*300mm brick masonary (in C/S Mortar) chamber	Set	8.00		
179	Supply , installation , testing and commissioning of Wall Flush mounting type Main Panel and Distribution Boards , as per Distribution Diagram , fabricated out of 16SWG CRCA Sheet , double covered , hinged and lockable , provided with 2 coats each of Primer and Epoxy / Duco paints after 7 tank treatment and comprising of following. MCCB , MCB shall be Schneider/Siemens/Lawson/Legran d . The allowable current density shall be not more than 2.1 Amps per sq.mm cross sectional area of Copper Bus. Main Distribution Board (MDB) , to be installed comprising of followings1 no. of 250A TPN MCCB, 36kA as incomer in one section3 nos. of 63A TPN MCCB, 25kA as incomer in three sections52 nos. 25A TP MCCB, 18kA as outgoing in three sections42 nos.	Set	1.00		

180	16A DP MCB, 10 kA as outgoing in three sections42 nos. 16A DP MCB, 10 kA as outgoing in three sections42 nos. 16A DP MCB, 10 kA as outgoing in three sections42 nos. 16A DP MCB, 10 kA as outgoing in three sections42 nos. 16A DP MCB, 10 kA as outgoing in three sections42 nos. 16A DP MCB, 10 kA as outgoing in three sections42 nos. 16A DP MCB, 10 kA as outgoing in three sections42 nos. 16A DP MCB, 10 kA as outgoing in three sections42 nos. 16A DP MCB, 10 kA as outgoing in one sections10 nos. 63A TP MCCB, 18 kA as outgoing in one sections10 nos. 63A TP MCCB, 18 kA as outgoing in one sections1* 25 kA Surge Protection DeviceAmmeter , Voltmeter with selector switches and appropriate CT's for Ammeter , RYB Indicator lamps and 3* 6A SP MCB voltmeter and Indicator lamp protection.100A TPNE Copper Bus on hylam insulation supports- 3 sets300A TPNE Copper Bus on hylam insulation supports- 1 sets Supply , installation , testing and commissioning of Wall Flush mounting type Main Panel and Distribution Boards , as per Distribution Diagram , fabricated out of 16SWG CRCA Sheet , double covered , hinged and lockable , provided with 2 coats each of Primer and Epoxy / Duco paints after 7 tank treatment and comprising of following. MCCB, MCB shall be Schneider/Siemens/Lawson/Legran d . The allowable current density shall be not more than 2.1 Amps per sq.mm cross sectional area of Copper Bus. Typical (DB-G2F/1 to DB-TF/2), Comprising of following 4 nos. 25A TP MCB as Incomer 36 nos. 6/16A SP MCB outgoings for Light, Power and Spare circuits 60A TPNE Copper Bus on hylam insulation supports- 4 sets Ammeter . Voltmeter with selector	Set	12.00		
	insulation supports- 4 sets Ammeter , Voltmeter with selector switches and appropriate CT's for Ammeter , RYB Indicator lamps and 3* 6A SP MCB voltmeter and Indicator lamp protection.				
181	Supply, installation, testing and commissioning of Wall Flush mounting type Main Panel and Distribution Boards, as per Distribution Diagram, fabricated out of 16SWG CRCA Sheet, double covered, hinged and lockable, provided with 2 coats	Set	1.00		

	each of Primer and Epoxy / Duco paints after 7 tank treatment and comprising of following. MCCB, MCB shall be Schneider/Siemens/Lawson/Legran d. The allowable current density shall be not more than 2.1 Amps per sq.mm cross sectional area of Copper Bus. Typical Sub-Distribution Board's (DBTOF), Comprising of following 4 nos. 16 DP MCB as Incomer 12 nos. 6/16A SP MCB outgoings for Light, Power and Spare circuits 60A TPNE Copper Bus on hylam insulation supports- 4 sets Ammeter, Voltmeter with selector switches and appropriate CT's for Ammeter, RYB Indicator lamps and 3* 6A SP MCB voltmeter and Indicator lamp protection.				
182	Supply, installation , testing and commissioning of Wall Flush mounting type Main Panel and Distribution Boards , as per Distribution Diagram , fabricated out of 16SWG CRCA Sheet , double covered , hinged and lockable , provided with 2 coats each of Primer and Epoxy / Duco paints after 7 tank treatment and comprising of following. MCCB , MCB shall be Schneider/Siemens/Lawson/Legran d . The allowable current density shall be not more than 2.1 Amps per sq.mm cross sectional area of Copper Bus. Typical Sub-Distribution Board's (LAB), Comprising of following 1 nos. 63A TP MCB as Incomer 1 nos. 63A TP MCB as Incomer 3 nos. 16 DP MCB as Incomer 3 nos. 32A TP MCB as Outgoing 17 nos. 6/16A SP MCB outgoings for Light, Power and Spare circuits outgoing 100A TPNE Copper Bus on hylam insulation supports- 4 sets Ammeter , Voltmeter with selector switches and appropriate CT's for Ammeter , RYB Indicator lamps and 3* 6A SP MCB voltmeter and Indicator lamp protection.	Set	10.00		
183	External Lighting & Electrical Works: Supply, installation, testing and commissioning of 100 mm Dia HDPE pipe of NS 10 kg pressure marked HDPE pipe for cable laying with excavation upto depth 1 meters,	Rm	35.00		

	backfilling all complete.				
184	External Lighting & Electrical Works: Supply, installation, testing and commissioning of 25 W LED round flat Post Top Light for outdoor applications IP 65 with 3.5 metres long double coat enamel painted MS pole with decorative type with inbuilt LED driver, junction box for cable connection and all necessary civil works all complete.	set	4.00		
185	External Lighting & Electrical Works: Supply and installation of 9 m height Single Arm GI Pole with 100 watt LED Street lamp, IP 65 with light arm; Steel Tubular Pole suitable for mounting 100 Watt LED street light integrated with over hang bracket of dimension given in the drawing including dusk to dawn sensor for automatic operation.	set	16.00		
186	External Lighting & Electrical Works: Supply, installation, testing and commissioning of 25 W LED Bollard Light for outdoor applications IP 65, 9001200mm height with decorative type with inbuilt LED driver, junction box for cable connection and all necessary civil works all complete. (Fixture as per client)	set	2.00		
187	External Lighting & Electrical Works: Supply, installation, testing and commissioning of 2x9/12W LED Up-Down facet Light in the building wall. IP65, Color temperature as per client with decorative inbuilt LED driver. (Fixture as per client).	set	6.00		
188	External Lighting & Electrical Works: Supply, installation, testing and commissioning of 3 core 4 sq.mm. armoured copper cable for external lighting wiring in 32 mm Dia HDPE conduit with excavation and backfilling all complete	Rm	600.00		
189	Exaust Fan: Supply, installation, testing and commissioning of Exhaust Axial Fan (100CFM) inclusive of all kinds of fittings, accessories and hangers per specifications and drawings and instruction of engineer at site. Brand: Blauberg or Vent or equivalent	Nos	3.00		

ı	1		i	i i	İ	
190	Exaust Fan: Supply, installation, testing and commissioning of Exhaust Axial Fan (200CFM) inclusive of all kinds of fittings, accessories and hangers per specifications and drawings and instruction of engineer at site. Brand: Blauberg or Vent or equivalent	Nos	9.00			
Exaust Fan: Supply, installation, testing and commissioning of Exhaust Axial Fan (300CFM) inclusive of all kinds of fittings, accessories and hangers per specifications and drawings and instruction of engineer at site. Brand: Blauberg or Vent or equivalent		Nos	9.00			
192	Exaust Fan: Supply and installation of 8 inch Exhaust Metal Hood with bird screen and rainhood inclusive of all kinds accessories as per specifications, drawings and instruction of engineer at site.	Nos	51.00			
193	Fire Alarm System: Supply, installation, testing and commissioning of wiring for fire alarm system equipment such as smoke detector, Heat Detector, Manual Call Point and Sounder Point with 2 core 1.5 sq.mm. armoured FRLS copper cable inclusive of all kinds accessories as per specifications, drawings and instruction of engineer at site.	pts	155.00			
194	Fire Alarm System: Supply and installation of photoelectric smoke detector inclusive of all kinds accessories as per specifications, drawings and instruction of engineer at site.	Nos	85.00			
195	Fire Alarm System: Supply, installation, testing and commissioning of Rate of Rise Heat Detector inclusive of all kinds accessories as per specifications, drawings and instruction of engineer at site.	Nos	14.00			
196	Fire Alarm System: Supply, installation, testing and commissioning of Conventional Manual Call Point inclusive of all kinds accessories as per specifications, drawings and instruction of engineer at site.	Nos	13.00			
197	Fire Alarm System: Supply and installation of sounder/strobe inclusive of all kinds accessories as per specifications, drawings and	Nos	13.00			

	instruction of engineer at site.				
198	Fire Alarm System: Supply, installation, testing and commissioning of conventional 8 zone fire alarm panel inclusive of all kinds accessories as per specifications, drawings and instruction of engineer at site.	Nos	1.00		
199	Lightening Protection System, Air Termination: Supply, delivery, installation, testing and commissioning of air termination rod of 3mtr length of material AlMgSi of diametre ø 16/10 mm crimped on both the ends (Tappered Type). The rod shall be mounted with stainless steel clamp and fixing accessories. Test Parameter for 3 mtr vertical air terminal a) Electrical Resistivity b) Tensile Strength c) Condition of Salt Mist Tested as per IEC 62561-2. Test Parametrer for Wall clamp a) Mechanical load as per IEC 62561-1 as per the specification and instruction of einginner all complete.(Make: Cape, OBO, ABB)	set	4.00		
200	Lightening Protection System, Air Termination: Supply, delivery, installation, testing and commissioning of air termination rod of 1mtr length of material AlMgSi of diametre Ø 16/10 mm crimped on both the ends (Tappered Type). The rod shall be mounted with stainless steel clamp and fixing accessories. Test Parameter for 3 mtr vertical air terminala) Electrical Resistivityb) Tensile Strengthc) Condition of Salt MistTested as per IEC 62561-2. Test Parametrer for Wall clampa) Mechanical load as per IEC 62561-1 as per the specification and instruction of einginner all complete.(Make: Cape, OBO, ABB)	set	2.00		

201	Lightening Protection System, Down Conductors: Supply, delivery, installation, testing and commissioning of 8 mm Aluminium Solid Round Conductor for use as a horizontal air termination and down conductor in the External Lightning Protection System that meets the requirements of IS/IEC 62305 and tested according to IEC 62561-2 as per the specification and instruction of einginner all complete including necessary croos connector, conductor holder, tee joint and all other accessories all complete. (Make: Cape, OBO, ABB)	Rm	450.00				
					Sub-Tot	al Amount =	
					V	VAT (13%) =	
				Tota	al Amount	(in figures) =	

Part III: CONDITIONS OF CONTRACT AND CONTRACT FORMS

Table of Clauses

A.	General	152
1.	Definitions	152
2.	Interpretation	154
3.	Language and Law	154
4.	Contract Agreement	154
5.	Assignment	155
6.	Care and Supply of Documents	155
7.	Confidential Details	155
8.	Compliance with Laws	155
9.	Joint and Several Liability	156
10). Project Manager's Decisions	156
11	l. Delegation	156
12	2. Communications	156
13	3. Subcontracting	156
14	4. Other Contractors	157
15	5 Personnel and Equipment	157
	5. Employer's and Contractor's Risk	
	7. Employer's Risks	
	8. Contractor's Risks	
19	9. Insurance	158
20). Site Investigation Reports	158
	1. Contractor to Construct the Works	
22	2. The Works to Be Completed within intended Completion Date	158
	B. Design by contractor and Approval by the Project Manager	
	4. Safety, Security and Protection of the Environment	
	5. Discoveries	
26	5. Possession of the Site	159
	7. Access to the Site	
28	8. Instructions, Inspections and Audits	160
	9. Dispute Settlement	
). Procedures for Disputes	
	Staff and Labor	
	. Forced Labor	
32	2. Child Labor	160
33	3. Non-discrimination and Equal Opportunity	
В.	Time Control	161
2.4		404
	4. Program	
	5. Extension of the Intended Completion Date	
	5. Acceleration	
	7. Delays Ordered by the Project Manager	
	8. Management Meetings	
	9. Early Warning	
C. (Quality Control	162
40).Identifying Defects	162
	1. Tests 162	
42	2. Correction of Defects	162

	43.Uncorrected Defects	
D.	Cost Control	3
_	14. Contract Price	163
	45. Changes in the Contract Price	
	6. Variations	
	17. Cash Flow Forecasts	
	18. Payment Certificates	
	19. Payments	
	50. Compensation Events	
	1	103
	51. Tax 166	100
	52. Currency	
	53. Price Adjustment	
	54. Retention	
	55. Liquidated Damages	
	56. Bonus	
	57. Advance Payment	
	58. Securities	
	59. Dayworks	
	50. Cost of Repairs	
F.	Force Majeure170)
	51. Definition of Force Majeure	
	52. Notice of Force Majeure	
	53. Duty to Minimize Delay	
	54. Consequences of Force Majeure	
	55. Force Majeure Affecting Subcontractor	
	66. Optional Termination, Payment and Release	
6	67. Release from Performance	172
G.	Finishing the Contract	2
		470
	58. Completion	
	59. Taking Over	
	70. Final Account	
	71. Operating and Maintenance Manuals	
		173
	73. Fraud and Corruption	
	74. Black Listing	
	75. Payment upon Termination	
	76. Property	
	77. Release from Performance	
	78.Suspension of DP Loan/Credit/Grant	
7	79. Eligibility	176
	30. Project Manager's Duties and Authorities	
	31. Quarries and Spoil Dumps	
8	32. Local Taxation	177
8	33. Value Added Tax	177
8	34. Income Taxes on Staff	177
8	35. Duties, Taxes and Royalties	177
	36. Member of Government, etc, not Personally Liable	
8	37. Approval of Use of Explosives	178
8	39. Permission for Blasting	178
	00. Records of Explosives	
	11 Traffic Diversion	170

Section VIII: General Conditions of Contract

Madan Bhandari University of Science and Technology

Construction of Undergraduate Program Building Block-2 for Madan Bhandari University of Science and Technology

IFB No. MBUST/W/NCB-01/2082/83

General Conditions of Contract

This Section provides the General Conditions of Contract that will apply to the Contract for which the Biding document is issued.

1.1 Boldface type is used to identify defined terms.

1. Definitions

A. General

1. Definitions	1.1 Boldface type is used to identify defined terms.
	(a) The Accepted Contract Amount means the amount accepted in the Letter
	of Acceptance for the execution and completion of the Works and the
	remedying of any defects.
	(b) The Activity Schedule is a schedule of the activities comprising the
	construction, installation, testing, and commissioning of the Works in a lump
	sum contract. It includes a lump sum price for each activity, which is used for
	valuations and for assessing the effects of Variations and Compensation Events.
	(c) Bill of Quantities means the priced and completed Bill of Quantities forming
	part of the Bid.
	(d) Compensation Events are those defined in GCC 50 hereunder.
	(e) The Completion Date is the date of completion of the Works as certified
	by the Project Manager, in accordance with GCC 68.1.
	(f) The Contract is the Contract between the Employer and the Contractor to
	execute, complete, and maintain the Works. It consists of the documents listed in
	GCC 2.3 below.
	(g) The Contractor is the party whose Bid to carry out the Works has been
	accepted by the Employer.
	(h)The Contractor's Bid is the completed bidding document submitted by the
	Contractor to the Employer.
	(i) The Contract Price is the Accepted Contract Amount stated in the Letter of
	Acceptance and thereafter as adjusted in accordance with the Contract.
	(j) Days are calendar days; months are calendar-months.
	(k) Dayworks are varied work inputs subject to payment on a time basis for the
	Contractor's employees and Equipment, in addition to payments for associated
	Materials and Plant.
	(l) A Defect is any part of the Works not completed in accordance with the Contract.
	(m) The Defects Liability Certificate is the certificate issued by Project Manager upon correction of defects by the Contractor.
	(n) The Defects Liability Period is the period calculated from the Completion Date where the Contractor remains responsible for remedying defects.
	,
	(o) Drawings include calculations and other information provided or approved
	by the Project Manager for the execution of the Contract.
	(p) The Employer is the party who employs the Contractor to carry out the Works,
	as specified in the SCC.
	(q) Equipment is the Contractor's machinery and vehicles brought temporarily
	to the Site to construct the Works.
1	(r) Force Majeure means an exceptional event or circumstance: which is beyond a

- Party's control; which such Party could not reasonably have provided against before entering into the Contract; which, having arisen, such Party could not reasonably have avoided or overcome; and, which is not substantially attributable to the other Party.
- (s) The **Initial Contract Price** is the Contract Price listed in the Employer's Letter of Acceptance.
- (t) **In writing** or **written** means hand written, type written, printed or electronically made, and resulting in permanent record.
- (u)_The **Intended Completion Date** is the date on which it is intended that the Contractor shall complete the Works. The Intended Completion Date is **specified in the SCC**. The Intended Completion Date may be revised only by the Project Manager by issuing an extension of time or an acceleration order.
- (v)**Letter of Acceptance** means the formal acceptance by the Employer of the Bid and denotes the formation of the contract at the date of acceptance.
- (w) **Materials** are all supplies, including consumables, used by the Contractor for incorporation in the Works.
- (x) **Party** means the Employer or the Contractor, as the context requires.
- (y) SCC means Special Conditions of Contract
- (aa) **Plant** is any integral part of the Works that shall have a mechanical, electrical, chemical, or biological function.
- (bb) The **Project Manager** is the person **named in the SCC** (or any other competent person appointed by the Employer and notified to the Contractor, to act in replacement of the Project Manager) who is responsible for supervising the execution of the Works and administering the Contract.
- (cc) **Retention Money** means the aggregate of all monies retained by the Employer pursuant to GCC 54.1.
- (dd) **Schedules** means the document(s) entitled schedules, completed by the Contractor and submitted with the Letter of Bids, as included in the Contract. Such document may include the Bill of Quantities, data, lists, and schedules of rates and/or prices.
- (ee) The **Site** is the area defined as such in the SCC
- (ff) **Site Investigation Reports** are those that were included in the bidding documents and are factual and interpretative reports about the surface and subsurface conditions at the Site.
- (gg) **Specification** means the Specification of the Works included in the Contract and any modification or addition made or approved by the Project Manager.
- (hh) The **Start Date** is given in **the SCC**. It is the latest date when the Contractor shall commence execution of the Works. It does not necessarily coincide with any of the Site Possession Dates.
- (ii) A **Subcontractor** is a person or corporate body who has a Contract with the Contractor to carry out a part of the work in the Contract, which includes work on the Site.
- (jj) **Temporary Works** are works designed, constructed, installed, and removed by the Contractor that are needed for construction or installation of the Works.
- (kk) A **Variation** is an instruction given by the Project Manager which varies the Works.

	(II) The Works are what the Contract requires the Contractor to construct, install, and turn over to the Employer, as defined in the SCC .
2. Interpretation	2.1 In interpreting these GCC, singular also means plural, male also means female or neuter, and the other way around. Headings have no significance. Words have their normal meaning under the language of the Contract unless specifically defined. The Project Manager shall provide instructions clarifying queries about these GCC.
	2.2 If sectional completion is specified in the SCC , references in the GCC to the Works, the Completion Date, and the Intended Completion Date apply to any Section of the Works (other than references to the Completion Date and Intended Completion Date for the whole of the Works).
	2.3 The documents forming the Contract shall be interpreted in the following order of priority:
	(a) Contract Agreement,
	(b) Letter of Acceptance,
	(c) Letters of Technical Bid and Price Bid,
	(d) Special Conditions of Contract,
	(e) General Conditions of Contract,
	(f) Specifications,
	(g) Drawings,
	(h) Bill of Quantities (or Schedules of Prices for lump sum contracts), and
	(i) Any other document listed in the SCC as forming part of the Contract.
3. Language and Law	3.1 The language of the Contract and the law governing the Contract are stated in the SCC .
	3.2. Throughout the execution of the Contract, the Contractor shall comply with the import of goods and services prohibitions in the Employer's country when
	(a) by an act of compliance with a decision of the United Nations Security Council taken under Chapter VII of the Charter of the United Nations, the Employer's Country prohibits any import of goods from, or any payments to, a particular country, person, or entity. Where the employer's country prohibits payments to a particular firm or for particular goods by such an act of compliance, that firm may be excluded.
4. Contract Agreement	4.1 The Parties shall enter into a Contract Agreement within 15 days after the Contractor receives the Letter of Acceptance, unless the Special Conditions establish otherwise. The Contract Agreement shall be based upon the attached Contract forms in Section X.
	4.2 Without altering the basic nature or scope of work, the contract may be

	amended upon mutual written consent as per prevailing Public Procurement Law.
5. Assignment	5.1 Neither Party shall assign the whole or any part of the Contract or any benefit or interest in or under the Contract. However, either Party
	(a) may assign the whole or any part with the prior agreement of the other Party, at the sole discretion of such other Party; and
	(b) may, as security in favor of a bank or financial institution, assign its right to any moneys due, or to become due, under the Contract.
6. Care and Supply of Documents	6.1 The Specification and Drawings shall be in the custody and care of the Employer. Unless otherwise stated in the Contract, one copy of the Contract and of each subsequent Drawing shall be supplied to the Contractor, who may make or request further copies at the cost of the Contractor.
	6.2 Each of the Contractor's Documents shall be in the custody and care of the Contractor, unless and until taken over by the Employer. Unless otherwise stated in the Contract, the Contractor shall supply to the Engineer six copies of each of the Contractor's Documents.
	6.3 The Contractor shall keep, on the Site, a copy of the Contract, publications named in the Specification, the Contractor's Documents (if any), the Drawings and Variations and other communications given under the Contract. The Employer's Personnel shall have the right of access to all these documents at all reasonable times.
	6.4 If a Party becomes aware of an error or defect in a document which was prepared for use in executing the Works, the Party shall promptly give notice to the other Party of such error or defect.
7. Confidential Details	7.1 The Contractor's and the Employer's Personnel shall disclose all such confidential and other information as may be reasonably required in order to verify the Contractor's compliance with the Contract and allow its proper implementation.
	7.2 Each of them shall treat the details of the Contract as private and confidential, except to the extent necessary to carry out their respective obligations under the Contract or to comply with applicable Laws. Each of them shall not publish or disclose any particulars of the Works prepared by the other Party without the previous agreement of the other Party. However, the Contractor shall be permitted to disclose any publicly available information, or information otherwise required to establish his qualifications to compete for other projects.
	7.3 Notwithstanding the above, the Contractor may furnish to its Subcontractor(s) such documents, data and other information it receives from the Employer to the extent required for the Subcontractor(s) to perform its work under the Contract, in which event the Contractor shall obtain from such Subcontractor(s) an undertaking of confidentiality similar to that imposed on the Contractor under this Clause.
8. Compliance with	8.1 The Contractor shall, in performing the Contract, comply with applicable Laws

Laws	of Nepal.
9. Joint and Several Liability	9.1 If the Contractor is a joint venture of two or more entities, all such entities shall be jointly and severally liable to the Employer for the fulfillment of the provisions of the Contract, and shall designate one of such persons to act as a leader with authority to bind the joint venture. The contractor shall not handover the responsibility of the contract to any one member or some members of Joint Venture or any other parties, not involved in the contract. The composition or the constitution of the joint venture shall not be altered without the prior consent of the Employer.
10. Project Manager's Decisions	10.1 Except where otherwise specifically stated, the Project Manager shall decide contractual matters between the Employer and the Contractor in the role representing the Employer.
11. Delegation	11.1 The Project Manager may delegate any of his duties and responsibilities to other people after notifying the Contractor, and may cancel any delegation after notifying the Contractor.
12. Communications	12.1 Communications between parties that are referred to in the Conditions shall be effective only when in writing. Wherever these Conditions provide for the giving or issuing of approvals, certificates, consents, determinations, notices and requests, these communications shall be:
	(a) in writing and delivered by hand (against receipt), sent by mail or courier, or transmitted using any of the agreed systems of electronic transmission as stated in the SCC ; and
	(b) delivered, sent or transmitted to the address for the recipient's communications as stated in the Contract. However:
	(i) if the recipient gives notice of another address, communications shall thereafter be delivered accordingly; and
	(ii) if the recipient has not stated otherwise when requesting an approval or consent, it may be sent to the address from which the request was issued.
	Approvals, certificates, consents and determinations shall not be unreasonably withheld or delayed.
	12.2 A Notice shall be effective when delivered or on the Notice's effective date, whichever is later.
13. Subcontracting	13.1 For GoN Funded:
	A list of approved Subcontractors including its value/works is included as Article 2 (k) of contract Agreement Approval by the Employer for any of the Subcontractors shall not relieve the Contractor from any of its obligations, duties, or responsibilities under the contract.
	For DP Funded:
	The Contractor may subcontract with the approval of the Project Manager, but may not assign the Contract without the approval of the Employer in writing. Subcontracting shall not alter the Contractor's obligations. Bidders may propose subcontracting up to the percentage of total value of contracts as specified in the SCC. The Sub contractor shall meet the qualification requirement as specified in SCC.

14. Other Contractors	
	14.1 The Contractor shall cooperate and share the Site with other contractors, public authorities, utilities, and the Employer between the dates given in the Schedule of Other Contractors, as referred to in the SCC. The Contractor shall also provide facilities and services for them as described in the Schedule. The Employer may modify the Schedule of Other Contractors, and shall notify the Contractor of any such modification
15 Personnel and Equipment	15.1 The Contractor shall employ the key personnel and use the equipment identified in its Bid to carry out the Works, or other personnel and equipment approved by the Project Manager. The Project Manager shall approve any proposed replacement of key personnel and equipment only if their relevant qualifications or characteristics are substantially equal to or better than those proposed in the Bid.
	15.2 If the Project Manager asks the Contractor to remove a person who is a member of the Contractor's staff or work force, stating the reasons, the Contractor shall ensure that the person leaves the Site within seven days and has no further connection with the work in the Contract.
	15.3 If the Employer, Project Manager, or Contractor determines, that any employee of the Contractor be determined to have engaged in corrupt, fraudulent, collusive, coercive, or other prohibited practices during the execution of the Works, then that employee shall be removed in accordance with Clause 15.2 above.
16. Employer's and Contractor's Risk	16.1 The Employer carries the risks which this Contract states are Employer's risks, and the Contractor carries the risks which this Contract states are Contractor's risks.
17. Employer's Risks	17.1 From the Start Date until the Defects Liability Certificate has been issued, the following are Employer's risks:
	(a) The risk of personal injury, death, or loss of or damage
	to property (excluding the Works, Plant, Materials, and Equipment), which are due to
	(i) use or occupation of the Site by the Works or for the purpose of the Works, which is the unavoidable result of the Works or
	(ii) negligence, breach of statutory duty, or interference with any legal right by the Employer or by any person employed by or contracted to him except the Contractor.
	(b) The risk of damage to the Works, Plant, Materials, and Equipment to the extent that it is due to a fault of the Employer or in the Employer's design, or due to war or radioactive contamination directly affecting the country where the Works are to be executed.
	17.2 From the Completion Date until the Defects Liability Certificate has been issued, the risk of loss of or damage to the Works, Plant, and Materials is an Employer's risk except loss or damage due to
	(a) a Defect which existed on the Completion Date,
	(b) an event occurring before the Completion Date, which was not itself an

	Employer's risk, or
	(c) the activities of the Contractor on the Site after the Completion Date.
18. Contractor's Risks	18.1 From the Starting Date until the Defects Liability Certificate has been issued, the risks of personal injury, death, and loss of or damage to property (including, without limitation, the Works, Plant, Materials, and Equipment) which are not Employer's risks are Contractor's risks.
19. Insurance	19.1 The Contractor shall provide insurance in the joint names of the Employer and the Contractor from the Start Date to the end of the Defects Liability Period, in the amounts and deductibles stated in the SCC for the following events which are due to the Contractor's risks:
	(a) loss of or damage to the Works, Plant, and Materials;
	(b) loss of or damage to Equipment;
	(c) loss of or damage to property (except the Works, Plant, Materials, and Equipment) in connection with the Contract; and
	(d) Personal injury or death.
	19.2 Policies and certificates for insurance shall be delivered by the Contractor to the Project Manager for the Project Manager's approval before the Start Date. All such insurance shall provide for compensation to be payable in the proportions of Nepalese Rupees required to rectify the loss or damage incurred.
	19.3 If the Contractor does not provide any of the policies and certificates required, the Employer may affect the insurance which the Contractor should have provided and recover the premiums the Employer has paid from payments otherwise due to the Contractor or, if no payment is due, the payment of the premiums shall be a debt due.
	19.4 Alterations to the terms of insurance shall not be made without the approval of the Project Manager.
	19.5 Both parties shall comply with any conditions of the insurance policies.
20. Site Investigation Reports	20.1 The Contractor, in preparing the Bid, shall rely on any Site Investigation Reports referred to in the SCC , supplemented by any information available to the Contractor.
21. Contractor to Construct the Works	21.1 The Contractor shall construct and install the Works in accordance with the Specifications and Drawings.
22. The Works to Be Completed within intended Completion Date	22.1 The Contractor may commence execution of the Works on the Start Date and shall carry out the Works in accordance with the Program submitted by the Contractor, as updated with the approval of the Project Manager, and complete them within the intended Completion Date.
23. Design by contractor and Approval by the	23.1 The contractor shall be responsible for the design of permanent works as specified in SCC .
rippiovai by the	23.2 Contractor shall be responsible for design of the Temporary Works. The

Project Manager	Contractor shall submit Specifications and Drawings showing the proposed Temporary Works to the Project Manager, for his approval.
	23.3 All Drawings prepared by the Contractor for the execution of the temporary or permanent Works, shall be subject to prior approval by the Project Manager before their use.
	23.4 The Project Manager's approval shall not alter the Contractor's responsibility for design of temporary works.
24. Safety, Security and Protection of the	24.1 The Contractor shall, throughout the execution, and completion of the works and remedying of any defects therein:
Environment	a. Have full regard for the safety of all persons entitled to be upon the site and keep the site (so as the same is under his control) and the works (so far as the same are not completed or occupied by the Employer) in an orderly state appropriate to the avoidance of danger to such persons.
	b. Provide and maintain at his own cost all lights, guards, fencing, warning signs and watching, when necessary or required by the Project Manager or by any duly constituted authority, for the protection of the Works of for the safety and convenience of the public or others.
	c. Take all reasonable steps to protect the environment on and off the site and to avoid damage or nuisance to persons
	or to property of the public or others resulting from pollution, noise or other causes arising as a consequence of his methods of operation.
	d. Ensure that any cut or fill slopes are planted in grass or other plant cover as soon as possible to protect them from erosion.
	e. Any spoil or material removed from drains shall be disposed of to designated stable tipping areas as directed by the Project Manager.
	f. Shall not use fuel wood as a means of heating during the processing or preparation of any materials forming part of the works.
	g. The Project Manager shall have the power to disallow any working practice or activity of the Contractor or direct that such practices or activities be modified should the Project Manager consider, on the advice of the relevant Government Departments, that the practices or activities will be harmful to wildlife.
	h. Provide on the Site such lifesaving apparatus as may be appropriate and an adequate and easily accessible first aid outfit or such outfits as may be required by any government ordinance, factory act, etc., subsequently published and amended from time to time.
25. Discoveries	25.1 Anything of historical or other interest or of significant value unexpectedly discovered on the Site shall be the property of the employer. The Contractor shall notify the Project Manager of such discoveries and carry out the Project Manager's instructions for dealing with them.
26. Possession of the Site	26.1 The Employer shall give possession of all parts of the Site to the Contractor. If possession of a part is not given by the date stated in the SCC , the Employer shall be deemed to have delayed the start of the relevant activities, and this shall be a Compensation Event.

27. Access to the Site	27.1 The Contractor shall allow the Project Manager and any person authorized by the Project Manager access to the Site and to any place where work in connection with the Contract is being carried out or is intended to be carried out.
28. Instructions, Inspections and Audits	28.1 The Contractor shall carry out all instructions of the Project Manager which comply with the applicable laws where the Site is located.
rudits	28.2 The Contractor shall keep, and shall make all reasonable efforts to cause its Subcontractors and sub consultants to keep accurate and systematic accounts and records in respect of the Works in such form and details as will clearly identify relevant time changes and costs.
	28.3 The Contractor shall permit the GoN/DP and/or persons appointed by the GoN/DP to inspect the Site and/or the accounts and records of the Contractor and its sub-contractors relating to the performance of the Contract, and to have such accounts and records audited by auditors appointed by the GoN/DP if required by the GoN/DP. The Contractor's attention is drawn to Sub-Clause 73.2 which provides, inter alia, that acts intended to materially impede the exercise of the GoN's/DP's inspection and audit rights provided for under this Sub-Clause constitute a obstructive practice subject to contract termination.
29. Dispute Settlement	29.1 The Employer and the Contractor shall attempt to settle amicably by direct negotiation any disagreement or dispute arising between them under or in connection with the Contract.
	29.2 Any dispute between the Parties as to matters arising pursuant to this Contract which cannot be settled amicably within thirty (30) days after receipt by one Party of the other Party 's request for such amicable settlement may be referred to Arbitration within 30 days after the expiration of amicable settlement period.
30. Procedures for Disputes	30.1 In case of arbitration, the arbitration shall be conducted in accordance with the arbitration procedures in accordance with law of Nepal at the place within the territory of Nepal given in the SCC .
	B1.Staff and Labor
31. Forced Labor	31.1 The Contractor shall not employ forced labor, which consists of any work or service, not voluntarily performed, that is exacted from an individual under threat of force or penalty. This covers any kind of involuntary or compulsory labor, such as indentured labor, bonded labor, or similar labor–contracting arrangements.
32. Child Labor	32.1 The Contractor shall not employ children in a manner that is economically exploitative, or is likely to be hazardous, or to interfere with, the child's education, or to be harmful to the child's health or physical, mental, spiritual, moral, or social development. Where national laws have provisions for employment of minors, the Contractor shall follow those laws applicable to the Contractor. Children below the age of 18 years shall not be employed in dangerous work.
33.Non- discrimination and Equal Opportunity	34.1 The Contractor shall not make employment decisions on the basis of personal characteristics unrelated to inherent job requirements. The Contractor shall base the employment relationship on the principle of equal opportunity and fair treatment, and shall not discriminate with respect to aspects of the

	employment relationship, including recruitment and hiring, compensation (including wages and benefits), working conditions and terms of employment, access to training, promotion, termination of employment or retirement, and discipline. In countries where national law provides for non-discrimination in employment, the Contractor shall comply with national law. When national laws are silent on nondiscrimination in employment, the Contractor shall meet this Sub clause's requirements. Special measures of protection or assistance to remedy past discrimination or selection for a particular job based on the inherent requirements of the job shall not be deemed discrimination.
	B. Time Control
34. Program	34.1 Within the time stated in the SCC , after the date of the Letter of Acceptance, the Contractor shall submit to the Project Manager for approval a Program showing the general methods, arrangements, order, and timing for all the activities in the Works. In the case of a lump sum contract, the activities in the Program shall be consistent with those in the Activity Schedule.
	34.2 An update of the Program shall be a program showing the actual progress achieved on each activity and the effect of the progress achieved on the timing of the remaining work, including any changes to the sequence of the activities.
	34.3 The Contractor shall submit to the Project Manager for approval an updated Program at intervals no longer than the period stated in the SCC . If the Contractor does not submit an updated Program within this period, the Project Manager may withhold the amount stated in the SCC from the next payment certificate and continue to withhold this amount until the next payment after the date on which the overdue Program has been submitted. In the case of a lump sum contract, the Contractor shall Provide an updated Activity Schedule within 15 days of being instructed to by the Project Manager.
	34.4 The Project Manager's approval of the Program shall not alter the Contractor's obligations. The Contractor may revise the Program and submit it to the Project Manager again at any time. A revised Program shall show the effect of Variations and Compensation Events.
35. Extension of the Intended Completion Date	35.1 The Project Manager shall extend the Intended Completion Date if a Compensation Event occurs or a Variation is issued which makes it impossible for Completion to be achieved by the Intended Completion Date without the Contractor taking steps to accelerate the remaining work, which would cause the Contractor to incur additional cost.
	35.2 The Project Manager shall decide whether and by how much to extend the Intended Completion Date within 21 days of the Contractor asking the Project Manager for a decision upon the effect of a Compensation Event or Variation and submitting full supporting information at least 21 days prior to the intended completion date. If the Contractor has failed to give early warning of a delay or has failed to cooperate in dealing with a delay, the delay by this failure shall not be considered in assessing the new Intended Completion Date. Along with full supporting information the contractor shall also submit Performance Security, Advanced Payment Guarantee and insurance Policy with extended validity as well as revised work schedule.
36. Acceleration	36.1 When the Employer wants the Contractor to finish before the Intended Completion Date, the Project Manager shall obtain priced proposals for

	achieving the necessary acceleration from the Contractor. If the Employer accepts these proposals, the Intended Completion Date shall be adjusted accordingly and confirmed by both the Employer and the Contractor.
	36.2 If the Contractor's priced proposals for acceleration are accepted by the Employer, they are incorporated in the Contract Price and treated as a Variation.
37. Delays Ordered by the Project Manager	37.1 The Project Manager may instruct the Contractor to delay the start or progress of any activity within the Works.
38. Management Meetings	38.1 Either the Project Manager or the Contractor may require the other to attend a management meeting. The business of a management meeting shall be to review the plans for remaining work and to deal with matters raised in accordance with the early warning procedure.
	38.2 The Project Manager shall record the business of management meetings and provide copies of the record to those attending the meeting and to the Employer. The responsibility of the parties for actions to be taken shall be decided by the Project Manager either at the management meeting or after the management meeting and stated in writing to all who attended the meeting.
39. Early Warning	39.1 The Contractor shall warn the Project Manager at the earliest opportunity of specific likely future events or circumstances that may adversely affect the quality of the work, increase the Contract Price, or delay the execution of the Works. The Project Manager may require the Contractor to provide an estimate of the expected effect of the future event or circumstance on the Contract Price and Completion Date. The estimate shall be provided by the Contractor as soon as reasonably possible.
	39.2 The Contractor shall cooperate with the Project Manager in making and considering proposals for how the effect of such an event or circumstance can be avoided or reduced by anyone involved in the work and in carrying out any resulting instruction of the Project Manager.
	C. Quality Control
40.Identifying Defects	40.1 The Project Manager shall check the Contractor's work and notify the Contractor of any Defects that are found. Such checking shall not affect the Contractor's responsibilities. The Project Manager may instruct the Contractor to search for a Defect and to uncover and test any work that the Project Manager considers may have a Defect.
41. Tests	41.1 If the Project Manager instructs the Contractor to carry out a test not specified in the Specification to check whether any work has a Defect and the test shows that it does, the Contractor shall pay for the test and any samples. If there is no Defect, the test shall be a Compensation Event.
42. Correction of Defects	42.1 The Project Manager shall give notice to the Contractor of any Defects before the end of the Defects Liability Period, which begins at issuance of taking over certificate pursuant to GCC clause 69.2, and is defined in the SCC . The Defects Liability Period shall be extended for as long as Defects remain to be corrected.

	42.2 Every time notice of a Defect is given, the Contractor shall correct the notified Defect within the length of time specified by the Project Manager's notice.
43.Uncorrected Defects	43.1 If the Contractor has not corrected a Defect within the time specified in the Project Manager's notice, the Project Manager shall assess the cost of having the Defect corrected, and the Contractor shall pay this amount.
	D. Cost Control
44. Contract Price	44.1 In the case of a Unit Rate contract, the Bill of Quantities shall contain priced items for the Works to be performed by the Contractor. The Bill of Quantities is used to calculate the Contract Price. The Contractor will be paid for the quantity of the work accomplished at the rate in the Bill of Quantities for each item.
	44.2 In the case of a lump sum contract, the Activity Schedule shall contain the priced activities for the Works to be performed by the Contractor. The Activity Schedule is used to monitor and control the performance of activities on which basis the Contractor will be paid. If payment for Materials on Site shall be made separately, the Contractor shall show delivery of Materials to the Site separately on the Activity Schedule.
45. Changes in the	45.1 In the case of an Unit Rate contract:
Contract Price	(a) If the final quantity of the work done differs from the quantity in the Bill of Quantities for the particular item by more than 25 percent, provided the change exceeds 2 percent of the Initial Contract Price, the Project Manager shall adjust the rate to allow for the change.
	(b) The Project Manager shall not adjust rates from changes in quantities if thereby the Initial Contract Price is exceeded by more than 10 percent, except with the prior approval of the Employer.
	(c) If requested by the Project Manager, the Contractor shall provide the Project Manager with a detailed cost breakdown of any rate in the Bill of Quantities.
	45.2 In the case of a lump sum contract, the Activity Schedule shall be amended by the Contractor to accommodate changes of Program or method of working made at the Contractor's own discretion. Prices in the Activity Schedule shall not be altered when the Contractor makes such changes to the Activity Schedule.
46. Variations	46.1 All Variations shall be included in updated Programs, and, in the case of a lump sum contract, also in the Activity Schedule, produced by the Contractor.
	46.2 The Contractor shall provide the Project Manager with a quotation for carrying out the Variation when requested to do so by the Project Manager. The Project Manager shall assess the quotation, which shall be given within seven (7) days of the request or within any longer period stated by the Project Manager and before the Variation is ordered.
	46.3 If the Contractor's quotation is unreasonable, the Project Manager may order the Variation and make a change to the Contract Price, which shall be based on the Project Manager's own forecast of the effects of the Variation on the Contractor's costs.

	1
	46.4 If the Project Manager decides that the urgency of varying the work would prevent a quotation being given and considered without delaying the work, no quotation shall be given and the Variation shall be treated as a Compensation Event.
	46.5 The Contractor shall not be entitled to additional payment for costs that could have been avoided by giving early warning.
	46.6 In the case of an Unit Rate contract, if the work in the Variation corresponds to an item description in the Bill of Quantities and if, in the opinion of the Project Manager, the quantity of work above the limit stated in GCC 45.1 or the timing of its execution do not cause the cost per unit of quantity to change, the rate in the Bill of Quantities shall be used to calculate the value of the Variation. If the cost per unit of quantity changes, or if the nature or timing of the work in the Variation does not correspond with items in the Bill of Quantities, the quotation by the Contractor shall be in the form of new rates for the relevant items of work.
47. Cash Flow Forecasts	47.1 When the Program, or, in the case of a lump sum contract, the Activity Schedule, is updated, the Contractor shall provide the Project Manager with an updated cash flow forecast.
48. Payment Certificates	48.1 The Contractor shall submit to the Project Manager monthly statements of the estimated value of the work executed less the cumulative amount certified previously.
	48.2 The Project Manager shall check the Contractor's monthly statement and certify the amount to be paid to the Contractor within 30 days of submission by contractor.
	48.3 The value of work executed shall be determined by the Project Manager.
	48.4 The value of work executed shall comprise:
	(a) In the case of a Unit Rate contract, the value of the quantities of work in the Bill of Quantities that have been completed; or
	(b) In the case of a lump sum contract, the value of work executed shall comprise the value of completed activities in the Activity Schedule.
	48.5 The value of work executed shall include the valuation of Variations and Compensation Events.
	48.6 The Project Manager may exclude any item certified in a previous certificate or reduce the proportion of any item previously certified in any certificate in the light of later information.
49. Payments	49.1 Payments shall be adjusted for deductions for advance payments and retention. The Employer shall pay the Contractor the amounts certified by the Project Manager within 30 days of the date of each certificate. If the Employer makes a late payment, the Contractor shall be paid interest as indicated in the SCC on the late payment in the next payment. Interest shall be calculated from the date by which the payment should have been made up to the date when the late payment is made.

	49.2 If an amount certified is increased in a later certificate or as a result of an award by an Arbitrator, the Contractor shall be paid interest upon the delayed payment as set out in this clause. Interest shall be calculated from the date upon which the increased amount would have been certified in the absence of dispute.
	49.3 Items of the Works for which no rate or price has been entered in BOQ shall not be paid for by the Employer and shall be deemed covered by other rates and prices in the Contract.
50. Compensation	50.1 The following shall be Compensation Events:
Events	(a) The Employer does not give access to a part of the Site by the Site Possession Date pursuant to GCC 26.1.
	(b) The Employer modifies the Schedule of Other Contractors in a way that affects the work of the Contractor under the Contract.
	(c) The Project Manager orders a delay or does not issue Drawings, Specifications, or instructions required for execution of the Works on time.
	(d) The Project Manager instructs the Contractor to uncover or to carry out additional tests upon work, which is then found to have no Defects.
	(e) The Project Manager unreasonably does not approve a subcontract to be let.
	(f) Ground conditions are substantially more adverse than could reasonably have been assumed before issuance of the Letter of Acceptance from the information issued to bidders (including the Site Investigation Reports), from information available publicly and from a visual inspection of the Site.
	(g) The Project Manager gives an instruction for dealing with an unforeseen condition, caused by the Employer, or additional work required for safety or other reasons.
	(h) Other contractors, public authorities, utilities, or the Employer does not work within the dates and other constraints stated in the Contract, and they cause delay or extra cost to the Contractor.
	(i) The advance payment is delayed.
	(j) The effects on the Contractor of any of the Employer's Risks.
	(k) The Project Manager unreasonably delays issuing a Certificate of Completion.
	50.2 If a Compensation Event would cause additional cost or would prevent the work being completed before the Intended Completion Date, the Contract Price shall be increased and/or the Intended Completion Date shall be extended. The Project Manager shall decide whether and by how much the Contract Price shall be increased and whether and by how much the Intended Completion Date shall be extended.
	50.3 As soon as information demonstrating effect of each Compensation Event upon the Contractor's forecast cost has been provided by the Contractor, it shall be assessed by the Project Manager, and the Contract Price shall be adjusted

	accordingly. If the Contractor's forecast is deemed unreasonable, the Project
	Manager shall adjust the Contract Price based on the Project Manager's own forecast. The Project Manager shall assume that the Contractor shall react competently and promptly to the event.
	50.4 The Contractor shall not be entitled to compensation to the extent that the Employer's interests are adversely affected by the Contractor's not having given early warning or not having cooperated with the Project Manager.
51. Tax	51.1 The Project Manager shall adjust the Contract Price if taxes, duties, and other levies are changed between the date 30 days before the submission of bids for the Contract and the date of the last Completion certificate. The adjustment shall be the change in the amount of tax payable by the Contractor, provided such changes are not already reflected in the Contract Price or are a result of GCC 53.
52. Currency	52.1 The currency of Contracts shall be Nepalese Rupees.
53. Price Adjustment	53.1 Prices shall be adjusted for fluctuations in the cost of inputs only if provided for in the SCC. If so provided, the amounts certified in each payment certificate, before deducting for Advance Payment, shall be adjusted by applying the respective price adjustment factor to the payment amounts due.
	53.2 Adjustment Formulae ¹¹ : The formulae will be of the following general type:
	$pn = A + b\frac{Ln}{Lo} + c\frac{Mn}{Mo} + d\frac{En}{Eo} + etc.$
	Where:
	pn is a price adjustment factor to be applied to the amount for the payment of the work carried out in the subject month, determined in accordance with Clause 49;
	A is a constant, specified in the Bidding Forms- Table of Price Adjustment data, representing the nonadjustable portion in contractual payments; ¹² b, c, d, etc., coefficients representing the estimated proportion of each cost element (labor, materials, equipment usage, etc.) in the Works or sections thereof, net of Provisional Sums, as specified in the SCC;
	Ln, Mn, En, etc., are the current cost indices or reference prices of the cost elements for month "n," determined pursuant to Sub-Clause 53.4, applicable to each cost element; and
	Lo, Mo, Eo, etc., are the base cost indices or reference prices corresponding to the above cost elements at the date specified in Sub-Clause 53.4.

For complex Works involving several types of construction work with different inputs, a family of Formulae will be necessary. The various items of Day work may also require different formulae, depending on the nature and source of the inputs

¹² Insert a figure for factor A only where there is a part of the Contractors' expenditures which will not be subject to fluctuation in cost or to compensate for the unreliability of some indices. A should normally be 0.15. The sum of A, b, c, d, etc., should be one.

- 53.3 Sources of Indices and Weightings: The sources of indices shall be those listed in the Bidding Forms- Table of Price Adjustment data, as approved by the Project Manager and stated in SCC. Indices shall be appropriate for their purpose and shall relate to the Contractor's proposed source of supply of inputs on the basis of which his Contract shall have been computed. As the proposed basis for price adjustment, the Contractor shall have submitted with his bid the tabulation of Weightings and Source of Indices in the Bidding Forms, which shall be subject to approval by the Project Manager.
- 53.4 Base, Current and Provisional Indices: The base cost indices or prices shall be those prevailing on the day 30 days prior to the latest date for submission of bids. Current indices or prices shall be those prevailing on the day 30 days prior to the last day of the period to which a particular Interim Payment Certificate is related. If at any time the current indices are not available, provisional indices as determined by the Project Manager will be used, subject to subsequent correction of the amounts paid to the Contractor when the current indices become available.
- 53.5 Weightings: The weightings for each of the factors of cost given in the Bidding Forms shall be adjusted if, in the opinion of the Project Manager, they have been rendered unreasonable, unbalanced or inapplicable as a result of varied or additional work already executed or instructed under Clause 46 or for any other reason.
- 53.6 Where, price adjustment provision is not applicable pursuant to Sub-clause 53.1 then the Contract is subject to price adjustment only for construction material in accordance with this clause. If the prices of the construction materials stated in the contract is increased or decreased in an unexpected manner in excess of ten (10%) percent in comparison to the base price construction material stated in Section –IV, Bidding Forms-Table of Price Adjustment Data, then the price adjustment for the increase or decrease of price of the construction material beyond 10% shall be made by applying the following formulas:

For unexpected increase in price

$$P = [R_1 - (R_0 \times 1.10)] \times Q$$

For unexpected decrease in price P

$$= [R_1 - (R_0 \times 0.90)] \times Q$$

Where:

"P" is price adjustment amount

" R_1 " is the present price of the construction material (Source of indices shall be those listed in the Bidding forms)

"R₀" is the base price of the construction material

"Q" is quantity of the construction material consumed in construction during the period of price adjustment consideration If the Base price and source is to be proposed by the Bidder as per the provision made in Section –IV, Bidding Forms-Table of Price Adjustment Data then the Base price and source filled by Bidder for the construction material stated in the Bidding Form

	shall be subject to the approval of the Project manager and shall be as stated in SCC
	53.7 The Price Adjustment amount shall be limited to a maximum of the initial Contract Amount as specified in the SCC.
	53.8 The Price Adjustment provision shall not be applicable for delayed period if the contract is not completed in time due to the delay caused by the contractor or the contract is a Lump sum Contract.
54. Retention	54.1 The Employer shall retain from each payment due to the Contractor the proportion stated in the SCC until Completion of the whole of the Works.
	54.2 Upon the issue of a Defects Liability Certificate by the Project Manager, in accordance with GCC 70.1, half the total amount retained shall be repaid to the Contractor and half when the Contractor has submitted the evidence of submission of tax return to the concerned Internal Revenue Office.
	54.3 The Contractor may substitute retention money with an unconditional bank guarantee issued from Commercial Bank or Financial Institution eligible to issue Bank Guarantee as per prevailing Law if:
	(a) at least eighty (80) percent of the whole works have been completed,
	(b) progress of the works is satisfactory in accordance with the Contract as per approved work schedule, and
	(c) it can be assured that the works can be completed at the intended completion date.
	The validity of the bank guarantee under this sub-clause shall be at least 30 days beyond the end of Defect Liability Period.
	54.4 If retention money is substituted by bank guarantee in accordance with clause 54.3, the bank guarantee shall be submitted either using the Retention Money Security Form included in Section X (Contract Forms) or in another Form acceptable to the employer. The validity of the bank guarantee shall be at least one month more than the end of defect liability period.
55. Liquidated Damages	55.1 The Contractor shall pay liquidated damages to the Employer at the rate per day stated in the SCC for each day that the Completion Date is later than the Intended Completion Date. The total amount of liquidated damages shall not exceed the amount defined in the SCC. The Employer may deduct liquidated damages from payments due to the Contractor. Payment of liquidated damages shall not affect the Contractor's liabilities.
	55.2 If the Intended Completion Date is extended after liquidated damages have been paid, the Project Manager shall correct any overpayment of liquidated damages by the Contractor by adjusting the next payment certificate. The Contractor shall be paid interest on the overpayment, calculated from the date

	of payment to the date of repayment, at the rates specified in GCC 49.
56. Bonus	56.1 The Contractor shall be paid a Bonus calculated at the rate per calendar day stated in the SCC for each day (less any days for which the Contractor is paid for acceleration) that the Completion is earlier than the Intended Completion Date. The Project Manager shall certify that the Works are complete, although they may not be due to be complete.
57. Advance Payment	57.1 The Employer shall make advance payment to the Contractor of the amounts stated in the SCC in two equal installments by the date stated in the SCC , against provision by the Contractor of an unconditional bank guarantee from Commercial Bank or Financial Institution eligible to issue Bank Guarantee as per prevailing Law in Nepal in a form acceptable to the Employer in amounts equal to the advance payment. The guarantee shall remain effective until the advance payment has been repaid, but the amount of the guarantee shall be progressively reduced by the amounts repaid by the Contractor. Interest shall not be charged on the advance payment.
	The validity of the bank guarantee under this sub-clause shall be at least 30 days beyond the end of intended completion date.
	57.2 The Contractor is to use the advance payment only to pay for Equipment, Plant, Materials, and mobilization expenses required specifically for execution of the Contract. The Contractor shall demonstrate that advance payment has been used in this way by supplying copies of invoices or other documents to the Project Manager.
	57.3 The advance payment shall be repaid by deducting proportionate amounts, as stated in SCC , from payments otherwise due Contractor, following the schedule of completed percentages of the Works on a payment basis. No account shall be taken of the advance payment or its repayment in assessing valuations of work done, Variations, price adjustments, Compensation Events, Bonuses, or Liquidated Damages.
	57.4 If the advance provided under GCC 57.1 is not repaid due to non-performance of the works under the contract, by the Contractor within the time period specified in the Contract, the Employer shall recover the advance by enforcing the bank guarantee as provided under GCC 57.1, and shall also recover interest on the advance amount from the Contractor at a rate stated in SCC.
58. Securities	58.1 The Performance Security, including any additional security required as per ITB 35.5 and ITB 40.1, shall be provided to the Employer no later than the date specified in the Letter of Acceptance and shall be issued in an amount specified in the SCC, by a Commercial Bank or Financial Institution eligible to issue Bank Guarantee as per prevailing Law in Nepal in accordance with the conditions of Contract using Sample Form for the Performance Security included in Section IX (Contract Forms), or another form acceptable to the Employer, and denominated in Nepalese Rupees. The Performance Security shall be valid until a date 30 days beyond the end of the Defect Liability Period.
	However, if the bidder quoted a bid price more than fifteen (15) percent below the estimated cost, the bidder may submit a separate performance security for

	the amount exceeding five percent of the bid price, as per ITB 40.1 (ii), which shall be valid until a date 30 days beyond the end of the intended completion date.
	Any additional performance security required as per ITB 35.5 shall be valid until a date 30 days beyond the end of the intended completion date.
	58.2 The performance security issued by any foreign Bank outside Nepal must be counter guaranteed by Commercial Bank or Financial Institution eligible to issue Bank Guarantee as per prevailing Law in Nepal.
59. Dayworks	59.1 If applicable, the Dayworks rates in the Contractor's Bid shall be used for small additional amounts of work only when the Project Manager has given written instructions in advance for additional work to be paid for in that way.
	59.2 All work to be paid for as Dayworks shall be recorded by the Contractor on forms approved by the Project Manager. Each completed form shall be verified and signed by the Project Manager within two days of the work being done.
	59.3 The Contractor shall be paid for Dayworks subject to obtaining signed Dayworks forms.
60. Cost of Repairs	60.1 Loss or damage to the Works or Materials to be incorporated in the Works between the Start Date and the end of the Defects Correction periods shall be remedied by the Contractor at the Contractor's cost if the loss or damage arises from the Contractor's acts or omissions.
	F. Force Majeure
61. Definition of Force Majeure	61.1 In this Clause, "Force Majeure" means an exceptional event or circumstance,
	(a) which is beyond a Party's control;(b) which such Party could not reasonably have provided against before entering into the Contract;
	(c) which, having arisen, such Party could not reasonably have avoided or overcome; and
	(d) which is not substantially attributable to the other Party.
	61.2 Force Majeure may include, but is not limited to, exceptional events or circumstances of the kind listed below, so long as conditions (a) to (d) above are satisfied:
	(a) war, hostilities (whether war be declared or not), invasion, act of foreign enemies;
	(b) rebellion, terrorism, sabotage by persons other than the Contractor's Personnel, revolution, insurrection, military or usurped power, or civil war;
	(c) riot, commotion, disorder, strike or lockout by persons other than the Contractor's Personnel;
	(d) munitions of war, explosive materials, ionizing radiation or contamination by radio-activity, except as may be attributable to the

	Contractor's use of such munitions, explosives, radiation or radio- activity; and
	(e) natural catastrophes such as earthquake, hurricane, typhoon or volcanic activity.
62. Notice of Force Majeure	62.1 If a Party is or will be prevented from performing its substantial obligations under the Contract by Force Majeure, then it shall give notice to the other Party of the event or circumstances constituting the Force Majeure and shall specify the obligations, the performance of which is or will be prevented. The notice shall be given within 14 days after the Party became aware, or should have become aware, of the relevant event or circumstance constituting Force Majeure.
	62.2 The Party shall, having given notice, be excused performance of its obligations for so long as such Force Majeure prevents it from performing them.
	62.3 Notwithstanding any other provision of this Clause, Force Majeure shall not apply to obligations of either Party to make payments to the other Party under the Contract.
63. Duty to Minimize Delay	63.1 Each Party shall at all times use all reasonable endeavors to minimize any delay in the performance of the Contract as a result of Force Majeure.
	63.2 A Party shall give notice to the other Party when it ceases to be affected by the Force Majeure.
64. Consequences of Force Majeure	64.1 If the Contractor is prevented from performing its substantial obligations under the Contract by Force Majeure of which notice has been given under GCC 62, and suffers delay and/or incurs Cost by reason of such Force Majeure, the Contractor shall be entitled subject to GCC 30 to
	(a) an extension of time for any such delay, if completion is or will be delayed, under GCC35; and
	(b) if the event or circumstance is of the kind described in sub-paragraphs (a) to (d) of GCC 61.2 and, in the case of subparagraphs (b) to (d), occurs in the Country, payment of any such Cost, including the costs of rectifying or replacing the Works and/or Goods damaged or destructed by Force Majeure, to the extent they are not indemnified through the insurance policy referred to in GCC 19.
	64.2 After receiving this notice, the Project Manager shall proceed in accordance with GCC 10 to agree or determine these matters.
65. Force Majeure Affecting Subcontractor	65.1 If any Subcontractor is entitled under any contract or agreement relating to the Works to relief from force majeure on terms additional to or broader than those specified in this Clause, such additional or broader force majeure events or circumstances shall not excuse the Contractor's nonperformance or entitle him to relief under this Clause.

66. Optional Termination, Payment and Release	66.1 If the execution of substantially all the Works in progress is prevented for a continuous period of 90 days by reason of Force Majeure of which notice has been given under GCC 62, or for multiple periods which total more than 150 days due to the same notified Force Majeure, then either Party may give to the other Party a notice of termination of the Contract. In this event, the termination shall take effect 7 days after the notice is given, and the Contractor shall proceed in accordance with GCC 72.5.
	66.2 Upon such termination, the Project Manager shall determine the value of the work done and issue a Payment Certificate, which shall include
	(a) the amounts payable for any work carried out for which a price is stated in the Contract;
	(b) the Cost of Plant and Materials ordered for the Works which have been delivered to the Contractor, or of which the Contractor is liable to accept delivery: this Plant and Materials shall become the property of (and be at the risk of) the Employer when paid for by the Employer, and the Contractor shall place the same at the Employer's disposal;
	 (c) other Costs or liabilities which in the circumstances were reasonably and necessarily incurred by the Contractor in the expectation of completing the Works;
	(d) the Cost of removal of Temporary Works and Contractor's Equipment from the Site and the return of these items to the Contractor's works in his country (or to any other destination at no greater cost); and
	(e) the Cost of repatriation of the Contractor's staff and labor employed wholly in connection with the Works at the date of termination.
67. Release from Performance	67.1 Notwithstanding any other provision of this Clause, if any event or circumstance outside the control of the Parties (including, but not limited to, Force Majeure) arises, which makes it impossible or unlawful for either or both Parties to fulfill its or their contractual obligations or which, under the law governing the Contract, entitles the Parties to be released from further performance of the Contract, then upon notice by either Party to the other Party of such event or circumstance,
	(a) the Parties shall be discharged from further performance, without prejudice to the rights of either Party in respect of any previous breach of the Contract; and
	(b) the sum payable by the Employer to the Contractor shall be the same as would have been payable under GCC 66 if the Contract had been terminated under GCC 66.
	G. Finishing the Contract
68. Completion	68.1 The Contractor shall request the Project Manager to issue a certificate of Completion of the Works, and the Project Manager shall do so upon deciding that the work is completed.

	68.2 In addition to the other provisions, before acceptance of the completed works, Employer shall verify and assure that such works are within the set objective, quality and appropriate to operate and use.
69. Taking Over	69.1 In the contractor's Opinion, if the works are complete and ready for taking over, the contractor may apply by notice to the Project Manager for a Taking-Over Certificate. If the Works are divided into Sections, the Contractor may similarly apply for a Taking-Over Certificate for each Section.
	69.2 The Project Manager shall, within 30 days after receiving the Contractor's application:
	(a) issue the Taking-Over Certificate to the Contractor if physical progress of works is at least ninety (90) percent in accordance with the Contract except for any minor outstanding work and defects (as listed in the Taking-Over Certificate) which will not substantially affect the use of the Works or Section for their intended purpose (either until or whilst this work is completed and these defects are remedied); or
	(b) reject the application, giving reasons and specifying the work required to be done by the Contractor to enable the Taking-Over Certificate to be issued. The Contractor shall then complete this work before issuing a further notice under this Sub-Clause.
	69.3 If the Engineer fails either to issue the Taking-Over Certificate or to reject the Contractor's application within the period of 30 days, and if the Works or Section (as the case may be) are substantially completed in accordance with the Contract, the Taking-Over Certificate shall be deemed to have been issued on the last day of that period.
70. Final Account	70.1 The Contractor shall supply the Project Manager with a detailed account of the total amount that the Contractor considers payable under the Contract before the end of the Defects Liability Period. The Project Manager shall issue a Defects Liability Certificate and certify any final payment that is due to the Contractor within 60 days of receiving the Contractor's account if it is correct and complete. If it is not, the Project Manager shall issue within 60 days a schedule that states the scope of the corrections or additions that are necessary. If the Final Account is still unsatisfactory after it has been resubmitted, the Project Manager shall decide on the amount payable to the Contractor and issue a payment certificate.
71. Operating and Maintenance Manuals	71.1 If "as built" Drawings and/or operating and maintenance manuals are required, the Contractor shall supply them by the dates stated in the SCC .
	71.2 If the Contractor does not supply the Drawings and/or manuals by the dates stated in the SCC pursuant to GCC 71.1, or they do not receive the Project Manager's approval, the Project Manager shall withhold the amount stated in the SCC from payments due to the Contractor.
72. Termination	72.1 The Employer may terminate the Contract at any time if the contractor;
	a. does not commence the work as per the Contract,b. abandons the work without completing,c. fails to achieve progress as per the Contract.
	72.2 The Employer or the Contractor may terminate the Contract if the other party

	causes a fundamental breach of the Contract.
	72.3 Fundamental breaches of Contract shall include, but shall not be limited to, the following:
	a. the Contractor uses the advance payment for matters other than the contractual obligations,
	b. the Contractor stops work for 30 days when no stoppage of work is shown on the current Program and the stoppage has not been authorized by the Project Manager;
	c. the Project Manager instructs the Contractor to delay the progress of the Works, and the instruction is not withdrawn within 30 days;
	d. the Employer or the Contractor is made bankrupt or goes into liquidation other than for a reconstruction or amalgamation.
	e. a payment certified by the Project Manager is not paid by the Employer to the Contractor within 90 days of the date of the Project Manager's certificate;
	f. the Project Manager gives Notice that failure to correct a particular Defect is a fundamental breach of Contract and the Contractor fails to correct it within a reasonable period of time determined by the Project Manager;
	g. the Project Manager gives two consecutive Notices to update the Program and accelerate the works to ensure compliance with GCC Sub clause 22.1 and the Contractor fails to update the Program and demonstrate acceleration of the works within a reasonable period of time determined by the Project Manager;
	h. the Contractor does not maintain a Security, which is required;
	 i. the Contractor has delayed the completion of the Works by the number of days for which the maximum amount of liquidated damages can be paid, as defined in the SCC; and
	j. If the Contractor, in the judgment of the Employer has engaged in corrupt or fraudulent practices in competing for or in executing the Contract, pursuant to GCC 73.1.
	72.4 When either party to the Contract gives notice of a breach of Contract to the Project Manager for a cause other than those listed under GCC 72.3 above, the Project Manager shall decide whether the breach is fundamental or not.
	72.5 Notwithstanding the above, the Employer may terminate the Contract for convenience.
	72.6 If the Contract is terminated, the Contractor shall stop work immediately, make the Site safe and secure, and leave the Site as soon as reasonably possible.
73. Fraud and Corruption	73.1 If the Employer determines that the Contractor has engaged in corrupt, fraudulent, collusive, coercive or obstructive practices, in competing for or in executing the Contract, then the Employer may, after giving 15 days' notice to the Contractor, terminate the Contractor's employment under the Contract and expel

	him from the Site.
	73.2 Should any employee of the Contractor be determined to have engaged in corrupt, fraudulent, collusive, coercive, or obstructive practice during the execution of the Works, then that employee shall be removed in accordance with GCC Clause 15.
	For the purposes of this GCC 73;
	(i) "corrupt practice" is the offering, giving, receiving or soliciting, directly or indirectly, of anything of value to influence improperly the actions of another party.
	(ii) "fraudulent practice" is any act or omission, including a misrepresentation, that knowingly or recklessly misleads, or attempts to mislead, a party to obtain a financial or other benefit or to avoid an obligation;
	(iii) "collusive practice" is an arrangement between two or more parties designed to achieve an improper purpose, including to influence improperly the actions of another party;
	(iv) "coercive practice" is impairing or harming, or threatening to impair or harm, directly or indirectly, any party or the property of the party to influence improperly the actions of a party;
	(v) "obstructive practice" is
	(aa) deliberately destroying, falsifying, altering or concealing of evidence material to the investigation or making false statements to investigators in order to materially impede a investigation into allegations of a corrupt, fraudulent, coercive or collusive practice; and/or threatening, harassing or intimidating any party to prevent it from disclosing its knowledge of matters relevant to the investigation or from pursuing the investigation; or
	(bb) acts intended to materially impede the exercise of the GON's/DP's inspection and audit rights provided for under GCC28.3.
74. Black Listing	74.1 Without prejudice to any other rights of the Employer under this Contract, GoN, Public Procurement Monitoring Office (PPMO), on the recommendation of procuring entity, may blacklist a Bidder or contractor for its conduct for a period of one (1) to three (3) years on the following grounds and seriousness of the act committed by the bidder or contractor:
	(a) if it is established that the Contractor has committed substantial defect in implementation of the contract or has not substantially fulfilled its obligations under the contract or the completed work is not of the specified quality as per the contract.
	(b) If convicted from a court of law in a criminal offense liable to be disqualified for taking part in procurement contract,(c) If it is established that the Contractor has engaged in corrupt or fraudulent practices in competing for or in executing the Contract.
75. Payment upon Termination	75.1 If the Contract is terminated because of a fundamental breach of Contract by the Contractor, the Project Manager shall issue a certificate for the value of the work done and Materials ordered less advance payments received up to the date of the issue of the certificate. Additional Liquidated Damages shall not apply. If the total amount due to the Employer exceeds any payment due to the

	Contractor, the difference shall be a debt payable to the Employer.
	75.2 If the Contract is terminated for the Employer's convenience or because of a fundamental breach of Contract by the Employer, the Project Manager shall issue a certificate for the value of the work done, Materials ordered, the reasonable cost of removal of Equipment, repatriation of the Contractor's personnel employed solely on the Works, and the Contractor's costs of protecting and securing the Works, and less advance payments received up to the date of the certificate.
	75.3 If the Contract is terminated because of fundamental breach of Contract or for any other fault by the Contractor, the performance security shall be forfeited by the Employer.
	In such case, amount to complete the remaining works as per the Contract shall be recovered from the Contractor as Government dues.
76. Property	76.1 All Materials on the Site, Plant, Equipment, Temporary Works, and Works shall be deemed to be the property of the Employer if the Contract is terminated because of the Contractor's default.
77. Release from Performance	77.1 If the Contract is frustrated by the outbreak of war or by any other event entirely outside the control of either the Employer or the Contractor, the Project Manager shall certify that the Contract has been frustrated. The Contractor shall make the Site safe and stop work as quickly as possible after receiving this certificate and shall be paid for all work carried out before receiving it and for any work carried out afterwards to which a commitment was made.
78.Suspension of DP Loan/Credit/Grant	78.1 In the event that the DP suspends the loan/ credit/grant to the Employer from which part of the payments to the Contractor are being made:
	a. the Employer is obligated to notify the Contractor of such suspension within 7 days of having received the DP's suspension notice; and
	b. if the Contractor has not received sums due him within the 30 days for payment provided for in GCC 49.1, the Contractor may immediately issue a 15-day termination notice.
79. Eligibility	79.1 The Contractor shall have the nationality of an eligible country as specified in Section V of the bidding document. The Contractor shall be deemed to have the nationality of a country if the Contractor is a citizen or is constituted, or incorporated, and operates in conformity with the provisions of the laws of that country. This criterion shall also apply to the determination of the nationality of proposed subcontractors or suppliers for any part of the Contract including related services.
	79.2 The materials, equipment, and services to be supplied under the Contract shall have their origin in eligible source countries as specified in Section V of the bidding document and all expenditures under the Contract will be limited to such materials, equipment, and services. At the Employer's request, the Contractor may be required to provide evidence of the origin of materials, equipment, and services.
	79.3 For purposes of GCC 79.2, "origin" means the place where the materials and equipment are mined, grown, produced, or manufactured, and from which the services are provided. Materials and equipment are produced when, through manufacturing, processing, or substantial or major assembling of components,

	a commercially recognized product results that differs substantially in its basic characteristics or in purpose or utility from its components.
80. Project Manager's Duties and Authorities	80.1 The Project Manager's duties and authorities are restricted to the extent as stated in the SCC.
81. Quarries and Spoil Dumps	81.1 Any quarry operated as part of this Contract shall be maintained and left in a stable condition without steep slopes and be either refilled or drained and be landscaped by appropriate planting. Rock or gravel taken from a river shall be removed over some distance so as to limit the depth of material removed at any one location, not disrupt the river flow or damage or undermine the river banks. The Contractor shall not deposit excavated material on land in Government or private ownership except as directed by the Project Manager in writing or by permission in writing of the authority responsible for such land in Government ownership, or of the owner or responsible representative of the owner of such land in private ownership, and only then in those places and under such conditions as the authority, owner or responsible representative may prescribe.
82. Local Taxation	82.1 The prices bid by the Contractor shall include all taxes that may be levied in accordance to the laws and regulations in being in Nepal on the date 30 days prior to the closing date for submissions of Bids on the Contractor's equipment, plant and materials acquired for the purpose of the Contract and on the services performed under the Contract. Nothing in the Contract shall relieve the Contractor from his responsibility to pay any tax that may be levied in Nepal on profits made by him in respect of the Contract.
83. Value Added Tax	83.1 The Contract is not exempted from value added tax. An amount specified in the schedule of taxes shall be paid by the Contractor in the concerned VAT office within time frame specified in VAT regulation.
84. Income Taxes on Staff	84.1 The Contractor's staff, personnel and labor will be liable to pay personal income taxes in Nepal in respect of their salaries and wages, as are chargeable under the laws and regulations for the time being in force, and the Contractor shall perform such duties in regard to such deductions as may be imposed on him by such laws and regulations.
	84.2 The issue of the Final Account Certificate pursuant to clause GCC 70 shall be made only upon submittal by the Contractor of a certificate of income tax clearance from the Government of Nepal.
85. Duties, Taxes and Royalties	85.1 Any element of royalty, duty or tax in the price of any goods including fuel oil, and lubricating oil, cement, timber, iron and iron goods locally procured by the Contractor for the works shall be included in the Contract rates and prices and no reimbursement or payment in that respect shall be made to the Contractor.
	85.2 The Contractor shall familiarize himself with GON the rules and regulations with regard to customs, duties, taxes, clearing of goods and equipment, immigration and the like, and it will be necessary for him to follow the required procedures regardless of the assistance as may be provided by the Employer wherever possible.
	85.3 The Contractor shall pay and shall not be entitled to the reimbursement of cost of extracting construction materials such as sand, stone/boulder, gravel, etc. from

86. Member of Government, etc, not Personally Liable	the river beds or quarries. Such prices will be levied by the local District Development Committee (DDC) as may be in force at the time. The Contractor, sub-contractor(s) employed directly by him and for whom he is responsible, will not be exempted from payment of royalties, taxes or other kinds of surcharges on these construction materials so extracted and paid for to the DDC. 86.1 No member or officer of GoN or the Employer or the Project Manager or any of their respective employees shall be in any way personally bound or liable for the act or obligations of the Employer under the Contract or answerable for any default or omission in the observance or performance of any of act, matter or thing which are herein contained.
87. Approval of Use of Explosives	87.1 No explosives of any kind shall be used by the Contractor without the prior consent of the Employer in writing and the Contractor shall provide, store and handle these and all other items of every kind whatsoever required for blasting operations, all at his own expense in a manner approved in writing by the Employer.
88 Compliance with Regulations for Explosives	88.1 The Contractor shall comply with all relevant ordinances, instructions and regulations which the Government, or other person or persons having due authority, may issue from time to time regarding the handling, transportation, storage and use of explosives.
89. Permission for Blasting	89.1 The Contractor shall at all times maintain full liaison with and inform well in advance, and obtain such permission as is required from all Government authorities, public bodies and private parties whatsoever concerned or affected, or likely to be concerned or affected by blasting operation.
90. Records of Explosives	90.1 Before the beginning of the Defects Liability Period, the Contractor shall account to the satisfaction of the Project Manager for all explosives brought on to the Site during the execution of the Contract and the Contractor shall remove all unused explosives from the Site on completion of works when ordered by the Project Manager.
91.Traffic Diversion	91.1 The Contractor shall include the necessary safety procedures regarding and pedestrian traffic diversion that is needed in execution of the works. The Contractor shall include in his costing of works, any temporary works or diversion that are needed during the construction period. All traffic diversion should be designed for the safety of both the motoring public and the men at work. It shall ensure the uninterrupted flow of traffic and minimum inconvenience to the public during the period concerned. As such, adequate warning signs, flagmen and other relevant safety precautionary measures shall be provided to warn motorists and pedestrians well ahead of the intended diversion as directed by the Project Manager. All traffic devices used shall be designed in accordance with the instruction of Project Manager.

Section IX: Special Conditions of Contract

The following Special Conditions of Contract shall a provisions herein shall prevail over those in the GCC.	supplement the GCC. Whenever there is a conflict, the

Special Conditions of Contract

A. General	
GCC 1.1 (p)	The Employer is Madan Bhandari University of Science and Technology.
GCC 1.1 (u)	The Intended Completion Date for the whole of the Works shall be: 26 Months from the date of issue of work order.
GCC 1.1(bb) & GCC10.1	The Project Manager is as defined by the employer in the work order
	The Project Manager and Engineer are synonyms.
GCC 1.1 (ee)	The Site is located at Chitlang, Thaha Municipality Ward 9, Nepal.
GCC 1.1 (hh)	The Start Date shall be 7 days from the date of work order.
GCC 1.1 (ll)	The Works consist of Construction of Undergraduate Program Building Block-2.
GCC 2.2	Sectional Completions are: Not applicable
GCC 2.3(i)	The following documents also form part of the Contract: Not applicable
GCC 3.1	The language of the contract is ENGLISH/NEPALI
	The law that applies to the Contract is the law of NEPAL
GCC 11.1	The Project Manager <i>may</i> delegate any of his duties and responsibilities.
GCC 12.1 (a)	The agreed electronic transmission shall be <u>www.mbust.edu.np</u> .
GCC 13.1	Maximum percentage of subcontracting permitted is: Not Applicable
	Nature of Works that can be sub contracted: Not Applicable
	Qualification Criteria: Not Applicable
GCC 14.1	Schedule of other contractors: Not Applicable
GCC 19.1	The minimum insurance amounts and deductibles shall be:
	1. The minimum cover for loss of or damage to the Works, Plant and Materials is: 115% of the Contract Amount.
	2. The maximum deductible for insurance of the Works and of Plant and Materials is: <i>NRs</i> 50,000.
	3. The minimum cover for loss or damage to immovable Equipment/ plants is: 100 % (i.e. Replacement Cost).
	4. The maximum deductible for insurance of immovable Equipment/plant is: NRs 50,000.
	5. The minimum cover for loss of or damage to other property is: NA with

	unlimited number of occurrences.				
	6. The maximum deductible for insurance of other property is: <i>NA</i> .				
	7. The minimum cover for personal injury or death insurance				
	i. for the Contractor's employees is that specified in the Labor act of Nepal and				
	ii. for other people is: NRs 10,00,000 with an unlimited number of occurrences				
GCC 20.1	Site Investigation Reports are: The bidder shall make his/her own investigations regarding field conditions				
GCC 23.1	The following shall be designed by the Contractor Temporary structure.				
GCC 26.1	The Site Possession Date(s) shall be: same as the Start Date				
GCC 30.1	The place of arbitration shall be: <i>Kathmandu</i> , <i>Nepal</i> .				
	C. Time Control				
GCC 34.1	The Contractor shall submit for approval a Program for the Works within 7 days from the date of the Letter of Acceptance.				
GCC 34.3	The period between Program updates is 60 days. The amount to be withheld for late submission of an updated Program is NRs 5,00,000.				
	D. Quality Control				
GCC 42.1	D. Quality Control The Defects Liability Period is: 365 days.				
GCC 42.1	I .				
GCC 42.1 GCC 49.1	The Defects Liability Period is: 365 days.				
	The Defects Liability Period is: 365 days. E. Cost Control				
GCC 49.1	The Defects Liability Period is: 365 days. E. Cost Control Not Applicable The Contract is subject to price adjustment, and the following information regarding				
GCC 49.1	The Defects Liability Period is: 365 days. E. Cost Control Not Applicable The Contract is subject to price adjustment, and the following information regarding coefficients does apply. The coefficients and indices for adjustment of prices in Nepalese Rupees shall be as specified in the Table of Adjustment Data submitted by bidder together with the Letter of				
GCC 49.1 GCC 53.1	The Defects Liability Period is: 365 days. E. Cost Control Not Applicable The Contract is subject to price adjustment, and the following information regarding coefficients does apply. The coefficients and indices for adjustment of prices in Nepalese Rupees shall be as specified in the Table of Adjustment Data submitted by bidder together with the Letter of Price Bid which is approved by the Project manager and attached as Annex-1. Base Price of Construction Materials applicable for price adjustment shall be as per the Table of Adjustment Data submitted by Bidder together with the Letter of Price				
GCC 49.1 GCC 53.1 GCC 53.6	The Defects Liability Period is: 365 days. E. Cost Control Not Applicable The Contract is subject to price adjustment, and the following information regarding coefficients does apply. The coefficients and indices for adjustment of prices in Nepalese Rupees shall be as specified in the Table of Adjustment Data submitted by bidder together with the Letter of Price Bid which is approved by the Project manager and attached as Annex-1. Base Price of Construction Materials applicable for price adjustment shall be as per the Table of Adjustment Data submitted by Bidder together with the Letter of Price Bid which is approved by the Project manager and attached as Annex-1.				
GCC 49.1 GCC 53.1 GCC 53.6	E. Cost Control Not Applicable The Contract <i>is</i> subject to price adjustment, and the following information regarding coefficients <i>does</i> apply. The coefficients and indices for adjustment of prices in Nepalese Rupees shall be as specified in the Table of Adjustment Data submitted by bidder together with the Letter of Price Bid which is approved by the Project manager and attached as Annex-1. Base Price of Construction Materials applicable for price adjustment shall be as per the Table of Adjustment Data submitted by Bidder together with the Letter of Price Bid which is approved by the Project manager and attached as Annex-1. The Price Adjustment amount shall be limited to a maximum of: For GoN Funded: 25 % percentage of the initial Contract Amount (without VAT but				

	For GoN Funded: 5 (five) percent
GCC 55.1	The liquidated damages for the whole of the Works are 0.05 Percent of the final Contract Price (without VAT but including PS) per day. The maximum amount of liquidated damages for the whole of the Works is 10 Percent of the final Contract Price (without VAT but including PS).
GCC 56.1	The provision of bonus <i>Applicable</i> in the contract. If Applicable, the Bonus for the whole of the Works is 0.05 Percent per day of final contract price (without VAT but including PS). The maximum amount of Bonus for the whole of the Works is <i>10%</i> of the final Contract Price (without VAT but including PS).
GCC 57.1	The provision of Advance Payments <i>Applicable</i> in the contract.
	The Advance Payments shall be: 10% of the contract amount and shall be paid in two equal installments to the Contractor.
	The First Installment of 5% of the contract amount shall be made to the contractor upon submission of acceptable Bank Guarantee and the submission of program pursuant to GCC 34.1 for advance payment after issuance of work order and after establishing site office and commencing the excavation work for foundation and mobilizing major building materials.
	The Second Installment of 5% of the contract amount shall be made upon submission of acceptable Bank Guarantee for advance payment after start of foundation works. and after fulfilled contractual obligation such as submission of insurance policies, work progress to the employer including evidence of expenditure of 1st instalment.
GCC 57.3	Deductions from Payment Certificates will commence in the first certificate in which the value of works executed exceeds 30% of the Contract Price. Deduction will be at the rate of 20% of the respective Monthly Interim Payment Certificate until such time as the advance payment has been repaid; provided that the advance payment shall be completely repaid prior to the end of 80 % of the approved contract price.
GCC 57.4	Recover interest on the advance amount from the Contractor should be at a rate of 10 % .
GCC 58.1	The Performance Security amount is: The Performance Security, including any additional security required as per ITB 35.5 and ITB 40.1, shall be provided to the Employer no later than the date specified in the Letter of Acceptance.
	G. Finishing the Contract
GCC 71.1	The date by which operating and maintenance manuals are required is; 7 days prior to the submission of final invoice.
GCC 71.2	The date by which "as built" drawings are required is: 7 days prior to the submission of final invoice
	The amount to be withheld for failing to produce "as built" drawings and/or Operating and maintenance manuals is: NRs 5,00,000.
GCC 72.3 (i)	The maximum number of days is: 200

GCC 80

The Project Manager has to obtain the specific approval of the Employer for taking any of the following actions :

- a. Approving subcontracting of any part of the works under General Conditions of Contract Clause 13;
- b. Certifying additional costs determined under General Conditions of Contract Clause 50;
- c. Determining start date under General Conditions of Contract Clause 1;
- d. Determining the extension of the intended Completion Date under General Conditions of Contract Clause 35;
- e. Issuing a Variation under General Conditions of Contract Clause 1 and 46, except in an emergency situation, as reasonably determined by the Project Manager; emergency situation may be defined as the situation when protective measures must be taken for the safety of life or of the works or of adjoining property.
- f. Adjustment of rates under General Conditions of Contract Clause 45;

Section X: Contract Forms

This Section contains forms which, once completed, will form part of the Contract. The forms for Performance Security and when required Advance Payment Security and Retention Money Security shall only be completed by the successful Bidder after contract award.

Letter of Intent

[on letterhead paper of the Employer]

		Date:
То:	Name and address of the Contractor	
Subject:	Issuance of letter of intent to award the conti	ract
This is to notify you that, it is	our intention to award the contract	[insert
date]for exec	cution of the	[insert
name of the contract and ide	entification number, as given in the Contract	Data/SCC] to you as your bid
price Nepalese Rupees	[insert amount of contra	ct price in figures and words
including taxes] as corrected	and modified in accordance with the Instruction	ns to Bidders is hereby selected
as substantially responsive low	vest evaluated bid.	
	Authorized Signature:	
	Name:	
	Title:	

CC:

[Insert name and address of all other Bidders, who submitted the bid]

[Notes on Letter of Intent

The issuance of Letter of Intent is the information of the selection of the bid of the successful bidder by the Employer and for providing information to other unsuccessful bidders who participated in the bid as regards to the outcome of the procurement process. This standard form of Letter of Intent to Award should be filled in and sent to the successful Bidder only after evaluation and selection of substantially responsible lowest evaluated bid.]

Letter of Acceptance [on letterhead paper of the Employer]

	Date:
To:	Name and address of the Contractor
Subject:	Notification of Award
invitation]	in the formulation of Bids dated
Performance Securit	ucted to contact this office to sign the formal contract agreement within 15 days with ty of NRs in accordance with the Conditions of Contract, using for that mance security Form included in Section X (Contract Forms) of this Bidding
	Authorized Signature:
	Name and Title of Signatory:

Contract Agreement

THIS AGREEMENT made the
WHEREAS the Employer desires that the Works known as
The Employer and the Contractor agree as follows:
1. In this Agreement words and expressions shall have the same meanings as are respectively assigned to them in the Contract documents referred to.
2. The following documents shall be deemed to form and be read and construed as part of this Agreement. This Agreement shall prevail over all other Contract documents. (a) the Letter of Acceptance; (b) the Letters of Technical and Price Bid; (c) the Addenda Nos
3. In consideration of the payments to be made by the Employer to the Contractor as indicated in this Agreement, the Contractor hereby covenants with the Employer to execute the Works and to remedy defects therein in conformity in all respects with the provisions of the Contract.
4. The Employer hereby covenants to pay the Contractor in consideration of the execution and completion of the Works and the remedying of defects therein, the Contract Price or such other sum as may become payable under the provisions of the Contract at the times and in the manner prescribed by the Contract.
IN WITNESS whereof the parties hereto have caused this Agreement to be executed in accordance with
the laws of Nepal on the day, month and year indicated above.
Signed by for and on behalf the Contractor in the presence of
Witness, Name Signature, Address, Date
Signed by for and on behalf of the Employer in the presence of
Witness, Name, Signature, Address, Date

List of Approved Subcontractors

In accordance with GCC Sub-Clause 13.1, The following Subcontractors are approved for carrying out the work as specified below.

Name of Subcontractors	Description of Works	Value/Percentage of subcontract

Performance Security

(On letterhead paper of the Bank)

Bank's Name, and Address of Issuing Branch or Office
Beneficiary: [insert Name and Address of Employer]
Date:
Performance Guarantee No.:
We have been informed that [insert name of the Contractor, which in the case of a joint venture shall be the name of the joint venture] (hereinafter called "the Contractor") has been notified by you to sign the Contract No [insert reference number of the Contract], for the execution of
Furthermore, we understand that, according to the conditions of the Contract, a performance guarantee is required.
At the request of the Contractor, we
This guarantee shall expire, no later than the [[insert day]. Day of [[insert month, year], **, and any demand for payment under it must be received by us at this office on or before that date.
This guarantee is subject to the Uniform Rules for Demand Guarantees (URDG), 2010 Revisions, ICC Publication No. 758, except that the supporting statement under Article 15(a) is hereby excluded.
Seal of Bank and Signature(s)

Note:

All italicized text is for guidance on how to prepare this demand guarantee and shall be deleted from the final document.

- * The Guarantor shall insert an amount representing the percentage of the Contract Price specified in the Contract in Nepalese Rupees.
- ** Insert the date thirty days after the date specified for the Defect Liability Period. The Employer should note that in the event of an extension of the time for completion of the Contract, the Employer would need to request an extension of this guarantee from the Guarantor. Such request must be in writing and must be made prior to the expiration date established in the guarantee.

Advance Payment Security

(On letterhead paper of the Bank)

Bank's Name, and Address of Issuing Branch or Office
Beneficiary:[insert Name and address of employer]
Date:
Advance Payment Guarantee No
We have been informed that [insert name of the Contractor, which in the case of a joint venture shall be the name of the joint venture]
Furthermore, we understand that, according to the Conditions of the Contract, an advance payment in the sum Nepalese Rupees
At the request of the Contractor, we
(a)Used the advance payment for purposes other than the costs of mobilization in respect of the Works; or
(b) Has failed to repay the advance payment when it has become due and payable in accordance with the conditions of the contract, specifying the amount payable by the contractor.
The maximum amount of this guarantee shall be progressively reduced by the amount of the advance payment repaid by the Contractor as indicated in copies of interim statements or payment certificates which shall be presented to us. This guarantee shall expire, at the latest, upon our receipt of a copy of the interim payment certificate indicating that eighty (80) percent of the Contract Price has been certified for payment, or on the[date] day of[month],[year]**, whichever is earlier. Consequently, any demand for payment under this guarantee must be received by us at this office on or before that date.
This guarantee is subject to the Uniform Rules for Demand Guarantees (URDG), 2010 Revisions, ICC Publication No. 758, except that the supporting statement under Article 15(a) is hereby excluded.
Seal of Bank and Signature(s)

Note:

All italicized text is for guidance on how to prepare this demand guarantee and shall be deleted from the final document.

^{*}The Guarantor shall insert an amount representing the amount of the advance payment in Nepalese Rupees of the advance payment as specified in the Contract.

^{**} Insert the date Thirty days after the intended completion date. The Employer should note that in the event of an extension of the time for completion of the Contract, the Employer would need to request an extension of this guarantee from the Guarantor. Such request must be in writing and must be made prior to the expiration date established in the guarantee.

Retention Money Security

(On letterhead paper of the Bank)

Bank's N	ame, and Address of Issuing Branch or Office
Beneficiary:	[Insert name and Address of Employer]
Date:	_[Insert date of issue]
RETENTION MONEY	Y GUARANTEE No.: [Insert guarantee reference number]
shall be the name of th	[insert name of Contractor, which in the case of a joint venture e joint venture] (hereinafter called "the Contractor") has entered into Contract No. eference number of the contract] dated with the Beneficiary, for the [insert name of contract and brief description of Works] (hereinafter
the limit set forth in the Coworks have been complete work schedule and it can be	nd that, according to the conditions of the Contract, the Beneficiary retains moneys up to contract ("the Retention Money"), and that when at least eighty (80) percent of the whole ad, progress of the works is satisfactory in accordance with the Contract as per approved the assured that the works can be completed at the intended completion date, payment of Retention Money] is to be made against a Retention Money guarantee.
irrevocably undertake to pa [insert amou demand supported by the accompanying or identify.	actor, we, [insert name of the Bank]as Guarantor, hereby ay the Beneficiary any sum or sums not exceeding in total an amount of Nepalese Rupees nt in figures and amount in words] ¹] [upon receipt by us of the Beneficiary's complying Beneficiary's statement, whether in the demand itself or in a separate signed document ing the demand, stating that the Contractor is in breach of its obligation(s) under the ding to prove or show grounds for your demand or the sum specified therein.
	e no later than the \dots day of \dots , \dots ² , and any demand for payment under it must be indicated above on or before that date.
	to the Uniform Rules for Demand Guarantees (URDG), 2010 Revisions, ICC Publication supporting statement under Article 15(a) is hereby excluded.
[Seal of Bank and signatur	re(s)]

¹ The Guarantor shall insert the amount of the Retention Money.

² Insert the same expiry date which is 30 days more than the end of Defect Liability Period. The Employer should note that in the event of an extension of this date for completion of the Contract, the Employer would need to request an extension of this guarantee from the Guarantor. Such request must be in writing and must be made prior to the expiration date established in the guarantee.

Annex-1

Table of Price Adjustment Data [SCC 53.1]

Code	Index Description	Source of Index*	Base Value and Date	Employer's Proposed Weighting Range (coefficient)	Bidder's Proposed Weighting (coefficient)**
1	2	3	4	5	6
	Non - adjustable (A)			0.15	0.15
	Labor (b)				
	Materials (c)				
	Equipment usage (d)				
		Total			1.00

Note: Base value and Bidder's proposed weighting coefficient to be filled as per "Bid Form of Table of Price Adjustment Data" in Bidding Forms (Section-IV) after verification by the Employer in case of the alternative provision of Bidder proposed value and weighting coefficient.

Table of Price Adjustment Data [SCC 53.6]

Code	Construction Material*	Unit	Base Price (NRs/Unit) ** (Ex- factory)	Source (Factory)**
1	2	3	4	5

^{**} For the purpose of calculation of price adjustment, the Ex-factory price of the same source mentioned in the table shall be taken into consideration.

Note: Base Price and source to be filled as per "Bid Form of Table of Price Adjustment Data" in Bidding Forms (Section-IV) after verification by the Employer in case of the alternative provision of Bidder proposed source and base price.